

Text, Data and People – How to Represent Earth System Science

Hans Pfeiffenberger Ana Macario Alfred Wegener Institut, Bremerhaven





Introduction


- Earth System Science (ESS) is an interdisciplinary and global collaboration
- ESS output is heavily data-centric
 - data come from observations
 - and simulation ("in silico" experiments)
- ESS work is organized around
 - expeditions or campaigns and
 - coupled models of earth's sub-systems
- Logistics and system cost are extremely high
 - one ship may cost up to 500 G€
 - "Earth Simulator", the fastest computer 2 years ago
- ESS data potentially are of extreme long term value





An important, typical Experiment

- EISENEX / EIFEX : Conducted during two expeditions of "Polarstern", with a 4 year pause
- EIFEX (2004):
 - 54 scientists (and students) from
 - 14 institutes and 3 companies from
 - 7 European countries and South Africa
 - Oceanographers
 - Biologists
 - Chemists.....
- "Biogeochemistry"







Collaboration's data needs

- Need to work from a common understanding of what is known about the subject
- Need to plan expeditions and coordinate with ships' operators general plan (5 or more years in advance)
- Need to coordinate instrument design, operation and interfacing before ships departure
- Meet aboard , sail and work 8 weeks or so
- Do evaluation, when at the home institute, exchanging their particular results.
- Publish text; PhD students dump the data somewhere, if nobody watches, or keep it "private"



4



Data Publishing

- There is reason enough to thoroughly publish data:
 - Potential reuse in many more contexts than foreseen
 - Enable peer reviewers to have a critical look at data quality
- Problem: Metadata
 - ISO 19115 is a metadata standard (with ~1000 attributes) for georeferenced data
 - Almost no producer of data knows how to form ISO 19115 for his/her data (nor wishes to know)
- There is no reward system (like: number of peer reviewed papers) in place to stimulate individuals
 - There should be a solution for well curated datasets and databases





Data Management

- Metadata needed even on "work in progress"- or auxiliary datasets,
 - both need to be "archived", or managed
 - Even if they may never achieve a level of "published" data
 - They need to be available to a distributed project group during their project, long before publication
- There are too many datasets to produce correct and complete ISO 19115 metadata "manually"
 - Find ways to produce ISO by each instrument at the time of data creation, automatically
 - Use context or relationship instead of descriptive metadata





Relating all relevant Objects Reversion 1.0 Login[Admin] R.V. "Polarstern"- Expedition year: 2 Operation: Alfred-Wegener-In [Germany] Ice class: GL/ARC 3, built 19 Length/Beam: 117.91 m/25.07 m Purpose: Marine Science, log re-supply General info: Current expedition


...but for AWI

| | Expedition year: 2004 💌 |
|----------------------------|---|
| Operation: | Alfred-Wegener-Institut [Germany] |
| Ice class: | GL/ARC 3, built 1982 |
| Length/Beam: | 117.91 m/25.07 m |
| Purpose: | Marine Science, logistic, re-supply |
| General info: | Current expedition Current weather Long-term schedule On-line library |
| Cruise participation: | Call for Proposals Proposal guidelines Cruise-related forms |
| Instrumentation: | All Physical oceanography |
| Data: | Meteorology Oceanography PANGAEA PODAS |
| "Polarstern Abstracts": | All Submit new abstract |
| Additional | Field reports PhD Thesis |

Field reports | PhD Thesis

Invited talks | Talks | Posters

Publications: Presentations:




[See also] [Print schedule]



OAI4 CERN 2005-10-20



Current PANGAEA relationship encoding



Resource

| Dublin Core | Dataset-to-Publication relationship metadata should be expressed in RDF/XML and placed in the "Relations datastream" | etadata purce> pr content |
|-------------------------|--|---------------------------------|
| Descriptive metadata | Identifiers needed (in addition to locators) | lation> or for ation(s) |
| | 8 | |

Goals

- Transfer concepts and content from "homegrown", internal repositories to federations of standards-based IRs around the world
- Harvest (f.e.) Polarstern-expedition related text and data from all IRs of participants
- Display / sort / analyze / rank the maze of material through all meaningful criteria
- Find key networks of people, projects, text,.....







| lome | |
|---|--|
| Welcome to the Helmholtz Knowledge Management Search for relevant open-access databases, associate | |
| 🔍 Advanced Search | Browse Archives |
| Search: macario | in All Collections Search |
| Home Search Archiv | Events: talks Events: invited talks |
|) 2003-2004 Powered by ublic Knowledge Project | Events: posters All Technology transfers Technology transfer: patente Technology transfer: trademarks Technology transfer: utility model All Thesis Thesis: bachelors Thesis: diploms |



| Res | Search: macario Select Repository: I Fedora at AWI I Pangaea Search |
|-----|--|
| Res | ✓ Fedora at AWI ✓ Pangaea |
| Res | Pangaea |
| Res | Search |
| Res | |
| | ults 1-5 for 'macario': |
| | Show Results 6-10 ->> |
| 1 | Personal Homepage of Dr. Ana Macario [text, people] (2005) Ana Macario |
| 2 | A Discovery Service for Knowledge Related to Research Platforms [event, |
| | international talk] (2004) Macario, A.; Pfeiffenberger, H.; Reinke, M. |
| 3 | Portal for Earth Sciences in Polar Regions [event, international talk] |
| | (2003) König-Langlo, G.; Macario, A.; Olbers, D.; Pfeiffenberger, H.; Reinke, M.; Thiede, J. |
| 4 | Research platforms in polar regions - a portal approach [event, international talk] |
| | (2003) König-Langlo, G.; Macario, A.; Olbers, D.; Pfeiffenberger, H.; Reinke, M.; Thiede, J. |
| 5 | An homogeneous Directory of People, Publications, and other Resources as a |
| | means for IT-based Knowledge Management in Science [event, invited national talk] |
| | (2000) Macario, A.; Pfeiffenberger, H. Fedora at AVI Response Time: 0.144s, 5 Results |
| | Pangaea Response Time: 0.374s, O Results |





OAI4 CERN 2005-10-20

Types of Object In the order of appearance (1)

- (Institutions)
- Person
 - represented by splash page (Personal home page)
 - uid: eduPersonPrimaryName
 - primary encoding: eduPerson schema
- (informal group)
- Project
 - represented by splash page (Project home page)
 - uid: maybe a specific encoding of the funders' project number
 - primary encoding: eduPerson/eduOrg schema
- Expedition, Campaign:
 - represented by splash page (Expedition home page)
 - treat it as a project, generate project number from expedition identifier
 - primary encoding: eduPerson/eduOrg schema






Types of Object In the order of appearance (2)

- Datasets
 - represented by splash page
 - uid: maybe the same kind as publications
 - primary encoding: Community specific (f.e.: ISO 19115)
- Publications
 - represented by splash page containing
 - abstract, etc.
 - pointer to article at publishers site
 - pointer to article at IR
 - publisher's word about what is the "original", etc.
 - uid: DOI, permanent URL, etc.
 - primary encoding: repository's (proprietary) format (f.e.: Fedora's, it must be possible to map this in an unambiguous way to METS, MPEG21-DIDL,...





Object relationships (tentative)





14



Conclusion 1 – Text with Data

- (Text-)Publications and related primary data have to be cross-referenced
 - We need ontology and schema designs to express the relationships (to solve reuse/aggregation problem)
- Extensive descriptive metadata (f.e. ISO19115) are useful only to big repositories of well curated datasets with similar content
- The full text of publications (and its relation to datasets) may be the best "metadata" for the datasets you will get
 - Primary hit in a (Google-like) search may be a publication, which refers to primary data





Conclusions 2 - Full Relation Network

- Service providers should make use of network of all relevant objects people, projects, ... datasets, text
 - harvest relationship metadata
 - harvest descriptive metadata (Dublin Core quality)
 - enable new search paradigms
- Data providers need to expose the relationship of objects
 - will require a "complex" metadata format
 - will require an ontology for relationships
 - will require unique identifiers for people etc. (from eduPerson schema , ~ email address)
 - introduce identifiers for projects and "experiments"



