


This is the simple example template containing only headers for each report item and the bookmarks.

Modify it according to your own needs and standards.

Measurement Conditions: (Bookmark 1)



Main Graphics, Analyze View: (Bookmark 2)

Recognized Minerals: (Bookmark 3)

| Quality | Score | SemiQuant [%] | Compound Name | Chemical Formula | Scale Factor | Ref. Code | Displacement [°2Th.] | RIR |
|---------|-------|---------------|---------------------|--------------------------------------|--------------|-------------|----------------------|-------|
| "C" | 78 | 72 | Quartz - synthetic | Si O ₂ | 0.804 | 01-085-1053 | -0.028 | 3.060 |
| "C";D;U | 44 | 7 | Microcline, ordered | K Al Si ₃ O ₈ | 0.017 | 00-022-0687 | -0.030 | 0.650 |
| "S";UE | 36 | 9 | Albite, ordered | Na Al Si ₃ O ₈ | 0.020 | 00-009-0466 | 0.025 | 0.650 |
| "C" | 13 | 3 | Amphibol | Al _{3.2} | 0.009 | 01-073- | 0.006 | 0.890 |

| | | | | | | | | | |
|--------------|----|---|--|--|-------|-----------------|--------|-------|--|
| | | e | | Ca3.4 Fe4.0 K.6 Mg6.0 Na1.0 Si12.8 O44 (O H)4 | 1135 | | | | |
| "I";D;UE | 18 | 2 | Augite, aluminian | Ca (Mg , Al , Fe) Si2 O6 | 0.009 | 00-024- 0202 | -0.021 | 1.100 | |
| "B";D;U E | 11 | 3 | Chlorite [NR] | Fe4 Al4 Si2 O10 (O H)8 | 0.006 | 00-003- 0072 | 0.207 | 0.600 | |
| "B";UE | 13 | 3 | Chlorite- vermiculi te- montmori llonite | Na0.5 Al6 (Si , Al)8 O20 (O H)10 ! H2 O | 0.004 | 00-039- 0381 | 0.154 | 0.400 | |
| "B";D;U E | 12 | 1 | Hydrobio tite | K (Mg , Fe)6 (Si , Al , Fe)8 O20 (O H)4 !4 H2 O | 0.003 | 00-010- 0358 | -0.087 | 0.700 | |

Candidate List: (Bookmark 4)

| Score | RIR | Compo und Name | Scale Factor | Chemical Formula | Total Lines | Matche d Lines | New Matche d Lines | Strong Unmat ched Lines | Displa cement [°2Th.] | Ref. Code |
|-------|-------|-------------------------|-----------------|---|----------------|-------------------|--------------------------|----------------------------------|-----------------------------|---------------------|
| 16 | 0.000 | Merlin oite | 0.001 | K5 Ca2 (Al9 Si23 O64) !24 H2 O | 65 | 29 | 5 | 0 | -0.085 | 00- 029- 0989 |
| 14 | 0.000 | Adular ia | 0.004 | K2 O ! Al2 O3 !6 Si O2 | 31 | 19 | 1 | 0 | -0.045 | 00- 002- 0472 |
| 12 | 0.000 | Lipsco mbite, syn | 0.006 | Fe3 (P O4)2 (O H)2 | 21 | 14 | 2 | 1 | -0.117 | 00- 014- 0569 |
| 11 | 0.640 | Albite low | 0.009 | Na (Al Si3 O8) | 145 | 69 | 5 | 0 | -0.007 | 01- 074- 0603 |
| 11 | 3.010 | Berlini | 0.055 | Al P | 47 | 22 | 2 | 0 | -0.068 | 01- |

| te, syn | | | O4 | | | | | | | | 076-0228 |
|---------|-------|----------------------|-------|---|-----|----|---|---|--------|--|-------------|
| 11 | 1.050 | Euclidean | 0.001 | Be Al Si O4 O H | 152 | 50 | 4 | 0 | 0.002 | | 01-084-1144 |
| 11 | 4.110 | Volborthite | 0.002 | Cu3 (O H)2 V2 O7 (H2 O)2 | 128 | 51 | 5 | 0 | -0.008 | | 01-078-2077 |
| 10 | 0.650 | Sanidine, disordered | 0.010 | K (Si3 Al) O8 | 83 | 49 | 1 | 0 | -0.021 | | 00-025-0618 |
| 10 | 8.320 | Gratonite | 0.001 | Pb9 As4 S15 | 113 | 35 | 1 | 0 | -0.154 | | 01-074-1774 |
| 10 | 0.630 | Enstatite | 0.002 | Mg38.63 Sc3.10 Li1.16 Si40.0 7 O124 | 133 | 66 | 5 | 0 | -0.070 | | 01-075-0700 |

Peak List: (Bookmark 3)

| d-spacing [Å] | Pos. [°2Th.] | Height [cts] | FWHM M [°2Th.] | Rel. Int. [%] | Tip width [°2Th.] | Match ed by | Height [cps] | Area [cps*°2Th.] | Area [cts*°2Th.] | Match ed |
|---------------|--------------|--------------|----------------|---------------|-------------------|-------------|--------------|------------------|------------------|----------|
| 14.03479 | 6.2977 | 79.91 | 0.3520 | 0.56 | 0.2933 | 00-039-0381 | 0.80 | 0.19 | 18.75 | Yes |
| 9.96610 | 8.8732 | 46.38 | 0.1338 | 0.32 | 0.1360 | 00-010-0358 | 0.47 | 0.06 | 6.12 | Yes |
| 8.43454 | 10.4886 | 118.64 | 0.0669 | 0.83 | 0.0680 | 01-073-1135 | 1.19 | 0.08 | 7.83 | Yes |
| 7.25112 | 12.2064 | 47.70 | 0.1987 | 0.33 | 0.1656 | | 0.48 | 0.06 | 6.32 | No |
| 7.14040 | 12.3964 | 25.36 | 0.3346 | 0.18 | 0.3400 | | 0.25 | 0.08 | 8.37 | No |
| 6.50498 | 13.6128 | 40.28 | 0.0669 | 0.28 | 0.0680 | 00-022-0687 | 0.40 | 0.03 | 2.66 | Yes |
| 6.38419 | 13.8716 | 36.81 | 0.1004 | 0.26 | 0.1020 | 00-009-0466 | 0.37 | 0.04 | 3.64 | Yes |
| 5.9383 | 14.918 | 38.40 | 0.2993 | 0.27 | 0.2494 | 00- | 0.39 | 0.08 | 7.66 | Yes |

| | | | | | | | | | | |
|-------------|-------------|-------------|--------|-------|--------|---|-------|------|--------|-----|
| 2 | 9 | | | | | 022-0687; 00-009-0466 | | | | |
| 5.8861 1 | 15.052 0 | 47.20 | 0.3265 | 0.33 | 0.2721 | 00-022-0687; 00-009-0466 | 0.47 | 0.10 | 10.27 | Yes |
| 4.2595 8 | 20.854 7 | 3224.3 0 | 0.1004 | 22.47 | 0.1020 | 01-085-1053; 00-010-0358 | 32.34 | 3.20 | 319.23 | Yes |
| 4.2366 3 | 20.969 0 | 538.37 | 0.0200 | 3.75 | 0.0167 | 01-085-1053; 00-022-0687; 01-073-1135 | 5.40 | 0.07 | 7.18 | Yes |
| 4.0299 8 | 22.057 4 | 52.56 | 0.0836 | 0.37 | 0.0850 | 00-009-0466 | 0.53 | 0.04 | 4.34 | Yes |
| 3.9851 0 | 22.308 9 | 36.61 | 0.0502 | 0.26 | 0.0510 | 00-022-0687; 01-073-1135 | 0.37 | 0.02 | 1.81 | Yes |
| 3.8358 3 | 23.188 9 | 26.34 | 0.1673 | 0.18 | 0.1700 | 00-022-0687; 00-009-0466 | 0.26 | 0.04 | 4.35 | Yes |
| 3.7795 1 | 23.539 4 | 97.58 | 0.0669 | 0.68 | 0.0680 | 00-009-0466 | 0.98 | 0.06 | 6.44 | Yes |
| 3.7126 6 | 23.969 5 | 23.79 | 0.1004 | 0.17 | 0.1020 | 00-022-0687; 01-073-1135 | 0.24 | 0.02 | 2.36 | Yes |

| | | | | | | | | | | |
|-------------|-------------|--------------|--------|--------|--------|---|--------|-------|-------------|-----|
| 3.6638 1 | 24.293 9 | 44.27 | 0.1338 | 0.31 | 0.1360 | 00- 022- 0687; 00- 009- 0466 | 0.44 | 0.06 | 5.84 | Yes |
| 3.4731 0 | 25.649 9 | 103.62 | 0.1338 | 0.72 | 0.1360 | 00- 022- 0687; 00- 009- 0466; 00- 003- 0072; 00- 039- 0381 | 1.04 | 0.14 | 13.68 | Yes |
| 3.3479 2 | 26.626 4 | 14350. 17 | 0.1004 | 100.00 | 0.1020 | 01- 085- 1053; 00- 024- 0202 | 143.94 | 14.25 | 1420.7 8 | Yes |
| 3.2948 3 | 27.063 5 | 151.32 | 0.1004 | 1.05 | 0.1020 | 00- 022- 0687; 01- 073- 1135 | 1.52 | 0.15 | 14.98 | Yes |
| 3.2481 2 | 27.437 0 | 313.38 | 0.0816 | 2.18 | 0.0680 | 00- 022- 0687 | 3.14 | 0.34 | 34.10 | Yes |
| 3.2484 1 | 27.504 0 | 302.45 | 0.0612 | 2.11 | 0.0510 | | 3.03 | 0.25 | 24.68 | No |
| 3.1928 2 | 27.921 8 | 214.53 | 0.0816 | 1.49 | 0.0680 | 00- 009- 0466 | 2.15 | 0.23 | 23.34 | Yes |
| 3.0298 0 | 29.457 2 | 30.96 | 0.1224 | 0.22 | 0.1020 | 00- 022- 0687; 01- 073- 1135 | 0.31 | 0.05 | 5.05 | Yes |
| 2.9953 5 | 29.803 8 | 47.36 | 0.1632 | 0.33 | 0.1360 | 00- 024- 0202 | 0.48 | 0.10 | 10.31 | Yes |
| 2.9310 9 | 30.472 9 | 67.93 | 0.1224 | 0.47 | 0.1020 | 00- 009- 0466; | 0.68 | 0.11 | 11.09 | Yes |

| | | | | | | | | | | |
|-------------|-------------|--------|--------|------|--------|---|------|------|--------|-----|
| 2.9045 4 | 30.758 3 | 77.90 | 0.2448 | 0.54 | 0.2040 | 01-073-1135 00-022-0687; 00-024-0202 | 0.78 | 0.26 | 25.43 | Yes |
| 2.7538 2 | 32.487 0 | 18.73 | 0.4080 | 0.13 | 0.3400 | 00-022-0687; 01-073-1135 | 0.19 | 0.10 | 10.19 | Yes |
| 2.6227 8 | 34.158 6 | 77.49 | 0.0816 | 0.54 | 0.0680 | 00-022-0687; 01-073-1135; 00-010-0358 | 0.78 | 0.08 | 8.43 | Yes |
| 2.5693 1 | 34.892 1 | 98.34 | 0.0612 | 0.69 | 0.0510 | 00-022-0687; 00-009-0466; 00-024-0202 | 0.99 | 0.08 | 8.02 | Yes |
| 2.4579 4 | 36.527 6 | 992.69 | 0.1020 | 6.92 | 0.0850 | 01-085-1053; 00-009-0466; 01-073-1135 | 9.96 | 1.35 | 135.01 | Yes |
| 2.4568 9 | 36.637 7 | 503.74 | 0.0612 | 3.51 | 0.0510 | | 5.05 | 0.41 | 41.11 | No |
| 2.3824 0 | 37.728 7 | 10.92 | 0.2448 | 0.08 | 0.2040 | 00-022-0687; 00-009-0466; | 0.11 | 0.04 | 3.56 | Yes |

| | | | | | | | | | | |
|-------------|-------------|--------|--------|------|--------|---|------|------|-------|-----|
| | | | | | | 01-073-1135;00-003-0072 | | | | |
| 2.3183 2 | 38.812 8 | 38.61 | 0.1632 | 0.27 | 0.1360 | 00-009-0466 | 0.39 | 0.08 | 8.40 | Yes |
| 2.2827 5 | 39.442 4 | 691.68 | 0.0816 | 4.82 | 0.0680 | 01-085-1053;00-009-0466;00-010-0358 | 6.94 | 0.75 | 75.26 | Yes |
| 2.2816 5 | 39.564 3 | 338.35 | 0.0612 | 2.36 | 0.0510 | | 3.39 | 0.28 | 27.61 | No |
| 2.2377 3 | 40.269 9 | 429.31 | 0.1020 | 2.99 | 0.0850 | 01-085-1053 | 4.31 | 0.59 | 58.39 | Yes |
| 2.2366 3 | 40.395 0 | 197.56 | 0.0612 | 1.38 | 0.0510 | | 1.98 | 0.16 | 16.12 | No |
| 2.1598 0 | 41.789 6 | 63.03 | 0.0816 | 0.44 | 0.0680 | 00-022-0687;01-073-1135;00-024-0202;00-010-0358 | 0.63 | 0.07 | 6.86 | Yes |
| 2.1285 6 | 42.432 4 | 642.18 | 0.0816 | 4.48 | 0.0680 | 01-085-1053;00-009-0466;01-073-1135;00-024-0202 | 6.44 | 0.70 | 69.87 | Yes |
| 2.1276 | 42.561 | 305.35 | 0.0612 | 2.13 | 0.0510 | | 3.06 | 0.25 | 24.92 | No |

| | | | | | | | | | | |
|--------|--------|--------|--------|-------|--------|--------------|-------|------|--------|-----|
| 7 | 6 | | | | | | | | | |
| 2.0750 | 43.582 | 27.91 | 0.1020 | 0.19 | 0.0850 | 00-022-0687; | 0.28 | 0.04 | 3.80 | Yes |
| 0 | 7 | | | | | 00-009-0466 | | | | |
| 1.9804 | 45.779 | 466.03 | 0.0816 | 3.25 | 0.0680 | 01-085-1053; | 4.67 | 0.51 | 50.70 | Yes |
| 1 | 5 | | | | | 00-022-0687; | | | | |
| | | | | | | 00-009-0466; | | | | |
| | | | | | | 01-073-1135; | | | | |
| | | | | | | 00-010-0358 | | | | |
| 1.9798 | 45.913 | 215.84 | 0.0612 | 1.50 | 0.0510 | | 2.16 | 0.18 | 17.61 | No |
| 3 | 9 | | | | | | | | | |
| 1.9266 | 47.132 | 8.73 | 0.1632 | 0.06 | 0.1360 | 00-022-0687; | 0.09 | 0.02 | 1.90 | Yes |
| 8 | 1 | | | | | 00-009-0466; | | | | |
| | | | | | | 01-073-1135 | | | | |
| 1.8639 | 48.821 | 14.77 | 0.2448 | 0.10 | 0.2040 | 00-022-0687; | 0.15 | 0.05 | 4.82 | Yes |
| 0 | 2 | | | | | 01-073-1135 | | | | |
| 1.8185 | 50.121 | 1443.7 | 0.0816 | 10.06 | 0.0680 | 01-085-1053; | 14.48 | 1.58 | 157.08 | Yes |
| 6 | 3 | 3 | | | | 00-009-0466; | | | | |
| | | | | | | 01-073-1135; | | | | |
| | | | | | | 00-039- | | | | |

| | | | | | | | | | | |
|--------|--------|--------|--------|------|--------|---|------|------|--------|-----|
| | | | | | | 0381 | | | | |
| 1.8181 | 50.265 | 750.84 | 0.0816 | 5.23 | 0.0680 | | 7.53 | 0.82 | 81.69 | No |
| 8 | 6 | | | | | | | | | |
| 1.7918 | 50.920 | 48.90 | 0.1224 | 0.34 | 0.1020 | | 0.49 | 0.08 | 7.98 | No |
| 6 | 9 | | | | | | | | | |
| 1.7356 | 52.695 | 14.46 | 0.2448 | 0.10 | 0.2040 | 00- 010- 0358 | 0.15 | 0.05 | 4.72 | Yes |
| 2 | 4 | | | | | | | | | |
| 1.6722 | 54.855 | 398.63 | 0.1020 | 2.78 | 0.0850 | 01- 085- 1053; 00- 024- 0202 | 4.00 | 0.54 | 54.21 | Yes |
| 7 | 7 | | | | | | | | | |
| 1.6719 | 55.015 | 201.66 | 0.0816 | 1.41 | 0.0680 | | 2.02 | 0.22 | 21.94 | No |
| 3 | 6 | | | | | | | | | |
| 1.6594 | 55.314 | 171.53 | 0.1020 | 1.20 | 0.0850 | 01- 085- 1053; 00- 010- 0358 | 1.72 | 0.23 | 23.33 | Yes |
| 8 | 3 | | | | | | | | | |
| 1.6595 | 55.461 | 94.24 | 0.0612 | 0.66 | 0.0510 | | 0.95 | 0.08 | 7.69 | No |
| 5 | 1 | | | | | | | | | |
| 1.6290 | 56.439 | 14.45 | 0.2448 | 0.10 | 0.2040 | 00- 024- 0202 | 0.14 | 0.05 | 4.72 | Yes |
| 4 | 7 | | | | | | | | | |
| 1.6085 | 57.224 | 28.61 | 0.1224 | 0.20 | 0.1020 | 01- 085- 1053 | 0.29 | 0.05 | 4.67 | Yes |
| 5 | 1 | | | | | | | | | |
| 1.5718 | 58.688 | 25.95 | 0.2040 | 0.18 | 0.1700 | | 0.26 | 0.07 | 7.06 | No |
| 7 | 0 | | | | | | | | | |
| 1.5421 | 59.931 | 868.70 | 0.1020 | 6.05 | 0.0850 | 01- 085- 1053; 01- 073- 1135; 00- 003- 0072 | 8.71 | 1.19 | 118.14 | Yes |
| 9 | 8 | | | | | | | | | |
| 1.5418 | 60.112 | 463.91 | 0.0816 | 3.23 | 0.0680 | | 4.65 | 0.51 | 50.47 | No |
| 2 | 0 | | | | | | | | | |
| 1.4534 | 64.007 | 183.54 | 0.1020 | 1.28 | 0.0850 | 01- 085- 1053; 01- 073- 1135 | 1.84 | 0.25 | 24.96 | Yes |
| 6 | 9 | | | | | | | | | |
| 1.4530 | 64.204 | 85.51 | 0.0816 | 0.60 | 0.0680 | | 0.86 | 0.09 | 9.30 | No |

| | | | | | | | | | | |
|-------------|-------------|--------|--------|------|--------|---|------|------|--------|-----|
| 1.4188 8 | 65.761 7 | 49.01 | 0.0612 | 0.34 | 0.0510 | 01- 085- 1053; 01- 073- 1135 | 0.49 | 0.04 | 4.00 | Yes |
| 1.3824 9 | 67.722 1 | 571.43 | 0.1224 | 3.98 | 0.1020 | 01- 085- 1053; 01- 073- 1135; 00- 003- 0072 | 5.73 | 0.94 | 93.26 | Yes |
| 1.3825 4 | 67.910 4 | 262.53 | 0.0816 | 1.83 | 0.0680 | | 2.63 | 0.29 | 28.56 | No |
| 1.3753 6 | 68.121 2 | 605.23 | 0.0816 | 4.22 | 0.0680 | 01- 085- 1053; 01- 073- 1135 | 6.07 | 0.66 | 65.85 | Yes |
| 1.3720 3 | 68.309 6 | 726.93 | 0.1224 | 5.07 | 0.1020 | 01- 085- 1053; 01- 073- 1135 | 7.29 | 1.19 | 118.64 | Yes |
| 1.3719 6 | 68.506 9 | 240.77 | 0.0816 | 1.68 | 0.0680 | | 2.42 | 0.26 | 26.20 | No |
| 1.2882 7 | 73.444 2 | 182.93 | 0.0816 | 1.27 | 0.0680 | 01- 085- 1053 | 1.83 | 0.20 | 19.90 | Yes |
| 1.2880 9 | 73.668 5 | 79.84 | 0.1020 | 0.56 | 0.0850 | | 0.80 | 0.11 | 10.86 | No |
| 1.2562 2 | 75.641 0 | 270.62 | 0.1224 | 1.89 | 0.1020 | 01- 085- 1053; 01- 073- 1135 | 2.71 | 0.44 | 44.17 | Yes |
| 1.2564 2 | 75.847 8 | 133.78 | 0.1224 | 0.93 | 0.1020 | | 1.34 | 0.22 | 21.83 | No |
| 1.2287 1 | 77.646 0 | 114.35 | 0.1224 | 0.80 | 0.1020 | 01- 085- 1053; 01- 073- | 1.15 | 0.19 | 18.66 | Yes |

| | | | | | | | | | | |
|--------|--------|--------|--------|------|--------|-------------|------|------|-------|-----|
| 1.2284 | 77.893 | 69.22 | 0.1224 | 0.48 | 0.1020 | 1135 | 0.69 | 0.11 | 11.30 | No |
| 7 | 7 | | | | | | | | | |
| 1.2002 | 79.848 | 257.81 | 0.0816 | 1.80 | 0.0680 | 01-085-1053 | 2.59 | 0.28 | 28.05 | Yes |
| 7 | 3 | | | | | | | | | |
| 1.2000 | 80.104 | 143.14 | 0.1020 | 1.00 | 0.0850 | | 1.44 | 0.20 | 19.47 | No |
| 5 | 4 | | | | | | | | | |
| 1.1843 | 81.146 | 215.39 | 0.0816 | 1.50 | 0.0680 | 01-085-1053 | 2.16 | 0.24 | 23.43 | Yes |
| 1 | 6 | | | | | | | | | |
| 1.1805 | 81.463 | 260.73 | 0.1428 | 1.82 | 0.1190 | 01-085-1053 | 2.62 | 0.50 | 49.64 | Yes |
| 0 | 6 | | | | | | | | | |
| 1.1805 | 81.708 | 106.24 | 0.1224 | 0.74 | 0.1020 | | 1.07 | 0.17 | 17.34 | No |
| 0 | 9 | | | | | | | | | |
| 1.1532 | 83.816 | 129.60 | 0.1020 | 0.90 | 0.0850 | 01-085-1053 | 1.30 | 0.18 | 17.62 | Yes |
| 4 | 7 | | | | | | | | | |
| 1.1533 | 84.060 | 74.87 | 0.0816 | 0.52 | 0.0680 | | 0.75 | 0.08 | 8.15 | No |
| 8 | 4 | | | | | | | | | |

More items... (Bookmark 6)

| Visible | Scan Name | Start pos. [°2Th.] | End pos. [°2Th.] | Step [°2Th.] | Measured Date/Time |
|---------|------------|--------------------|------------------|--------------|--------------------|
| * | 223__18mue | 3.0080 | 84.9820 | 0.0170 | 14-feb-2007 09:12 |

More items... (Bookmark 7)

Document History: (Bookmark 5)

Insert Measurement:

- Scan name = "223__18mue.udf"
- Modification time = "17/03/2007 11:32:46"
- Modification editor = "Administrator"

Interpolate Step Size:

- Step Size = "Derived"
- Modification time = "17/03/2007 11:32:46"
- Modification editor = "Administrator"

Determine Background:

- Correction method = "Automatic"
- Bending factor = "0"
- Use smoothed input data = "Yes"
- Add to net scan = "Nothing"
- Modification time = "17/03/2007 11:34:23"
- Modification editor = "Administrator"

Search Peaks:

- Minimum significance = "1.00"
- Minimum tip width = "0.01"
- Maximum tip width = "1.00"
- Peak base width = "5.00"
- Method = "Minimum 2nd derivative"
- Modification time = "17/03/2007 11:34:30"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "12.2064"
- Modification time = "17/03/2007 11:34:57"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "14.9189"
- Modification time = "17/03/2007 11:35:04"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "15.0520"
- Modification time = "17/03/2007 11:35:28"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "20.9690"
- Modification time = "17/03/2007 11:35:37"
- Modification editor = "Administrator"

Search-Match:

- Data source = "Profile and peak list"
 - Restriction = "Restriction set"
 - Description = "Minerals subfile only"
 - All of: elements = ""
 - At least one of: elements = ""
 - None of: elements = ""
 - Maximum no. of elements = "105"
 - Skip marked as deleted by ICDD = "No"
 - Skip marked as deleted by a user = "No"
 - Quality marks set = ""
 - Subfiles = "M"
 - Scoring schema = "Multi phase"
 - Auto residue = "Yes"
 - Match intensity = "Yes"
 - Demote unmatched strong = "Yes"
 - Allow pattern shift = "Yes"
 - Two theta shift = "0"
 - Identify = "No"
 - Modification time = "17/03/2007 11:36:55"
 - Modification editor = "Administrator"
-

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "6.2977"
- Modification time = "17/03/2007 11:47:44"
- Modification editor = "Administrator"

More items... (Bookmark 8)

More items... (Bookmark 9)

More items... (Bookmark 10)

More items... (Bookmark 11)

More items... (Bookmark 12)

More items... (Bookmark 13)

More items... (Bookmark 14)

More items... (Bookmark 15)