










FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.22	.16	.7
1000- 500	0-1	.75	.51	2.3
500- 250	1-2	1.58	.95	4.3
250- 125	2-3	4.35	1.35	6.1
125- 63	3-4	15.3	1.58	7.1
63- 32	4-5	23		
32- 16	5-6	18.9		
16- 8	6-7	7.7		
8- 4	7-8	5.3		
4- 2	8-9	4.1		





FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.58	.41	3.8
1000- 500	0-1	1.04	.71	6.6
500- 250	1-2	.79	.57	5.3
250- 125	2-3	1.67	.49	4.6
125- 63	3-4	6.62	1.25	11.7
63- 32	4-5	17.2		
32- 16	5-6	21.6		
16- 8	6-7	11.1		
8- 4	7-8	6.8		
4- 2	8-9	4.9		




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.46	.15	1
1000- 500	0-1	.53	.16	1.1
500- 250	1-2	1.16	.38	2.6
250- 125	2-3	5.79	.28	1.9
125- 63	3-4	6.76	.34	2.3
63- 32	4-5	6.9		
32- 16	5-6	11		
16- 8	6-7	8.7		
8- 4	7-8	9.6		
4- 2	8-9	8.7		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.62	0	0
1000- 500	0-1	.73	0	0
500- 250	1-2	2.31	.17	.8
250- 125	2-3	10.21	.02	.1
125- 63	3-4	7.53	.45	2.1
63- 32	4-5	7		
32- 16	5-6	11.4		
16- 8	6-7	9.2		
8- 4	7-8	8.3		
4- 2	8-9	7		






4,6






8,5
7,6
6,9
5,3
3,3
2,6
2,0




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.06	.02	.1
1000- 500	0-1	.24	0	0
500- 250	1-2	.75	.02	.1
250- 125	2-3	7.37	.04	.2
125- 63	3-4	10.38	0	0
63- 32	4-5	5.1		
32- 16	5-6	7.1		
16- 8	6-7	7.1		
8- 4	7-8	8.7		
4- 2	8-9	9.9		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.04	0	0
1000- 500	0-1	.15	0	0
500- 250	1-2	.83	.06	.3
250- 125	2-3	11.27	.02	.1
125- 63	3-4	7.01	.04	.2
63- 32	4-5	10.1		
32- 16	5-6	10.1		
16- 8	6-7	7.5		
8- 4	7-8	7.9		
4- 2	8-9	6.6		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.09	0	0
1000- 500	0-1	.11	0	0
500- 250	1-2	.87	.02	.1
250- 125	2-3	8.19	0	0
125- 63	3-4	13.57	.07	.3
63- 32	4-5	9.1		
32- 16	5-6	12.7		
16- 8	6-7	8.2		
8- 4	7-8	8.2		
4- 2	8-9	5.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.14	0	0
1000- 500	0-1	.23	0	0
500- 250	1-2	.51	.04	.3
250- 125	2-3	4.63	0	0
125- 63	3-4	8.18	.03	.2
63- 32	4-5	5.2		
32- 16	5-6	11.9		
16- 8	6-7	10.4		
8- 4	7-8	9.5		
4- 2	8-9	8.5		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.33	0	0
1000- 500	0-1	.44	.04	.1
500- 250	1-2	1.66	.18	.5
250- 125	2-3	14.1	.44	1.2
125- 63	3-4	20.41	.3	.8
63- 32	4-5	7.2		
32- 16	5-6	6.9		
16- 8	6-7	5.6		
8- 4	7-8	6.6		
4- 2	8-9	5.6		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.12	0	0
1000- 500	0-1	.24	.06	.1
500- 250	1-2	3.05	1.16	1.9
250- 125	2-3	24.95	1.1	1.8
125- 63	3-4	32.57	.06	.1
63- 32	4-5	5.6		
32- 16	5-6	4.5		
16- 8	6-7	2.9		
8- 4	7-8	3.6		
4- 2	8-9	3.6		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.47	0	0
1000- 500	0-1	.4	.08	.1
500- 250	1-2	1.82	.71	.9
250- 125	2-3	24.92	.32	.4
125- 63	3-4	51.49	.4	.5
63- 32	4-5	11.3		
32- 16	5-6	4.2		
16- 8	6-7	.9		
8- 4	7-8	.5		
4- 2	8-9	.4		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.06	0	0
1000- 500	0-1	.06	0	0
500- 250	1-2	1.34	.35	.6
250- 125	2-3	22.64	.47	.8
125- 63	3-4	34.11	.06	.1
63- 32	4-5	8.4		
32- 16	5-6	6.1		
16- 8	6-7	3.6		
8- 4	7-8	3.1		
4- 2	8-9	2.8		



KIES: .14 %




SAND: 34.1 %

SILT: 32.6 %




TON: 33.2 %

1023-1/100

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.21	0	0
1000- 500	0-1	.28	.03	.1
500- 250	1-2	2.13	.56	1.6
250- 125	2-3	13.61	.38	1.1
125- 63	3-4	18.67	.24	.7
63- 32	4-5	6.7		
32- 16	5-6	6.7		
16- 8	6-7	6.7		
8- 4	7-8	6		
4- 2	8-9	5		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.3	0	0
1000- 500	0-1	.55	0	0
500- 250	1-2	1.99	.3	.6
250- 125	2-3	23.81	.25	.5
125- 63	3-4	23.01	.1	.2
63- 32	4-5	5.6		
32- 16	5-6	6.2		
16- 8	6-7	5.3		
8- 4	7-8	5.6		
4- 2	8-9	4.7		






3

8,1
6,5
5,4
3,3
2,9
2,7
2,2




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.74	0	0
1000- 500	0-1	.72	0	0
500- 250	1-2	.9	.07	.8
250- 125	2-3	2.11	.03	.4
125- 63	3-4	3.94	.01	.1
63- 32	4-5	4.2		
32- 16	5-6	8		
16- 8	6-7	10.9		
8- 4	7-8	10.9		
4- 2	8-9	9.4		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.24	0	0
1000- 500	0-1	.24	0	0
500- 250	1-2	2.35	.57	1.2
250- 125	2-3	17.33	.52	1.1
125- 63	3-4	26.89	.14	.3
63- 32	4-5	8.4		
32- 16	5-6	8.1		
16- 8	6-7	4.4		
8- 4	7-8	4.7		
4- 2	8-9	3.7		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.11	0	0
1000- 500	0-1	.17	0	0
500- 250	1-2	2.39	.57	1
250- 125	2-3	23.66	.34	.6
125- 63	3-4	30.67	.29	.5
63- 32	4-5	7.7		
32- 16	5-6	6.6		
16- 8	6-7	4.4		
8- 4	7-8	3.8		
4- 2	8-9	3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.12	0	0
1000- 500	0-1	.2	0	0
500- 250	1-2	3.09	.24	.6
250- 125	2-3	16.08	.04	.1
125- 63	3-4	20.61	.2	.5
63- 32	4-5	7.4		
32- 16	5-6	8.7		
16- 8	6-7	6.7		
8- 4	7-8	5		
4- 2	8-9	4		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.71	0	0
1000- 500	0-1	1.94	.09	.1
500- 250	1-2	11.13	2.56	2.9
250- 125	2-3	49.8	.79	.9
125- 63	3-4	24.64	.26	.3
63- 32	4-5	2.1		
32- 16	5-6	1.5		
16- 8	6-7	1		
8- 4	7-8	1		
4- 2	8-9	.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.06	0	0
1000- 500	0-1	.24	0	0
500- 250	1-2	2.83	.94	1.6
250- 125	2-3	23.74	.41	.7
125- 63	3-4	31.98	.65	1.1
63- 32	4-5	8.3		
32- 16	5-6	6		
16- 8	6-7	4		
8- 4	7-8	3		
4- 2	8-9	2.5		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.06	0	0
1000- 500	0-1	.24	0	0
500- 250	1-2	3.88	1.15	1.9
250- 125	2-3	26.85	.48	.8
125- 63	3-4	29.57	.42	.7
63- 32	4-5	5.9		
32- 16	5-6	5.2		
16- 8	6-7	3.8		
8- 4	7-8	3.4		
4- 2	8-9	2.9		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.95	0	0
1000- 500	0-1	1.2	.02	.1
500- 250	1-2	2.11	.45	2.3
250- 125	2-3	5.45	.14	.7
125- 63	3-4	9.66	.02	.1
63- 32	4-5	3.2		
32- 16	5-6	7.1		
16- 8	6-7	9.5		
8- 4	7-8	9.9		
4- 2	8-9	7.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.77	0	0
1000- 500	0-1	2.27	0	0
500- 250	1-2	3.07	.38	1.6
250- 125	2-3	7.34	.21	.9
125- 63	3-4	9.16	.24	1
63- 32	4-5	5.4		
32- 16	5-6	10.5		
16- 8	6-7	8.8		
8- 4	7-8	7.9		
4- 2	8-9	6.7		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.22	0	0
1000- 500	0-1	.66	.07	.1
500- 250	1-2	13.17	2.36	3.2
250- 125	2-3	40.04	.81	1.1
125- 63	3-4	19.43	.44	.6
63- 32	4-5	4.9		
32- 16	5-6	4.9		
16- 8	6-7	2.9		
8- 4	7-8	2		
4- 2	8-9	1.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.02	0	0
1000- 500	0-1	.02	0	0
500- 250	1-2	.17	.1	.4
250- 125	2-3	3.41	.24	1
125- 63	3-4	20.38	.26	1.1
63- 32	4-5	18.7		
32- 16	5-6	13.9		
16- 8	6-7	5.8		
8- 4	7-8	4.3		
4- 2	8-9	3.4		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.17	0	0
1000- 500	0-1	.23	0	0
500- 250	1-2	1.64	.79	1.4
250- 125	2-3	16.81	.96	1.7
125- 63	3-4	37.81	.57	1
63- 32	4-5	15.6		
32- 16	5-6	9.9		
16- 8	6-7	3.3		
8- 4	7-8	1.7		
4- 2	8-9	1.7		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.14	0	0
1000- 500	0-1	.29	.07	.1
500- 250	1-2	4.13	2.39	3.3
250- 125	2-3	26.35	1.16	1.6
125- 63	3-4	41.49	.94	1.3
63- 32	4-5	9.7		
32- 16	5-6	6.5		
16- 8	6-7	2.2		
8- 4	7-8	1.1		
4- 2	8-9	1.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.12	0	0
1000- 500	0-1	.3	0	0
500- 250	1-2	3.13	2.42	4.1
250- 125	2-3	15.66	1.77	3
125- 63	3-4	39.89	.47	.8
63- 32	4-5	12.9		
32- 16	5-6	8.5		
16- 8	6-7	3.5		
8- 4	7-8	1.8		
4- 2	8-9	1.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.05	0	0
1000- 500	0-1	.14	.05	.1
500- 250	1-2	7.25	1.96	4.1
250- 125	2-3	27.62	.52	1.1
125- 63	3-4	12.69	.14	.3
63- 32	4-5	20.5		
32- 16	5-6	9		
16- 8	6-7	3		
8- 4	7-8	2.2		
4- 2	8-9	1.5		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.45	0	0
1000- 500	0-1	.65	.03	.1
500- 250	1-2	2.34	1.58	4.6
250- 125	2-3	8.29	1.51	4.4
125- 63	3-4	22.67	.34	1
63- 32	4-5	11.2		
32- 16	5-6	13.7		
16- 8	6-7	6.6		
8- 4	7-8	4.6		
4- 2	8-9	3.3		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.06	0	0
1000- 500	0-1	.48	.12	.2
500- 250	1-2	6.48	3.96	6.6
250- 125	2-3	20.34	3.24	5.4
125- 63	3-4	32.64	1.26	2.1
63- 32	4-5	11.4		
32- 16	5-6	7.1		
16- 8	6-7	3.2		
8- 4	7-8	2.1		
4- 2	8-9	1.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.23	.03	.1
1000- 500	0-1	.34	.07	.2
500- 250	1-2	2.31	1.68	5
250- 125	2-3	8.98	1.41	4.2
125- 63	3-4	21.64	1.51	4.5
63- 32	4-5	11.8		
32- 16	5-6	12.6		
16- 8	6-7	6.5		
8- 4	7-8	4.9		
4- 2	8-9	3.2		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.4	.03	.1
1000- 500	0-1	1.39	.11	.4
500- 250	1-2	2.52	1.75	6.2
250- 125	2-3	6.37	1.36	4.8
125- 63	3-4	18.51	.93	3.3
63- 32	4-5	10.3		
32- 16	5-6	12.7		
16- 8	6-7	8.6		
8- 4	7-8	4.9		
4- 2	8-9	3.7		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.62	.04	.1
1000- 500	0-1	1.03	.09	.2
500- 250	1-2	3.84	2.5	5.6
250- 125	2-3	12.31	2.99	6.7
125- 63	3-4	26.85	2.1	4.7
63- 32	4-5	10.9		
32- 16	5-6	7.3		
16- 8	6-7	3.9		
8- 4	7-8	3.6		
4- 2	8-9	3.6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.93	.04	.1
1000- 500	0-1	1.17	.04	.1
500- 250	1-2	2.5	1.13	2.8
250- 125	2-3	12.97	1.66	4.1
125- 63	3-4	22.91	1.21	3
63- 32	4-5	12.8		
32- 16	5-6	9		
16- 8	6-7	4.2		
8- 4	7-8	3.8		
4- 2	8-9	3.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.95	.05	.1
1000- 500	0-1	1.25	.05	.1
500- 250	1-2	3.4	1.65	3.3
250- 125	2-3	14.55	1.4	2.8
125- 63	3-4	29.85	1.35	2.7
63- 32	4-5	12		
32- 16	5-6	10.3		
16- 8	6-7	5.1		
8- 4	7-8	3.4		
4- 2	8-9	2.4		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.72	.09	.2
1000- 500	0-1	.94	.09	.2
500- 250	1-2	4.76	3.49	8.22
250- 125	2-3	14.54	3.06	7.2
125- 63	3-4	21.55	1.23	2.9
63- 32	4-5	6.4		
32- 16	5-6	10.1		
16- 8	6-7	6.7		
8- 4	7-8	5		
4- 2	8-9	4.4		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.97	.06	.1
1000- 500	0-1	1.16	.26	.4
500- 250	1-2	10.71	7.68	11.9
250- 125	2-3	26.7	5.29	8.2
125- 63	3-4	24.96	1.61	2.5
63- 32	4-5	6.9		
32- 16	5-6	6.7		
16- 8	6-7	3.7		
8- 4	7-8	2.8		
4- 2	8-9	2.3		





FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	2.1	0	0
1000- 500	0-1	1.73	0	0
500- 250	1-2	8.9	.99	1.6
250- 125	2-3	29.05	.43	.7
125- 63	3-4	20.02	.12	.2
63- 32	4-5	9.3		
32- 16	5-6	7.1		
16- 8	6-7	2.7		
8- 4	7-8	2.7		
4- 2	8-9	2		




2,5
7,1
5,0
4,2
3,1
2,3
2,1
1,3

FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.45	0	0
1000- 500	0-1	.61	0	0
500- 250	1-2	2.99	.03	.1
250- 125	2-3	11.43	.03	.1
125- 63	3-4	11.24	0	0
63- 32	4-5	7.3		
32- 16	5-6	12		
16- 8	6-7	8.6		
8- 4	7-8	7.3		
4- 2	8-9	6		



3,8



8,4

7,2

6,6

5

3,1

2,6

2,0

KIES: 0 %




SAND: 19.8 %

SILT: 46.7 %




TON: 33.5 %

1023-1/328




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.08	0	0
1000- 500	0-1	.21	0	0
500- 250	1-2	2.31	.04	.2
250- 125	2-3	7.29	.06	.3
125- 63	3-4	10.73	.08	.4
63- 32	4-5	6.8		
32- 16	5-6	11.6		
16- 8	6-7	9.2		
8- 4	7-8	8.7		
4- 2	8-9	8.2		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.06	0	0
1000- 500	0-1	.19	0	0
500- 250	1-2	3.38	.03	.1
250- 125	2-3	13.45	.06	.2
125- 63	3-4	13.92	.06	.2
63- 32	4-5	7.7		
32- 16	5-6	9.4		
16- 8	6-7	8.9		
8- 4	7-8	7.7		
4- 2	8-9	6		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.16	0	0
1000- 500	0-1	.24	0	0
500- 250	1-2	2.35	.08	.2
250- 125	2-3	15.55	.12	.3
125- 63	3-4	22.25	.04	.1
63- 32	4-5	8.8		
32- 16	5-6	7.2		
16- 8	6-7	5		
8- 4	7-8	4.4		
4- 2	8-9	4.7		



FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.04	0	0
1000- 500	0-1	.25	0	0
500- 250	1-2	2.31	.11	.3
250- 125	2-3	12.74	.07	.2
125- 63	3-4	20.72	.14	.4
63- 32	4-5	7.3		
32- 16	5-6	6.9		
16- 8	6-7	5.9		
8- 4	7-8	6.6		
4- 2	8-9	6.2		



KIES: .04 %




SAND: 35.7 %

SILT: 33.9 %




TON: 30.3 %

1023-1/365




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.07	0	0
1000- 500	0-1	.33	0	0
500- 250	1-2	1.19	.18	.5
250- 125	2-3	11.77	.14	.4
125- 63	3-4	22.84	.33	.9
63- 32	4-5	7.2		
32- 16	5-6	7.9		
16- 8	6-7	6.2		
8- 4	7-8	5.8		
4- 2	8-9	5.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.25	0	0
1000- 500	0-1	.52	.02	.1
500- 250	1-2	1	.2	.8
250- 125	2-3	6.62	.2	.8
125- 63	3-4	16.51	.17	.7
63- 32	4-5	5.6		
32- 16	5-6	8.6		
16- 8	6-7	7.5		
8- 4	7-8	7.5		
4- 2	8-9	6.8		



FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	1.09	0	0
1000- 500	0-1	1.3	.02	.1
500- 250	1-2	1.71	.38	2.2
250- 125	2-3	3.84	.16	.9
125- 63	3-4	9.36	.07	.4
63- 32	4-5	4.1		
32- 16	5-6	9.2		
16- 8	6-7	9.7		
8- 4	7-8	11		
4- 2	8-9	9.7		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.64	0	0
1000- 500	0-1	1.48	.01	.1
500- 250	1-2	2.18	.33	2.2
250- 125	2-3	3.31	.06	.4
125- 63	3-4	6.32	.09	.6
63- 32	4-5	2.3		
32- 16	5-6	7		
16- 8	6-7	9.4		
8- 4	7-8	9.8		
4- 2	8-9	9		



KIES: 0 %




SAND: 83.5 %

SILT: 13.4 %




TON: 3.1 %

1023-1/405

FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	0	0	0
1000- 500	0-1	0	0	0
500- 250	1-2	.5	.17	.2
250- 125	2-3	23.55	.42	.5
125- 63	3-4	59.54	.58	.7
63- 32	4-5	9.8		
32- 16	5-6	2.5		
16- 8	6-7	.4		
8- 4	7-8	.3		
4- 2	8-9	.3		



FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.89	0	0
1000- 500	0-1	.51	0	0
500- 250	1-2	2.35	.89	1.4
250- 125	2-3	17.94	.38	.6
125- 63	3-4	41.72	.32	.5
63- 32	4-5	17.2		
32- 16	5-6	6		
16- 8	6-7	1.4		
8- 4	7-8	1.1		
4- 2	8-9	1.1		



KIES: 0 %




SAND: 33.8 %

SILT: 36.9 %

TON: 29.3 %

1023-1/415

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.21	0	0
1000- 500	0-1	.41	.03	.1
500- 250	1-2	1.74	.65	1.9
250- 125	2-3	9.3	.34	1
125- 63	3-4	22.54	.17	.5
63- 32	4-5	8.6		
32- 16	5-6	9.7		
16- 8	6-7	6.7		
8- 4	7-8	6.3		
4- 2	8-9	4.8		



KIES: .29 %

SAND: 97.6 %

SILT: 1 %




TON: 1.1 %

1023-1/425



FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.49	0	0
1000- 500	0-1	1.37	0	0
500- 250	1-2	6.27	3.33	3.4
250- 125	2-3	31.56	1.76	1.8
125- 63	3-4	58.31	.78	.8
63- 32	4-5	.1		
32- 16	5-6	.2		
16- 8	6-7	.2		
8- 4	7-8	.2		
4- 2	8-9	.2		

KEINE KORNGROESSENAUSWERTUNG


FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.1	0	0
1000- 500	0-1	.19	0	0
500- 250	1-2	1.57	.62	1.3
250- 125	2-3	14.63	.57	1.2
125- 63	3-4	31.02	.1	.2
63- 32	4-5	14.8		
32- 16	5-6	8.3		
16- 8	6-7	3.2		
8- 4	7-8	2.6		
4- 2	8-9	2.2		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.23	0	0
1000- 500	0-1	.46	0	0
500- 250	1-2	.9	.17	1.8
250- 125	2-3	2	.08	.8
125- 63	3-4	5.92	.08	.8
63- 32	4-5	5.4		
32- 16	5-6	14.8		
16- 8	6-7	11.3		
8- 4	7-8	8.4		
4- 2	8-9	6.9		






5,7






8,6
7,7
7,1
5,9
4,9
4,0
3,0

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.98	0	0
1000- 500	0-1	1.38	0	0
500- 250	1-2	1.91	.27	2.5
250- 125	2-3	2.63	.05	.5
125- 63	3-4	4.01	.07	.6
63- 32	4-5	2.6		
32- 16	5-6	10.5		
16- 8	6-7	9.7		
8- 4	7-8	7.9		
4- 2	8-9	6.6		





FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.04	0	0
1000- 500	0-1	.04	0	.1
500- 250	1-2	.09	.03	4.3
250- 125	2-3	.22	.01	1.6
125- 63	3-4	.41	.01	.8
63- 32	4-5	2.5		
32- 16	5-6	12.4		
16- 8	6-7	13.4		
8- 4	7-8	9.4		
4- 2	8-9	6.9		




6,6

8,7
7,9
7,5
6,4
5,7
5,4
4,7

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.09	0	0
1000- 500	0-1	.13	0	.1
500- 250	1-2	.3	.07	3
250- 125	2-3	.63	.06	2.5
125- 63	3-4	1.15	.03	1.1
63- 32	4-5	1.7		
32- 16	5-6	10		
16- 8	6-7	10.9		
8- 4	7-8	9.1		
4- 2	8-9	7.4		






7,0



8,7
8,1
7,6
6,6
5,7
5,4
4,0

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.03	0	0
1000- 500	0-1	.1	0	0
500- 250	1-2	.65	.44	1.3
250- 125	2-3	6.49	.37	1.1
125- 63	3-4	26.76	.2	.6
63- 32	4-5	19.5		
32- 16	5-6	13.9		
16- 8	6-7	5.6		
8- 4	7-8	2.8		
4- 2	8-9	2.3		



KIES: 0 %




SAND: 79.3 %

SILT: 16.7 %




TON: 4 %

1023-1/475




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.08	0	0
1000- 500	0-1	.08	0	0
500- 250	1-2	1.28	.72	.9
250- 125	2-3	25.89	.88	1.1
125- 63	3-4	52.65	.64	.8
63- 32	4-5	12.4		
32- 16	5-6	3		
16- 8	6-7	.3		
8- 4	7-8	.2		
4- 2	8-9	.2		





FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.31	0	0
1000- 500	0-1	.4	.04	.1
500- 250	1-2	3.74	2.54	5.7
250- 125	2-3	15.09	1.11	2.5
125- 63	3-4	24.92	.8	1.8
63- 32	4-5	11.8		
32- 16	5-6	9.4		
16- 8	6-7	4.7		
8- 4	7-8	3.4		
4- 2	8-9	3		




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.2	0	0
1000- 500	0-1	.25	0	0
500- 250	1-2	2.21	1.57	3.2
250- 125	2-3	12.99	.89	1.8
125- 63	3-4	33.55	.59	1.2
63- 32	4-5	16.8		
32- 16	5-6	11.2		
16- 8	6-7	3.4		
8- 4	7-8	1.9		
4- 2	8-9	2.2		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.22	0	0
1000- 500	0-1	.33	.05	.1
500- 250	1-2	5.7	3.67	6.7
250- 125	2-3	18.96	1.48	2.7
125- 63	3-4	29.59	.66	1.2
63- 32	4-5	13.2		
32- 16	5-6	8.1		
16- 8	6-7	3.6		
8- 4	7-8	2.1		
4- 2	8-9	1.8		



3,1



7,0
 5,3
 4,6
 3,6
 3,0
 2,7
 2,2

KIES: .24 %




SAND: 47.8 %

SILT: 32.4 %

TON: 19.6 %

1023-1/508

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.15	0	0
1000- 500	0-1	.24	0	0
500- 250	1-2	2.86	2.09	4.3
250- 125	2-3	12.03	.97	2
125- 63	3-4	33.22	.49	1
63- 32	4-5	13.5		
32- 16	5-6	8.9		
16- 8	6-7	3.9		
8- 4	7-8	3		
4- 2	8-9	2.3		



3,2

7,2

5,6

4,8




3,6

3,1




3,0

2,3




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.37	0	0
1000- 500	0-1	.6	.05	.1
500- 250	1-2	3.78	2.49	5.4
250- 125	2-3	12.35	1.34	2.9
125- 63	3-4	29	.6	1.3
63- 32	4-5	17.5		
32- 16	5-6	8		
16- 8	6-7	3.5		
8- 4	7-8	2.4		
4- 2	8-9	2.1		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.33	0	0
1000- 500	0-1	.51	.03	.1
500- 250	1-2	2.06	1.27	5
250- 125	2-3	7.34	.89	3.5
125- 63	3-4	15.19	.18	.7
63- 32	4-5	9.5		
32- 16	5-6	9.9		
16- 8	6-7	7.8		
8- 4	7-8	6.2		
4- 2	8-9	5		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.16	0	0
1000- 500	0-1	.35	.03	.1
500- 250	1-2	2.16	1.4	4.4
250- 125	2-3	5.88	1.11	3.5
125- 63	3-4	23.25	.83	2.6
63- 32	4-5	10.2		
32- 16	5-6	12.7		
16- 8	6-7	7.2		
8- 4	7-8	6.4		
4- 2	8-9	4.7		



KIES: .71 %




SAND: 37.1 %

SILT: 40.5 %

TON: 21.6 %

1023-1/546

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.11	0	0
1000- 500	0-1	.11	0	0
500- 250	1-2	1.38	1.07	2.8
250- 125	2-3	8.12	1.03	2.7
125- 63	3-4	28.57	1.26	3.3
63- 32	4-5	17.1		
32- 16	5-6	11.7		
16- 8	6-7	5		
8- 4	7-8	2.9		
4- 2	8-9	2.5		



KIES: 0 %




SAND: 17.1 %

SILT: 52.1 %




TON: 30.8 %

1023-1/554




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.1	0	0
1000- 500	0-1	.14	.02	.1
500- 250	1-2	.9	.73	4.2
250- 125	2-3	2.78	.56	3.2
125- 63	3-4	13.47	.59	3.4
63- 32	4-5	16.9		
32- 16	5-6	16.9		
16- 8	6-7	9.5		
8- 4	7-8	5.3		
4- 2	8-9	2.6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.17	0	0
1000- 500	0-1	.23	0	0
500- 250	1-2	1.79	1.08	3.8
250- 125	2-3	8.95	.57	2
125- 63	3-4	17.27	.68	2.4
63- 32	4-5	9.6		
32- 16	5-6	12.4		
16- 8	6-7	8		
8- 4	7-8	4.8		
4- 2	8-9	3.6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.16	0	0
1000- 500	0-1	.2	.01	.1
500- 250	1-2	.51	.27	2.7
250- 125	2-3	1.24	.17	1.7
125- 63	3-4	7.89	.23	2.3
63- 32	4-5	9.7		
32- 16	5-6	16.8		
16- 8	6-7	11.2		
8- 4	7-8	6.1		
4- 2	8-9	4.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.01	0	0
1000- 500	0-1	.01	0	0
500- 250	1-2	.04	.03	4.4
250- 125	2-3	.12	.02	2.6
125- 63	3-4	.42	0	.5
63- 32	4-5	3.1		
32- 16	5-6	11.8		
16- 8	6-7	11.8		
8- 4	7-8	8.7		
4- 2	8-9	5.2		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	0	0	0
1000- 500	0-1	.03	0	0
500- 250	1-2	.08	.03	3.8
250- 125	2-3	.21	.02	2
125- 63	3-4	.48	.01	1.2
63- 32	4-5	.8		
32- 16	5-6	8.2		
16- 8	6-7	10.2		
8- 4	7-8	9.4		
4- 2	8-9	6.6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	0	0	0
1000- 500	0-1	.01	0	.2
500- 250	1-2	.06	.05	9
250- 125	2-3	.11	.03	4.2
125- 63	3-4	.42	.03	4.9
63- 32	4-5	2.1		
32- 16	5-6	10		
16- 8	6-7	12.1		
8- 4	7-8	9.2		
4- 2	8-9	5.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.2	0	0
1000- 500	0-1	.83	.1	.2
500- 250	1-2	5	2.3	4.7
250- 125	2-3	13.28	1.57	3.2
125- 63	3-4	29.69	.98	2
63- 32	4-5	15.7		
32- 16	5-6	9.7		
16- 8	6-7	2.7		
8- 4	7-8	2		
4- 2	8-9	1.7		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.42	0	0
1000- 500	0-1	.48	.05	.1
500- 250	1-2	4.45	2.92	5.5
250- 125	2-3	15.05	2.17	4.1
125- 63	3-4	32.6	.8	1.5
63- 32	4-5	16.4		
32- 16	5-6	9.3		
16- 8	6-7	1.9		
8- 4	7-8	1.6		
4- 2	8-9	1.6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.58	0	0
1000- 500	0-1	.79	.04	.1
500- 250	1-2	4.43	2.44	5.9
250- 125	2-3	12.5	1.28	3.1
125- 63	3-4	23.1	.75	1.8
63- 32	4-5	8.6		
32- 16	5-6	8.6		
16- 8	6-7	4.6		
8- 4	7-8	4.6		
4- 2	8-9	5.3		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.29	0	0
1000- 500	0-1	.47	.04	.1
500- 250	1-2	3.96	3.1	8.6
250- 125	2-3	10.12	1.44	4
125- 63	3-4	21.17	2.27	6.3
63- 32	4-5	16.1		
32- 16	5-6	9.5		
16- 8	6-7	3.3		
8- 4	7-8	2.6		
4- 2	8-9	3.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.54	0	0
1000- 500	0-1	.82	.06	.2
500- 250	1-2	5.56	4.61	14.6
250- 125	2-3	4.58	2.34	7.4
125- 63	3-4	20.13	1.64	5.2
63- 32	4-5	8.5		
32- 16	5-6	8.5		
16- 8	6-7	5.3		
8- 4	7-8	5.6		
4- 2	8-9	5.3		



4,0

8,4
7,3
6,3
4,6
3,5
3,2
2,7

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.16	0	0
1000- 500	0-1	1.82	.04	.1
500- 250	1-2	6.98	4.25	10.3
250- 125	2-3	11.89	3.06	7.4
125- 63	3-4	19.45	1.86	4.5
63- 32	4-5	7.4		
32- 16	5-6	7.1		
16- 8	6-7	4		
8- 4	7-8	4.3		
4- 2	8-9	4.3		



KIES: 1.51 %




SAND: 65.6 %

SILT: 22.9 %




TON: 10 %

1023-1/664

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.87	0	0
1000- 500	0-1	1.61	.13	.2
500- 250	1-2	4.76	2.15	3.2
250- 125	2-3	17.24	1.14	1.7
125- 63	3-4	42.61	1.54	2.3
63- 32	4-5	12.6		
32- 16	5-6	5.9		
16- 8	6-7	2.1		
8- 4	7-8	1.2		
4- 2	8-9	.9		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.23	0	0
1000- 500	0-1	.87	.04	.1
500- 250	1-2	4.84	.6	1.6
250- 125	2-3	13.42	.3	.8
125- 63	3-4	18.45	.95	2.5
63- 32	4-5	8.1		
32- 16	5-6	7		
16- 8	6-7	4.7		
8- 4	7-8	4.1		
4- 2	8-9	3.5		



KIES: 1.8 %




SAND: 36.8 %

SILT: 30.7 %




TON: 30.7 %

1023-1/680

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.65	0	0
1000- 500	0-1	1.19	.08	.2
500- 250	1-2	2.45	.38	1
250- 125	2-3	12.83	.19	.5
125- 63	3-4	21.18	.19	.5
63- 32	4-5	9.9		
32- 16	5-6	7.7		
16- 8	6-7	3.5		
8- 4	7-8	3.8		
4- 2	8-9	4.8		




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	2.89	0	0
1000- 500	0-1	2.89	.05	.1
500- 250	1-2	6.66	.93	1.7
250- 125	2-3	18.67	1.2	2.2
125- 63	3-4	23.53	.66	1.2
63- 32	4-5	11.5		
32- 16	5-6	9		
16- 8	6-7	4.3		
8- 4	7-8	3.1		
4- 2	8-9	3.1		



1023-1

Sand



oberfläche

alt

1024



COPYRIGHT SCHLEICHER & SCHÜLL, 3352 EINBECK



Bestell-Nr. 667751, Nr. 315^{1/2} MADE IN GERMANY

96 80 70 60 50 40 30 20 10