

KIES: 26.72 %


SAND: 48.1 %

SILT: 18 %



TON: 7.2 %

1006-1/0




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	13.71	.26	.4
1000- 500	0-1	12.85	.2	.3
500- 250	1-2	13.18	.4	.6
250- 125	2-3	13.11	.33	.5
125- 63	3-4	13.11	.59	.9
63- 32	4-5	8.6		
32- 16	5-6	8.2		
16- 8	6-7	3.5		
8- 4	7-8	2.2		
4- 2	8-9	1.7		






HIST 1006/0






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	11.86	.13	.2
1000- 500	0-1	12.85	.2	.3
500- 250	1-2	14.3	.72	1.1
250- 125	2-3	13.97	.72	1.1
125- 63	3-4	12.92	1.12	1.7
63- 32	4-5	8.6		
32- 16	5-6	8.2		
16- 8	6-7	3.5		
8- 4	7-8	2.2		
4- 2	8-9	1.7		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	11.87	0	0
1000- 500	0-1	10.39	.3	.4
500- 250	1-2	13.58	.74	1
250- 125	2-3	17.66	.59	.8
125- 63	3-4	20.78	4.38	5.9
63- 32	4-5	6.8		
32- 16	5-6	6.8		
16- 8	6-7	2.5		
8- 4	7-8	2		
4- 2	8-9	1.2		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	9.75	0	0
1000- 500	0-1	10.69	.18	.3
500- 250	1-2	11.1	.93	1.6
250- 125	2-3	12.09	.82	1.4
125- 63	3-4	14.78	2.74	4.7
63- 32	4-5	9		
32- 16	5-6	9.9		
16- 8	6-7	4.4		
8- 4	7-8	2.9		
4- 2	8-9	2		



FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	13.17	.07	.1
1000- 500	0-1	14.43	.44	.6
500- 250	1-2	15.24	1.03	1.4
250- 125	2-3	15.31	1.4	1.9
125- 63	3-4	15.53	4.05	5.5
63- 32	4-5	7.9		
32- 16	5-6	7.2		
16- 8	6-7	2.8		
8- 4	7-8	1.7		
4- 2	8-9	1.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	11.38	.06	.1
1000- 500	0-1	11.83	.45	.7
500- 250	1-2	13.05	.84	1.3
250- 125	2-3	13.44	1.22	1.9
125- 63	3-4	14.6	3.73	5.8
63- 32	4-5	7.4		
32- 16	5-6	8.6		
16- 8	6-7	3.7		
8- 4	7-8	2.5		
4- 2	8-9	1.7		






1,0  
 7,0  
 5,4  
 4,4  
 2,4  
 0,8  
 0,1  
 -0,6



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	12.98	.14	.2
1000- 500	0-1	12.24	.2	.3
500- 250	1-2	12.1	1.35	2
250- 125	2-3	14.06	1.28	1.9
125- 63	3-4	16.16	3.38	5
63- 32	4-5	9.7		
32- 16	5-6	7.3		
16- 8	6-7	3.4		
8- 4	7-8	1.9		
4- 2	8-9	1.5		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	10.88	.08	.1
1000- 500	0-1	13.52	.7	.9
500- 250	1-2	16.78	1.86	2.4
250- 125	2-3	17.72	1.86	2.4
125- 63	3-4	18.73	3.03	3.9
63- 32	4-5	7.6		
32- 16	5-6	5.8		
16- 8	6-7	2.2		
8- 4	7-8	1.3		
4- 2	8-9	.9		










FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	11.98	0	0
1000- 500	0-1	12.39	.07	.1
500- 250	1-2	14.08	.68	1
250- 125	2-3	14.42	1.49	2.2
125- 63	3-4	14.76	3.18	4.7
63- 32	4-5	8.8		
32- 16	5-6	7.2		
16- 8	6-7	3.2		
8- 4	7-8	2.1		
4- 2	8-9	1.6		




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	11	0	0
1000- 500	0-1	11.3	.18	.3
500- 250	1-2	12.71	.24	.4
250- 125	2-3	12.95	.31	.5
125- 63	3-4	13.2	.67	1.1
63- 32	4-5	10.4		
32- 16	5-6	9.2		
16- 8	6-7	4.4		
8- 4	7-8	2.7		
4- 2	8-9	2.4		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	12.41	.54	.8
1000- 500	0-1	12.28	.94	1.4
500- 250	1-2	13.82	1.61	2.4
250- 125	2-3	13.42	1.74	2.6
125- 63	3-4	15.16	4.29	6.4
63- 32	4-5	7.7		
32- 16	5-6	7		
16- 8	6-7	3.8		
8- 4	7-8	1.8		
4- 2	8-9	1.4		






0,9



6,7  
5,2  
4,2  
2,3  
0,7  
0,1  
-0,7

FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	12.68	.13	.2
1000- 500	0-1	12.48	.27	.4
500- 250	1-2	12.82	1.01	1.5
250- 125	2-3	14.56	3.42	5.1
125- 63	3-4	14.56	3.42	5.1
63- 32	4-5	7.7		
32- 16	5-6	7		
16- 8	6-7	3.8		
8- 4	7-8	1.8		
4- 2	8-9	1.4		



0,8

6,7

5,1

4,1


2,3

0,6

0

-0,7

1006-1



Silt

104