

KIES: .76 %




SAND: 3.7 %

SILT: 47.5 %




TON: 48 %

1021-1/3




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.34	.09	2.5
1000- 500	0-1	.37	.11	3.1
500- 250	1-2	.52	.24	6.6
250- 125	2-3	.81	.24	6.6
125- 63	3-4	1.67	.14	3.7
63- 32	4-5	7.2		
32- 16	5-6	9.6		
16- 8	6-7	12		
8- 4	7-8	10.1		
4- 2	8-9	9.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.26	.03	.9
1000- 500	0-1	.3	.05	1.6
500- 250	1-2	.48	.15	4.5
250- 125	2-3	.74	.21	6.3
125- 63	3-4	1.62	.1	2.8
63- 32	4-5	2.9		
32- 16	5-6	9.6		
16- 8	6-7	11.6		
8- 4	7-8	12.5		
4- 2	8-9	10.6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.05	.01	.6
1000- 500	0-1	.24	.05	2.4
500- 250	1-2	.39	.12	6
250- 125	2-3	.51	.1	5.2
125- 63	3-4	.81	.04	1.8
63- 32	4-5	1.9		
32- 16	5-6	6.6		
16- 8	6-7	8.1		
8- 4	7-8	11.2		
4- 2	8-9	10.4		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.66	.07	1.5
1000- 500	0-1	.63	.13	2.7
500- 250	1-2	.91	.08	1.6
250- 125	2-3	1.15	.09	1.8
125- 63	3-4	1.56	.04	.8
63- 32	4-5	1.5		
32- 16	5-6	7		
16- 8	6-7	8.5		
8- 4	7-8	10.8		
4- 2	8-9	8.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.4	.02	.4
1000- 500	0-1	.44	.02	.4
500- 250	1-2	.67	.03	.7
250- 125	2-3	.8	.02	.5
125- 63	3-4	1.79	.02	.4
63- 32	4-5	2.1		
32- 16	5-6	6.4		
16- 8	6-7	8.2		
8- 4	7-8	10.3		
4- 2	8-9	8.5		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.17	.02	.4
1000- 500	0-1	.5	.02	.5
500- 250	1-2	.69	.03	.6
250- 125	2-3	.87	0	.1
125- 63	3-4	1.98	0	.1
63- 32	4-5	2		
32- 16	5-6	6.3		
16- 8	6-7	8.3		
8- 4	7-8	9.9		
4- 2	8-9	13.1		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.39	.07	1.6
1000- 500	0-1	.59	.03	.7
500- 250	1-2	.84	.04	.9
250- 125	2-3	1.03	.07	1.5
125- 63	3-4	1.55	.05	1.2
63- 32	4-5	1.5		
32- 16	5-6	5.5		
16- 8	6-7	8		
8- 4	7-8	11		
4- 2	8-9	9.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.32	.03	.5
1000- 500	0-1	.48	.06	1
500- 250	1-2	2.09	1.66	29.1
250- 125	2-3	1.35	.36	6.4
125- 63	3-4	1.46	.19	3.4
63- 32	4-5	2.3		
32- 16	5-6	7.4		
16- 8	6-7	9.4		
8- 4	7-8	10.9		
4- 2	8-9	9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.37	0	0
1000- 500	0-1	.6	.02	.3
500- 250	1-2	1.18	.08	1.6
250- 125	2-3	1.27	.14	2.7
125- 63	3-4	1.59	.03	.5
63- 32	4-5	2.6		
32- 16	5-6	7.9		
16- 8	6-7	11		
8- 4	7-8	11.4		
4- 2	8-9	8.8		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.11	0	0
1000- 500	0-1	.14	0	.1
500- 250	1-2	.38	.16	5.9
250- 125	2-3	.62	.13	4.9
125- 63	3-4	1.45	.08	2.9
63- 32	4-5	3.9		
32- 16	5-6	13.1		
16- 8	6-7	11.6		
8- 4	7-8	10.2		
4- 2	8-9	7.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.37	0	0
1000- 500	0-1	.74	0	.1
500- 250	1-2	1.17	.24	5.3
250- 125	2-3	1.2	.22	4.7
125- 63	3-4	1.13	.03	.7
63- 32	4-5	1.2		
32- 16	5-6	6.5		
16- 8	6-7	10.5		
8- 4	7-8	12.1		
4- 2	8-9	9.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	2.03	0	0
1000- 500	0-1	4.86	.02	.1
500- 250	1-2	7.94	1.02	4.1
250- 125	2-3	5.68	.57	2.3
125- 63	3-4	4.29	.3	1.2
63- 32	4-5	4.7		
32- 16	5-6	8.5		
16- 8	6-7	10.7		
8- 4	7-8	9		
4- 2	8-9	9.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.97	0	0
1000- 500	0-1	1.07	.02	.3
500- 250	1-2	1.78	.76	9.3
250- 125	2-3	2.03	.55	6.7
125- 63	3-4	2.35	.16	1.9
63- 32	4-5	4.8		
32- 16	5-6	12.6		
16- 8	6-7	10.4		
8- 4	7-8	9.1		
4- 2	8-9	6.5		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.52	0	0
1000- 500	0-1	1.75	.04	.3
500- 250	1-2	4.5	3.16	22.4
250- 125	2-3	3.62	1.64	11.6
125- 63	3-4	2.71	.72	5.1
63- 32	4-5	3.8		
32- 16	5-6	11		
16- 8	6-7	9.3		
8- 4	7-8	9.3		
4- 2	8-9	8.5		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.18	.08	.5
1000- 500	0-1	1.54	.03	.2
500- 250	1-2	5.29	4.46	28.4
250- 125	2-3	4.44	1.82	11.6
125- 63	3-4	3.27	1.13	7.2
63- 32	4-5	5.7		
32- 16	5-6	8.6		
16- 8	6-7	9		
8- 4	7-8	9.4		
4- 2	8-9	8.2		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.45	.03	.6
1000- 500	0-1	.62	.04	.9
500- 250	1-2	1.03	.24	4.8
250- 125	2-3	1.34	.28	5.8
125- 63	3-4	1.47	.36	7.3
63- 32	4-5	2.3		
32- 16	5-6	10.4		
16- 8	6-7	9.6		
8- 4	7-8	10.4		
4- 2	8-9	5.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.57	.01	.2
1000- 500	0-1	.86	.03	.4
500- 250	1-2	1.35	.37	5.3
250- 125	2-3	1.86	.3	4.4
125- 63	3-4	2.26	.18	2.6
63- 32	4-5	6.4		
32- 16	5-6	9.4		
16- 8	6-7	10.3		
8- 4	7-8	8.1		
4- 2	8-9	8.6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.5	.02	.1
1000- 500	0-1	1.94	.02	.1
500- 250	1-2	4.99	3.83	18.6
250- 125	2-3	4.86	2.14	10.4
125- 63	3-4	7.33	.78	3.8
63- 32	4-5	9.1		
32- 16	5-6	10.9		
16- 8	6-7	8.2		
8- 4	7-8	9.1		
4- 2	8-9	8.2		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	2.79	.02	.1
1000- 500	0-1	2.84	.04	.2
500- 250	1-2	3.51	.41	2
250- 125	2-3	3.79	.1	.5
125- 63	3-4	7.49	.18	.9
63- 32	4-5	9.9		
32- 16	5-6	14.4		
16- 8	6-7	9.4		
8- 4	7-8	8.1		
4- 2	8-9	3.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.5	.01	.2
1000- 500	0-1	.64	0	.1
500- 250	1-2	.82	.08	1.7
250- 125	2-3	.96	.05	1
125- 63	3-4	1.68	0	.1
63- 32	4-5	1.5		
32- 16	5-6	7.4		
16- 8	6-7	8.9		
8- 4	7-8	10.8		
4- 2	8-9	7.8		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.29	0	0
1000- 500	0-1	.41	0	0
500- 250	1-2	.6	.08	2.8
250- 125	2-3	.72	.02	.6
125- 63	3-4	.88	0	.1
63- 32	4-5	2		
32- 16	5-6	7.1		
16- 8	6-7	9.9		
8- 4	7-8	10.6		
4- 2	8-9	9.5		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.82	0	0
1000- 500	0-1	1.09	0	0
500- 250	1-2	1.6	.09	1
250- 125	2-3	1.87	.01	.1
125- 63	3-4	3.13	0	0
63- 32	4-5	3		
32- 16	5-6	7		
16- 8	6-7	10.9		
8- 4	7-8	15.4		
4- 2	8-9	13.4		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	1.23	0	0
1000- 500	0-1	1.39	0	0
500- 250	1-2	1.81	0	0
250- 125	2-3	1.94	.01	.1
125- 63	3-4	2.54	0	0
63- 32	4-5	3.1		
32- 16	5-6	10.8		
16- 8	6-7	10.4		
8- 4	7-8	10.4		
4- 2	8-9	3.9		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.14	0	0
1000- 500	0-1	.31	0	0
500- 250	1-2	.53	.02	.7
250- 125	2-3	.69	.01	.2
125- 63	3-4	1.43	.01	.2
63- 32	4-5	4.2		
32- 16	5-6	7.5		
16- 8	6-7	9.5		
8- 4	7-8	12		
4- 2	8-9	8.3		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.65	0	0
1000- 500	0-1	1.03	.01	.1
500- 250	1-2	1.92	.78	7.6
250- 125	2-3	2.63	.8	7.8
125- 63	3-4	4.08	.34	3.3
63- 32	4-5	5.4		
32- 16	5-6	10.8		
16- 8	6-7	9.2		
8- 4	7-8	9.2		
4- 2	8-9	7.1		



FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	1.19	0	0
1000- 500	0-1	1.34	.02	.1
500- 250	1-2	5.61	4.78	27.8
250- 125	2-3	3.13	.96	5.6
125- 63	3-4	5.95	.14	.8
63- 32	4-5	7		
32- 16	5-6	10.9		
16- 8	6-7	10.1		
8- 4	7-8	6.6		
4- 2	8-9	4.3		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.14	0	0
1000- 500	0-1	.35	0	0
500- 250	1-2	1.7	1.49	26.2
250- 125	2-3	.98	.37	6.5
125- 63	3-4	2.53	.09	1.5
63- 32	4-5	6.5		
32- 16	5-6	15.6		
16- 8	6-7	12		
8- 4	7-8	9		
4- 2	8-9	7		






28,




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.01	0	.1
1000- 500	0-1	.02	0	0
500- 250	1-2	.08	.07	17
250- 125	2-3	.09	.05	13.4
125- 63	3-4	.21	.01	2.2
63- 32	4-5	1.2		
32- 16	5-6	7.5		
16- 8	6-7	11.6		
8- 4	7-8	12		
4- 2	8-9	9.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	2.56	0	0
1000- 500	0-1	2.43	.05	.2
500- 250	1-2	7.67	6.12	26.5
250- 125	2-3	4.83	1.73	7.5
125- 63	3-4	5.61	.51	2.2
63- 32	4-5	4.3		
32- 16	5-6	5.6		
16- 8	6-7	6.6		
8- 4	7-8	8.2		
4- 2	8-9	7.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.92	0	0
1000- 500	0-1	2.44	0	0
500- 250	1-2	8.29	6.72	27.3
250- 125	2-3	5.61	1.57	6.4
125- 63	3-4	6.35	.49	2
63- 32	4-5	6.1		
32- 16	5-6	6.1		
16- 8	6-7	6.1		
8- 4	7-8	8.1		
4- 2	8-9	7.4		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.98	0	0
1000- 500	0-1	1.32	.03	.2
500- 250	1-2	7.73	6.67	40.9
250- 125	2-3	3.55	1.22	7.5
125- 63	3-4	2.72	.67	4.1
63- 32	4-5	2.4		
32- 16	5-6	5.3		
16- 8	6-7	7.1		
8- 4	7-8	8.9		
4- 2	8-9	5.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.77	.02	.1
1000- 500	0-1	2.79	.02	.1
500- 250	1-2	6.47	5.34	26.2
250- 125	2-3	5.14	1.31	6.4
125- 63	3-4	4.22	.2	1
63- 32	4-5	3.6		
32- 16	5-6	6.8		
16- 8	6-7	7.2		
8- 4	7-8	9		
4- 2	8-9	9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.37	0	0
1000- 500	0-1	.87	.01	.1
500- 250	1-2	1.34	.12	1.8
250- 125	2-3	1.71	.07	1.1
125- 63	3-4	2.52	.02	.3
63- 32	4-5	5.8		
32- 16	5-6	10.2		
16- 8	6-7	9.3		
8- 4	7-8	9.8		
4- 2	8-9	7.5		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.69	0	0
1000- 500	0-1	1.07	0	0
500- 250	1-2	1.66	.06	.9
250- 125	2-3	1.95	.04	.5
125- 63	3-4	1.75	.01	.1
63- 32	4-5	1.2		
32- 16	5-6	2.7		
16- 8	6-7	4.9		
8- 4	7-8	7.6		
4- 2	8-9	8.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.53	0	0
1000- 500	0-1	2.18	0	0
500- 250	1-2	3.23	.08	.5
250- 125	2-3	3.62	.05	.3
125- 63	3-4	5.05	.06	.4
63- 32	4-5	6.8		
32- 16	5-6	9.8		
16- 8	6-7	6.8		
8- 4	7-8	7.1		
4- 2	8-9	7.1		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	1.14	0	0
1000- 500	0-1	1.96	0	0
500- 250	1-2	3.05	.05	.4
250- 125	2-3	3.11	.01	.1
125- 63	3-4	4.06	.03	.2
63- 32	4-5	3.1		
32- 16	5-6	10.9		
16- 8	6-7	9.3		
8- 4	7-8	9.3		
4- 2	8-9	6.2		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	1.6	0	0
1000- 500	0-1	1.88	0	0
500- 250	1-2	2.9	.15	1.1
250- 125	2-3	3.23	.1	.7
125- 63	3-4	4.21	.04	.3
63- 32	4-5	7.2		
32- 16	5-6	13.6		
16- 8	6-7	9.8		
8- 4	7-8	8.1		
4- 2	8-9	3.8		



FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.73	0	0
1000- 500	0-1	1.39	0	0
500- 250	1-2	2.04	.14	1.4
250- 125	2-3	2.28	.09	.9
125- 63	3-4	3.76	.02	.2
63- 32	4-5	5		
32- 16	5-6	13.4		
16- 8	6-7	10		
8- 4	7-8	8.4		
4- 2	8-9	5		



FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	2.6	0	0
1000- 500	0-1	2.62	0	0
500- 250	1-2	3.78	.77	3.3
250- 125	2-3	4.32	.6	2.6
125- 63	3-4	9.86	.53	2.3
63- 32	4-5	17.2		
32- 16	5-6	18.7		
16- 8	6-7	8.3		
8- 4	7-8	5.2		
4- 2	8-9	2.6		



KIES: .51 %




SAND: 7.2 %

SILT: 43.3 %




TON: 49 %

1021-1/370




FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.83	0	0
1000- 500	0-1	.82	0	0
500- 250	1-2	1.24	.47	6.4
250- 125	2-3	1.57	.14	1.9
125- 63	3-4	2.83	.01	.2
63- 32	4-5	6.1		
32- 16	5-6	10.5		
16- 8	6-7	9.6		
8- 4	7-8	9.6		
4- 2	8-9	7.4		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.38	0	0
1000- 500	0-1	.63	0	0
500- 250	1-2	.77	.01	.2
250- 125	2-3	.87	.01	.2
125- 63	3-4	.75	0	0
63- 32	4-5	2.2		
32- 16	5-6	6.2		
16- 8	6-7	8.8		
8- 4	7-8	10.3		
4- 2	8-9	9.2		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.54	.02	.3
1000- 500	0-1	.81	.01	.1
500- 250	1-2	1.26	.05	.9
250- 125	2-3	1.41	.01	.1
125- 63	3-4	1.19	.01	.1
63- 32	4-5	1.6		
32- 16	5-6	8.8		
16- 8	6-7	10.4		
8- 4	7-8	9.6		
4- 2	8-9	9.2		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.58	0	0
1000- 500	0-1	.84	0	0
500- 250	1-2	1.02	.01	.2
250- 125	2-3	1.25	.01	.1
125- 63	3-4	1.51	.01	.2
63- 32	4-5	3		
32- 16	5-6	11.2		
16- 8	6-7	11.6		
8- 4	7-8	10.8		
4- 2	8-9	6.5		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.55	0	0
1000- 500	0-1	.76	.01	.1
500- 250	1-2	1.17	.04	.6
250- 125	2-3	1.34	.02	.4
125- 63	3-4	2.37	.02	.3
63- 32	4-5	3.8		
32- 16	5-6	13.9		
16- 8	6-7	12.9		
8- 4	7-8	10		
4- 2	8-9	7.2		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.23	0	0
1000- 500	0-1	.47	0	0
500- 250	1-2	.78	.03	.8
250- 125	2-3	.92	.03	.8
125- 63	3-4	1.5	.01	.3
63- 32	4-5	2		
32- 16	5-6	10.8		
16- 8	6-7	11.6		
8- 4	7-8	9.6		
4- 2	8-9	6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.35	.01	.2
1000- 500	0-1	.51	.01	.1
500- 250	1-2	.83	.04	.7
250- 125	2-3	1.17	.08	1.4
125- 63	3-4	2.54	.04	.8
63- 32	4-5	8.2		
32- 16	5-6	12.1		
16- 8	6-7	9.7		
8- 4	7-8	10.1		
4- 2	8-9	7.7		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.15	0	0
1000- 500	0-1	.21	0	.1
500- 250	1-2	.34	.01	.4
250- 125	2-3	.41	.01	.3
125- 63	3-4	1.09	.01	.5
63- 32	4-5	3.1		
32- 16	5-6	11.2		
16- 8	6-7	11.7		
8- 4	7-8	10.8		
4- 2	8-9	8.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.35	0	0
1000- 500	0-1	.62	0	0
500- 250	1-2	.92	.03	.5
250- 125	2-3	1.1	.01	.2
125- 63	3-4	3.11	0	0
63- 32	4-5	4.8		
32- 16	5-6	9.9		
16- 8	6-7	9.1		
8- 4	7-8	9.5		
4- 2	8-9	8.6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.5	0	0
1000- 500	0-1	.58	0	0
500- 250	1-2	.95	0	0
250- 125	2-3	1.17	.01	.1
125- 63	3-4	3.01	.02	.4
63- 32	4-5	5.1		
32- 16	5-6	12.9		
16- 8	6-7	10.2		
8- 4	7-8	9.2		
4- 2	8-9	6.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.52	0	0
1000- 500	0-1	.78	0	0
500- 250	1-2	1.19	.01	.1
250- 125	2-3	1.49	.02	.2
125- 63	3-4	3.63	.02	.2
63- 32	4-5	7.2		
32- 16	5-6	13.4		
16- 8	6-7	10.5		
8- 4	7-8	9.6		
4- 2	8-9	7.2		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.61	0	0
1000- 500	0-1	.76	0	0
500- 250	1-2	1.15	.02	.2
250- 125	2-3	1.43	.02	.2
125- 63	3-4	3.65	.01	.1
63- 32	4-5	8		
32- 16	5-6	17.6		
16- 8	6-7	13.4		
8- 4	7-8	9.1		
4- 2	8-9	5.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.2	0	0
1000- 500	0-1	.35	0	0
500- 250	1-2	.57	0	.1
250- 125	2-3	.68	0	.1
125- 63	3-4	1.91	0	.1
63- 32	4-5	7.5		
32- 16	5-6	17.1		
16- 8	6-7	15		
8- 4	7-8	9.1		
4- 2	8-9	4.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.56	.02	.1
1000- 500	0-1	2.17	0	0
500- 250	1-2	3.53	.07	.4
250- 125	2-3	4.51	.07	.4
125- 63	3-4	6.14	.04	.2
63- 32	4-5	9.6		
32- 16	5-6	13.5		
16- 8	6-7	8.3		
8- 4	7-8	7.4		
4- 2	8-9	4.8		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	1.24	.01	.1
1000- 500	0-1	1.33	0	0
500- 250	1-2	2.27	.01	.1
250- 125	2-3	3.21	.05	.4
125- 63	3-4	4.16	.01	.1
63- 32	4-5	4.4		
32- 16	5-6	11.3		
16- 8	6-7	10		
8- 4	7-8	9.1		
4- 2	8-9	7.8		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	1.11	0	0
1000- 500	0-1	1.31	0	0
500- 250	1-2	2.19	.08	.7
250- 125	2-3	2.95	.05	.4
125- 63	3-4	4.15	.01	.1
63- 32	4-5	8.3		
32- 16	5-6	11.8		
16- 8	6-7	9.2		
8- 4	7-8	7.8		
4- 2	8-9	6.5		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.18	0	0
1000- 500	0-1	.37	0	0
500- 250	1-2	.68	.14	3.1
250- 125	2-3	.92	.04	.9
125- 63	3-4	2.24	.02	.4
63- 32	4-5	5.5		
32- 16	5-6	12.4		
16- 8	6-7	10.1		
8- 4	7-8	10.1		
4- 2	8-9	7.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.24	0	0
1000- 500	0-1	.39	0	0
500- 250	1-2	.92	.05	.9
250- 125	2-3	1.4	.01	.2
125- 63	3-4	2.76	0	0
63- 32	4-5	3.2		
32- 16	5-6	12.2		
16- 8	6-7	11.3		
8- 4	7-8	10.8		
4- 2	8-9	7.2		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.31	0	0
1000- 500	0-1	.47	0	0
500- 250	1-2	.63	.04	1.6
250- 125	2-3	.5	.01	.2
125- 63	3-4	.79	0	0
63- 32	4-5	4.3		
32- 16	5-6	12.9		
16- 8	6-7	11.4		
8- 4	7-8	10.5		
4- 2	8-9	7.1		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.86	0	0
1000- 500	0-1	2.53	0	0
500- 250	1-2	3.92	.01	.1
250- 125	2-3	2.85	.01	.1
125- 63	3-4	3.53	.03	.2
63- 32	4-5	7.9		
32- 16	5-6	12.5		
16- 8	6-7	9.7		
8- 4	7-8	9.7		
4- 2	8-9	6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.17	0	0
1000- 500	0-1	.4	0	.1
500- 250	1-2	.7	.1	3.3
250- 125	2-3	.85	.19	6.2
125- 63	3-4	.98	.07	2.3
63- 32	4-5	3.6		
32- 16	5-6	11.2		
16- 8	6-7	11.6		
8- 4	7-8	11.2		
4- 2	8-9	7.2		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.96	0	0
1000- 500	0-1	1.26	0	0
500- 250	1-2	1.94	.01	.1
250- 125	2-3	2.1	0	0
125- 63	3-4	4.25	0	0
63- 32	4-5	6.7		
32- 16	5-6	12.1		
16- 8	6-7	10.7		
8- 4	7-8	8.9		
4- 2	8-9	6.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.72	0	0
1000- 500	0-1	.94	0	0
500- 250	1-2	1.32	0	0
250- 125	2-3	1.06	0	0
125- 63	3-4	1.35	0	0
63- 32	4-5	4.4		
32- 16	5-6	11		
16- 8	6-7	11.9		
8- 4	7-8	10.1		
4- 2	8-9	6.6		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	8.13	0	0
1000- 500	0-1	7.52	0	0
500- 250	1-2	7.88	.04	.1
250- 125	2-3	6.52	0	0
125- 63	3-4	5.76	.04	.1
63- 32	4-5	5.3		
32- 16	5-6	8		
16- 8	6-7	6.8		
8- 4	7-8	6.2		
4- 2	8-9	3.7		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.24	0	0
1000- 500	0-1	.35	0	0
500- 250	1-2	.51	.01	.2
250- 125	2-3	.5	0	0
125- 63	3-4	1.21	0	.1
63- 32	4-5	4.2		
32- 16	5-6	14.7		
16- 8	6-7	14.2		
8- 4	7-8	10.5		
4- 2	8-9	8.4		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.38	0	0
1000- 500	0-1	.4	0	0
500- 250	1-2	.61	0	0
250- 125	2-3	.66	0	.1
125- 63	3-4	1.64	0	0
63- 32	4-5	6.4		
32- 16	5-6	17.1		
16- 8	6-7	12.8		
8- 4	7-8	10.7		
4- 2	8-9	6.4		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.18	0	0
1000- 500	0-1	.33	0	0
500- 250	1-2	.41	0	.1
250- 125	2-3	.47	0	.1
125- 63	3-4	1.22	.02	.7
63- 32	4-5	2.4		
32- 16	5-6	12.2		
16- 8	6-7	12.2		
8- 4	7-8	11.2		
4- 2	8-9	8.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.14	0	0
1000- 500	0-1	.15	0	0
500- 250	1-2	.37	.29	13.1
250- 125	2-3	.42	.2	9
125- 63	3-4	1.12	.02	1.1
63- 32	4-5	4.2		
32- 16	5-6	12.6		
16- 8	6-7	13.1		
8- 4	7-8	10.8		
4- 2	8-9	6.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.3	0	0
1000- 500	0-1	.96	0	0
500- 250	1-2	1.6	.92	6.2
250- 125	2-3	1.81	.37	2.5
125- 63	3-4	9.15	.01	.1
63- 32	4-5	20.7		
32- 16	5-6	17.1		
16- 8	6-7	8.9		
8- 4	7-8	7.1		
4- 2	8-9	4.7		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.05	0	0
1000- 500	0-1	.18	0	0
500- 250	1-2	.34	0	.3
250- 125	2-3	.37	.01	.7
125- 63	3-4	.36	0	.3
63- 32	4-5	.7		
32- 16	5-6	7.8		
16- 8	6-7	10.3		
8- 4	7-8	9.2		
4- 2	8-9	5.7		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.3	.01	.1
1000- 500	0-1	.77	.02	.2
500- 250	1-2	4.32	3.98	41.9
250- 125	2-3	2.41	1.43	15
125- 63	3-4	1.7	.22	2.3
63- 32	4-5	3.4		
32- 16	5-6	10.1		
16- 8	6-7	10.1		
8- 4	7-8	9.2		
4- 2	8-9	7.6		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	1.2	0	0
1000- 500	0-1	1.61	.04	.2
500- 250	1-2	8.61	7.97	38.5
250- 125	2-3	5.42	3.17	15.3
125- 63	3-4	3.85	.43	2.1
63- 32	4-5	5		
32- 16	5-6	9.7		
16- 8	6-7	7.8		
8- 4	7-8	7.4		
4- 2	8-9	6.6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.42	0	0
1000- 500	0-1	.75	.02	.2
500- 250	1-2	3.29	2.95	34.3
250- 125	2-3	2.49	1.61	18.7
125- 63	3-4	1.65	.23	2.7
63- 32	4-5	2.9		
32- 16	5-6	5.8		
16- 8	6-7	6.4		
8- 4	7-8	6.4		
4- 2	8-9	5.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	2.32	0	0
1000- 500	0-1	3.52	.03	.1
500- 250	1-2	6.43	4.31	16.9
250- 125	2-3	7.57	4.08	16
125- 63	3-4	5.69	1.35	5.3
63- 32	4-5	7.7		
32- 16	5-6	11.9		
16- 8	6-7	6.9		
8- 4	7-8	5.7		
4- 2	8-9	5		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.58	0	0
1000- 500	0-1	1.21	0	0
500- 250	1-2	2.4	1.17	11.7
250- 125	2-3	3.14	1.38	13.8
125- 63	3-4	2.68	.42	4.2
63- 32	4-5	6.7		
32- 16	5-6	14.3		
16- 8	6-7	10.7		
8- 4	7-8	7.6		
4- 2	8-9	4		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.73	0	0
1000- 500	0-1	1.19	0	0
500- 250	1-2	2.08	.35	3.3
250- 125	2-3	2.54	.33	3.1
125- 63	3-4	4.18	.09	.8
63- 32	4-5	5		
32- 16	5-6	10.9		
16- 8	6-7	9.7		
8- 4	7-8	7.8		
4- 2	8-9	5		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	0	0	0
1000- 500	0-1	.01	0	0
500- 250	1-2	.02	0	4.4
250- 125	2-3	.01	0	.8
125- 63	3-4	.06	0	.3
63- 32	4-5	4.4		
32- 16	5-6	12.7		
16- 8	6-7	10.1		
8- 4	7-8	7.9		
4- 2	8-9	7		



FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.2	0	0
1000- 500	0-1	.35	0	0
500- 250	1-2	.58	.02	.8
250- 125	2-3	.66	.01	.3
125- 63	3-4	.73	0	.1
63- 32	4-5	2.2		
32- 16	5-6	9.6		
16- 8	6-7	10		
8- 4	7-8	8.1		
4- 2	8-9	5.9		



KIES: 0 %




SAND: 2 %

SILT: 52.6 %




TON: 45.4 %

1021-1/745




FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.12	0	0
1000- 500	0-1	.29	0	0
500- 250	1-2	.39	.02	.8
250- 125	2-3	.49	.05	2.6
125- 63	3-4	.72	.06	3.1
63- 32	4-5	3.7		
32- 16	5-6	14.3		
16- 8	6-7	15.9		
8- 4	7-8	12.2		
4- 2	8-9	6.3		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.24	0	0
1000- 500	0-1	.45	0	0
500- 250	1-2	.9	.03	.7
250- 125	2-3	1.1	.04	1
125- 63	3-4	1.3	.03	.8
63- 32	4-5	3.5		
32- 16	5-6	10.1		
16- 8	6-7	11.9		
8- 4	7-8	9.7		
4- 2	8-9	7.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.31	0	0
1000- 500	0-1	.49	0	0
500- 250	1-2	.97	.05	1.4
250- 125	2-3	.96	.02	.5
125- 63	3-4	.77	0	0
63- 32	4-5	2.4		
32- 16	5-6	10		
16- 8	6-7	10.4		
8- 4	7-8	9.2		
4- 2	8-9	6.4		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.2	0	0
1000- 500	0-1	.21	0	0
500- 250	1-2	.45	.03	1.3
250- 125	2-3	.55	.06	2.8
125- 63	3-4	.59	.01	.7
63- 32	4-5	2		
32- 16	5-6	9.3		
16- 8	6-7	9.7		
8- 4	7-8	8.9		
4- 2	8-9	6.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.86	0	0
1000- 500	0-1	1.48	0	0
500- 250	1-2	2.33	.27	2.7
250- 125	2-3	2.99	.86	8.5
125- 63	3-4	2.44	.23	2.3
63- 32	4-5	2.7		
32- 16	5-6	8.1		
16- 8	6-7	10		
8- 4	7-8	9.7		
4- 2	8-9	6.9		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	3.05	0	0
1000- 500	0-1	4.25	0	0
500- 250	1-2	6.21	.06	.2
250- 125	2-3	7.67	.54	1.9
125- 63	3-4	7.35	.63	2.2
63- 32	4-5	7.4		
32- 16	5-6	11.7		
16- 8	6-7	9.8		
8- 4	7-8	5.9		
4- 2	8-9	4.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.54	0	0
1000- 500	0-1	1.94	0	0
500- 250	1-2	3.24	.19	1.1
250- 125	2-3	4.58	.49	2.9
125- 63	3-4	5.59	.25	1.5
63- 32	4-5	10.8		
32- 16	5-6	11.8		
16- 8	6-7	8.6		
8- 4	7-8	7.2		
4- 2	8-9	5.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	1.12	0	0
1000- 500	0-1	1.74	.03	.2
500- 250	1-2	2.67	.45	3.3
250- 125	2-3	3.86	1.27	9.3
125- 63	3-4	4.32	.32	2.3
63- 32	4-5	4.2		
32- 16	5-6	13.1		
16- 8	6-7	8.5		
8- 4	7-8	8		
4- 2	8-9	6.3		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.45	0	0
1000- 500	0-1	.9	0	0
500- 250	1-2	1.65	.05	.6
250- 125	2-3	2.21	0	0
125- 63	3-4	3.21	0	0
63- 32	4-5	6.3		
32- 16	5-6	13		
16- 8	6-7	9.9		
8- 4	7-8	8.5		
4- 2	8-9	6.3		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.19	0	0
1000- 500	0-1	.36	0	0
500- 250	1-2	1.02	.01	.1
250- 125	2-3	2.74	0	0
125- 63	3-4	8.5	0	0
63- 32	4-5	16.4		
32- 16	5-6	14.9		
16- 8	6-7	8.2		
8- 4	7-8	6.7		
4- 2	8-9	5.1		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.44	0	0
1000- 500	0-1	.74	0	0
500- 250	1-2	1.32	.01	.1
250- 125	2-3	1.55	.02	.3
125- 63	3-4	1.45	0	0
63- 32	4-5	2		
32- 16	5-6	10.5		
16- 8	6-7	10.9		
8- 4	7-8	9		
4- 2	8-9	6.6		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.14	0	0
1000- 500	0-1	.25	0	0
500- 250	1-2	.6	0	.2
250- 125	2-3	.72	.02	.7
125- 63	3-4	.7	0	0
63- 32	4-5	2.5		
32- 16	5-6	10.5		
16- 8	6-7	11.7		
8- 4	7-8	10.1		
4- 2	8-9	7.1		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.4	0	0
1000- 500	0-1	.76	0	0
500- 250	1-2	1.13	0	0
250- 125	2-3	1.11	0	0
125- 63	3-4	1	0	0
63- 32	4-5	2.7		
32- 16	5-6	9		
16- 8	6-7	9.8		
8- 4	7-8	9.8		
4- 2	8-9	7.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.79	0	0
1000- 500	0-1	.84	0	0
500- 250	1-2	1.19	.01	.1
250- 125	2-3	1.39	.01	.1
125- 63	3-4	1.5	0	0
63- 32	4-5	2.8		
32- 16	5-6	7		
16- 8	6-7	7.7		
8- 4	7-8	8.8		
4- 2	8-9	8.8		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.44	0	0
1000- 500	0-1	.6	0	0
500- 250	1-2	.96	0	0
250- 125	2-3	.99	0	0
125- 63	3-4	2.11	0	0
63- 32	4-5	6.1		
32- 16	5-6	11.4		
16- 8	6-7	10.1		
8- 4	7-8	9.7		
4- 2	8-9	6.6		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.16	0	0
1000- 500	0-1	.49	0	0
500- 250	1-2	.57	0	0
250- 125	2-3	.68	0	0
125- 63	3-4	1.9	0	0
63- 32	4-5	4		
32- 16	5-6	8.7		
16- 8	6-7	9.1		
8- 4	7-8	8.3		
4- 2	8-9	7.9		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.38	0	0
1000- 500	0-1	.53	0	0
500- 250	1-2	.78	0	.1
250- 125	2-3	.91	0	.1
125- 63	3-4	2.1	0	0
63- 32	4-5	3.5		
32- 16	5-6	11.7		
16- 8	6-7	13.9		
8- 4	7-8	9.6		
4- 2	8-9	4.8		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.21	0	0
1000- 500	0-1	.35	0	0
500- 250	1-2	.56	0	0
250- 125	2-3	.7	.03	1.2
125- 63	3-4	.59	.02	.8
63- 32	4-5	2.2		
32- 16	5-6	11.6		
16- 8	6-7	11.6		
8- 4	7-8	10.3		
4- 2	8-9	6.9		



FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.23	0	0
1000- 500	0-1	.38	0	.1
500- 250	1-2	.79	.46	9.7
250- 125	2-3	1.22	.7	14.8
125- 63	3-4	2.09	.21	4.4
63- 32	4-5	4.5		
32- 16	5-6	11.8		
16- 8	6-7	10.4		
8- 4	7-8	9.5		
4- 2	8-9	7.7		



KIES: .5 %




SAND: 6.9 %

SILT: 45 %




TON: 47.7 %

1021-1/912




FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.47	0	0
1000- 500	0-1	.54	0	0
500- 250	1-2	.92	.4	5.8
250- 125	2-3	1.84	1.2	17.4
125- 63	3-4	3.14	.57	8.3
63- 32	4-5	8.1		
32- 16	5-6	13.1		
16- 8	6-7	9.9		
8- 4	7-8	8.1		
4- 2	8-9	5.9		






FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.13	.13	16.4
1000- 500	0-1	.1	.1	12.1
500- 250	1-2	.18	.18	22.3
250- 125	2-3	.2	.2	25
125- 63	3-4	.19	.19	24.2
63- 32	4-5	1.4		
32- 16	5-6	7.4		
16- 8	6-7	9.8		
8- 4	7-8	9.5		
4- 2	8-9	7		






FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.27	.27	11.2
1000- 500	0-1	.28	.28	11.6
500- 250	1-2	.41	.41	16.9
250- 125	2-3	.65	.65	27
125- 63	3-4	.8	.8	33.3
63- 32	4-5	3		
32- 16	5-6	8.3		
16- 8	6-7	9.9		
8- 4	7-8	9.1		
4- 2	8-9	7.6		



FRAKTION UM	PHI	%	BIO GES.	BIO SA
2000-1000	(-1)-0	.17	.17	7.5
1000- 500	0-1	.22	.22	9.8
500- 250	1-2	.37	.37	17
250- 125	2-3	.77	.77	34.9
125- 63	3-4	.68	.68	30.8
63- 32	4-5	1.9		
32- 16	5-6	8.3		
16- 8	6-7	8.7		
8- 4	7-8	10.2		
4- 2	8-9	8.7		




FRAKTION UM	PHI	%	BID GES.	BID SA
2000-1000	(-1)-0	.15	.15	7.9
1000- 500	0-1	.21	.21	11.1
500- 250	1-2	.35	.35	18.4
250- 125	2-3	.57	.57	30.1
125- 63	3-4	.62	.62	32.5
63- 32	4-5	1.1		
32- 16	5-6	7.2		
16- 8	6-7	8.3		
8- 4	7-8	11.3		
4- 2	8-9	9.8		



Sand

1091-1



COPYRIGHT SCHLEICHER & SCHÜLL, 3352 EINBECK



Bestell Nr. 667751, Nr. 315 1/2 MADE IN GERMANY

50 40 30 20 10

Loam