


Core 1380-3

Sample 0.01 m


Grain Size Analysis

AWI



GRAV	0.2
SAND	0.8
SILT	68.1
CLAY	31.1


MEAN	7.9
MEDI	7.5
SKEW	0.2
KURT	0.8
SORT	2.3



PC 5	4.9
PC 16	5.5
PC 25	6.0
PC 50	7.5
PC 75	9.7
PC 84	10.6
PC 95	11.8

Grobe, 1988

Core 1380-3 Sample 0.10 m Grain Size Analysis AWI



GRAV	0.5
SAND	1.7
SILT	49.9
CLAY	48.4
MEAN	8.6
MEDI	8.8
SKEW	-0.1
KURT	0.7
SORT	2.5
PC 5	4.7
PC 16	5.7
PC 25	6.3
PC 50	8.8
PC 75	10.7
PC 84	11.3
PC 95	12.1

Grobe, 1988

Core

1380-3

Sample

0.20 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.3

SAND 0.8

SILT 49.6

CLAY 49.7

MEAN 8.8

MEDI 8.9

SKEW -0.1

KURT 0.7

SORT 2.3

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 5.1

PC 16 6.1

PC 25 6.8

PC 50 8.9

PC 75 10.7



PC 84 11.2

PC 95 12.1

phi

phi

Grobe, 1988




Core 1380-3


Sample 0.27 m

Grain Size Analysis

AWI



GRAV	0.0
SAND	0.8
SILT	44.7
CLAY	54.5
MEAN	9.0
MEDI	9.4
SKEW	-0.2
KURT	0.8
SORT	2.3



PC 5	5.1
PC 16	6.3
PC 25	7.1
PC 50	9.4
PC 75	10.8
PC 84	11.4
PC 95	12.1

Grobe, 1988

Core 1380-3



Sample

0.34 m

Grain Size Analysis

AWI

%



GRAV	0.0
SAND	0.7
SILT	45.7
CLAY	53.6
MEAN	9.0
MEDI	9.3
SKEW	-0.2
KURT	0.8
SORT	2.3

%/phi



GRAVEL

SAND

SILT

CLAY

SILT (100%)



PC 5	5.2
PC 16	6.3
PC 25	7.1
PC 50	9.3
PC 75	10.9
PC 84	11.4
PC 95	12.1

Grobe, 1988

Core

1380-3



Sample

0.40 m

Grain Size Analysis

AWI

%



GRAV	0.2
SAND	0.9
SILT	46.5
CLAY	52.6

MEAN	8.9
MEDI	9.2
SKEW	-0.2
KURT	0.7
SORT	2.3

%/phi



GRAVEL

SAND

SILT

CLAY

SILT (100%)



PC 5	5.1
PC 16	6.2
PC 25	6.9
PC 50	9.2
PC 75	10.8
PC 84	11.3
PC 95	12.1

Grobe, 1988

Core 1380-3

Sample 0.47 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

%/phi

50



40

30



20

10

0



GRAV	0.0
SAND	0.9
SILT	44.0
CLAY	55.0
MEAN	9.0
MEDI	9.4
SKEW	-0.2
KURT	0.8
SORT	2.3



PC 5	5.2
PC 16	6.3
PC 25	7.1
PC 50	9.4
PC 75	10.9
PC 84	11.4
PC 95	12.2

Grobe, 1988

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi



phi

Core 1380-3



Sample 0.53 m

Grain Size Analysis

AWI



GRAV	0.9
SAND	0.9
SILT	41.0
CLAY	58.1
MEAN	9.2
MEDI	9.6
SKEW	-0.3
KURT	0.8
SORT	2.3



PC 5	5.4
PC 16	6.6
PC 25	7.4
PC 50	9.6
PC 75	11.0
PC 84	11.5
PC 95	12.2

Grobe, 1988

Core 1380-3

Sample

0.60 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.5

SAND 0.7

SILT 38.3

CLAY 61.0

MEAN 9.4

MEDI 9.8

SKEW -0.3

KURT 0.8

SORT 2.1

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 5.6

PC 16 6.9

PC 25 7.7

PC 50 9.8

PC 75 11.0

PC 84 11.5

PC 95 12.2

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

phi

Grobe, 1988

Core 1380-3



Sample

0.70 m



Grain Size Analysis

AWI

%




GRAV	0.3
SAND	1.7
SILT	38.1
CLAY	60.2
MEAN	9.3
MEDI	9.7
SKEW	-0.2
KURT	0.8
SORT	2.2



PC 5	5.5
PC 16	6.8
PC 25	7.7
PC 50	9.7
PC 75	11.0
PC 84	11.5
PC 95	12.2


Grobe, 1988

Core 1380-3 Sample 0.80 m Grain Size Analysis AWI




Grobe, 1988

Core 1380-3 Sample 0.90 m Grain Size Analysis AWI




GRAV	0.1
SAND	0.7
SILT	37.7
CLAY	61.5
MEAN	9.4
MEDI	9.7
SKEW	-0.2
KURT	0.8
SORT	2.1



PC 5	5.7
PC 16	7.1
PC 25	7.8
PC 50	9.7
PC 75	11.0
PC 84	11.5
PC 95	12.2

Grobe, 1988

Core 1380-3 Sample 1.00 m Grain Size Analysis AWI



Grobe, 1988

Core 1380-3



Sample

1.10 m

Grain Size Analysis



AWI

%



GRAV	0.8
SAND	1.6
SILT	35.0
CLAY	63.4


MEAN	9.5
MEDI	9.8
SKEW	-0.3
KURT	0.9
SORT	2.1




PC 5	5.6
PC 16	7.1
PC 25	7.9
PC 50	9.8
PC 75	11.0
PC 84	11.5
PC 95	12.2

Grobe, 1988

Core 1380-3 Sample 1.20 m Grain Size Analysis AWI



GRAV	0.1
SAND	1.1
SILT	38.4
CLAY	60.5
MEAN	9.3
MEDI	9.7
SKEW	-0.3
KURT	0.8
SORT	2.2



PC 5	5.4
PC 16	6.8
PC 25	7.6
PC 50	9.7
PC 75	11.0
PC 84	11.5
PC 95	12.2

Grobe, 1988


Core 1380-3

Sample

1.30 m

Grain Size Analysis

AWI



GRAV	0.1
SAND	1.0
SILT	37.4
CLAY	61.6
MEAN	9.4
MEDI	9.9
SKEW	-0.3
KURT	0.8
SORT	2.2

PC 5	5.5
PC 16	6.8
PC 25	7.7
PC 50	9.9
PC 75	11.1
PC 84	11.5
PC 95	12.2

Grobe, 1988



Core 1380-3

Sampl 1.40 m



Grain Size Analysis

AWI

%



GRAV	0.4
SAND	1.2
SILT	37.0
CLAY	61.8
MEAN	9.4
MEDI	9.8
SKEW	-0.3
KURT	0.8
SORT	2.2



PC 5	5.4
PC 16	6.8
PC 25	7.7
PC 50	9.8
PC 75	11.0
PC 84	11.5
PC 95	12.2


Grobe, 1988

Core 1380-3


Sample 1.50 m

Grain Size Analysis

AWI



GRAV	0.1
SAND	3.5
SILT	28.7
CLAY	67.8
MEAN	9.7
MEDI	10.0
SKEW	-0.3
KURT	1.0
SORT	2.1



PC 5	5.2
PC 16	7.5
PC 25	8.3
PC 50	10.0
PC 75	11.1
PC 84	11.6
PC 95	12.2

Grobe, 1988

Core 1380-3

Sample 1.60 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.3

SAND 4.6

SILT 29.4

CLAY 66.0

MEAN 9.6

MEDI 10.0

SKEW -0.4

KURT 1.0

SORT 2.3

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 4.4

PC 16 7.1

PC 25 8.1

PC 50 10.0

PC 75 11.2



PC 84 11.6

PC 95 12.3

phi

phi

Grobe, 1988



Core 1380-3

Sample 1.70 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.5

SAND 5.7

SILT 31.1

CLAY 63.2

MEAN 9.4

MEDI 9.9

SKEW -0.4

KURT 1.1

SORT 2.6

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 3.3

PC 16 6.7

PC 25 7.8

PC 50 9.9

PC 75 11.1

PC 84 11.5

PC 95 12.2

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

phi


Grobe, 1988

Core 1380-3


Sample 1.80 m

Grain Size Analysis

AWI




GRAV	0.1
SAND	2.1
SILT	38.5
CLAY	59.4
MEAN	9.3
MEDI	9.7
SKEW	-0.3
KURT	0.8
SORT	2.3



PC 5	5.1
PC 16	6.6
PC 25	7.5
PC 50	9.7
PC 75	11.0
PC 84	11.5
PC 95	12.2

Grobe, 1988

Core 1380-3 Sample 1.90 m Grain Size Analysis AWI



GRAV	0.2
SAND	2.4
SILT	39.3
CLAY	58.3
MEAN	9.2
MEDI	9.6
SKEW	-0.3
KURT	0.8
SORT	2.3

PC 5	5.1
PC 16	6.5
PC 25	7.4
PC 50	9.6
PC 75	10.9
PC 84	11.4
PC 95	12.2


Grobe, 1988

Core 1380-3

Sample 2.00 m

Grain Size Analysis

AWI




GRAV	0.2
SAND	4.1
SILT	34.7
CLAY	61.2
MEAN	9.2
MEDI	9.8
SKEW	-0.4
KURT	0.9
SORT	2.5

PC 5	4.3
PC 16	6.4
PC 25	7.6
PC 50	9.8
PC 75	11.1
PC 84	11.5
PC 95	12.2

Grobe, 1988

Core 1380-3 Sample 2.10 m Grain Size Analysis AWI




GRAV	0.6
SAND	8.2
SILT	53.0
CLAY	38.8

MEAN	7.7
MEDI	7.3
SKEW	0.1
KURT	0.7
SORT	3.0


PC 5	3.0
PC 16	4.6
PC 25	5.0
PC 50	7.3
PC 75	10.4
PC 84	11.1
PC 95	12.0

Grobe, 1988

Core 1380-3 Sample 2.20 m Grain Size Analysis AWI



GRAV	0.2
SAND	2.7
SILT	56.2
CLAY	41.1
MEAN	8.0
MEDI	7.7
SKEW	0.1
KURT	0.6
SORT	2.7



PC 5	4.3
PC 16	5.1
PC 25	5.6
PC 50	7.7
PC 75	10.5
PC 84	11.2
PC 95	12.1


Grobe, 1988

Core 1380-3

Sample 2.30 m

Grain Size Analysis

AWI




Grobe, 1988

Core 1380-3


Sample 2.40 m

Grain Size Analysis

AWI



GRAV	0.0
SAND	1.7
SILT	52.9
CLAY	45.4
MEAN	8.4
MEDI	8.4
SKEW	0.0
KURT	0.7
SORT	2.5



PC 5	4.6
PC 16	5.6
PC 25	6.2
PC 50	8.4
PC 75	10.6
PC 84	11.2
PC 95	12.1

Grobe, 1988

Core

1380-3

Sample

2.50 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.0

SAND 0.6

SILT 48.9

CLAY 50.5

MEAN 8.8

MEDI 9.1

SKEW -0.1

KURT 0.7

SORT 2.4

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 5.1

PC 16 6.0

PC 25 6.7

PC 50 9.1

PC 75 10.8

PC 84 11.3

PC 95 12.1

-1

0

1

2

3

4

5

6

7

8

9

10

11


12

phi


phi

Grobe, 1988

Core 1380-3 Sample 2.60 m Grain Size Analysis AWI



GRAV	0.0
SAND	1.1
SILT	47.4
CLAY	51.5
MEAN	8.9
MEDI	9.1
SKEW	-0.1
KURT	0.7
SORT	2.3



PC 5	5.2
PC 16	6.2
PC 25	6.9
PC 50	9.1
PC 75	10.8
PC 84	11.4
PC 95	12.1

Grobe, 1988



Core 1380-3

Sample 2.70 m

Grain Size Analysis

AWI

%



GRAV	0.0
SAND	0.8
SILT	48.4
CLAY	50.8
MEAN	8.9
MEDI	9.1
SKEW	-0.1
KURT	0.7
SORT	2.3

%/phi



GRAVEL

SAND

SILT

CLAY


SILT (100%)



PC 5	5.1
PC 16	6.2
PC 25	6.9
PC 50	9.1
PC 75	10.8
PC 84	11.3
PC 95	12.1

Grobe, 1988

Core 1380-3 Sample 2.80 m Grain Size Analysis AWI



GRAV	0.2
SAND	1.6
SILT	47.8
CLAY	50.7
MEAN	8.9
MEDI	9.1
SKEW	-0.1
KURT	0.7
SORT	2.3
PC 5	5.2
PC 16	6.2
PC 25	6.8
PC 50	9.1
PC 75	10.9
PC 84	11.4
PC 95	12.2


Grobe, 1988

Core 1380-3


Sample 2.90 m

Grain Size Analysis

AWI





GRAV	0.2
SAND	0.7
SILT	39.6
CLAY	59.7
MEAN	9.3
MEDI	9.7
SKEW	-0.2
KURT	0.8
SORT	2.1



PC 5	5.7
PC 16	6.9
PC 25	7.6
PC 50	9.7
PC 75	11.0
PC 84	11.4
PC 95	12.2

Grobe, 1988

Core 1380-3 Sample 3.00 m Grain Size Analysis AWI



GRAV	0.2
SAND	1.2
SILT	22.4
CLAY	76.3
MEAN	10.0
MEDI	10.4
SKEW	-0.4
KURT	1.2
SORT	1.9
PC 5	5.9
PC 16	7.8
PC 25	9.1
PC 50	10.4
PC 75	11.3
PC 84	11.7
PC 95	12.3

Grobe, 1988

Core 1380-3

Sample 3.10 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.0

SAND 0.9

SILT 40.5

CLAY 58.6

MEAN 9.2

MEDI 9.6

SKEW -0.3

KURT 0.8

SORT 2.2

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 5.4

PC 16 6.6

PC 25 7.5

PC 50 9.6

PC 75 11.0


PC 84 11.4

PC 95 12.2

phi

phi

Grobe, 1988



Core 1380-3

Sample 3.20 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.2

SAND 1.2

SILT 43.1

CLAY 55.7

MEAN 9.1

MEDI 9.4

SKEW -0.2

KURT 0.8

SORT 2.3

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 5.3

PC 16 6.5

PC 25 7.3

PC 50 9.4

PC 75 10.9

PC 84 11.4

PC 95 12.1

-1

0

1

2

3

4

5

6

7

8

9

10

11

12





phi

phi

Grobe, 1988

Core 1380-3 Sample 3.30 m

Grain Size Analysis AWI



GRAV	1.5
SAND	1.6
SILT	39.8
CLAY	58.6
MEAN	9.2
MEDI	9.6
SKEW	-0.3
KURT	0.8
SORT	2.2

PC 5	5.3
PC 16	6.6
PC 25	7.6
PC 50	9.6
PC 75	10.9
PC 84	11.4
PC 95	12.2

Grobe, 1988

Core

1380-3

Sample

3.40 m





Grain Size Analysis

AWI

%

100
80
60
40
20
0
%phi
50
40
30
20
10
0

GRAV	0.1
SAND	3.3
SILT	43.1
CLAY	53.6
MEAN	8.9
MEDI	9.4
SKEW	-0.2
KURT	0.7
SORT	2.5
PC 5	4.8
PC 16	6.0
PC 25	6.8
PC 50	9.4
PC 75	10.9
PC 84	11.4
PC 95	12.2



Grobe, 1988

Core



1380-3

Sample



3.50 m

Grain Size Analysis

AWI



GRAV	0.0
SAND	3.2
SILT	39.8
CLAY	57.1
MEAN	9.1
MEDI	9.6
SKEW	-0.3
KURT	0.8
SORT	2.4



PC 5	5.0
PC 16	6.3
PC 25	7.3
PC 50	9.6
PC 75	11.0
PC 84	11.4
PC 95	12.2

Grobe, 1988

Core 1380-3

Sample 3.60 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

4

5

6

7

8

9

phi

Grobe, 1988

GRAV 0.2

SAND 4.5

SILT 38.3

CLAY 57.3

MEAN 9.1

MEDI 9.5

SKEW -0.3

KURT 0.9

SORT 2.4

PC 5 4.3

PC 16 6.4

PC 25 7.4

PC 50 9.5

PC 75 10.9

PC 84 11.4

PC 95 12.2

Core 1380-3

Sample 3.70 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

%/phi

50





40

30

20

10

0



GRAV	1.2
SAND	11.1
SILT	36.5
CLAY	52.4

MEAN	8.6
MEDI	9.2
SKEW	-0.4
KURT	1.0
SORT	3.1

PC 5	1.7
PC 16	5.1
PC 25	6.4
PC 50	9.2
PC 75	10.8
PC 84	11.4
PC 95	12.1


Grobe, 1988

Core 1380-3

Sample 3.80 m

Grain Size Analysis

AWI




Grobe, 1988

Core 1380-3

Sample 3.90 m

Grain Size Analysis

AWI



GRAV	0.2
SAND	2.6
SILT	38.0
CLAY	59.4

MEAN	9.2
MEDI	9.6
SKEW	-0.3
KURT	0.9
SORT	2.3

PC 5	4.9
PC 16	6.5
PC 25	7.5
PC 50	9.6
PC 75	11.0
PC 84	11.4
PC 95	12.2


Grobe, 1988

Core 1380-3

Sample 4.00 m

Grain Size Analysis

AWI



GRAV	0.1
SAND	3.6
SILT	38.2
CLAY	58.3

MEAN	9.2
MEDI	9.7
SKEW	-0.3
KURT	0.9
SORT	2.4

PC 5	4.6
PC 16	6.5
PC 25	7.4
PC 50	9.7
PC 75	11.0
PC 84	11.5
PC 95	12.2

Grobe, 1988

Core 1380-3

Sample 4.10 m

Gran Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 1.0

SAND 6.1

SILT 35.8

CLAY 58.1

MEAN 9.0

MEDI 9.6

SKEW -0.4

KURT 1.0

SORT 2.7

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 3.4

PC 16 5.9

PC 25 7.2

PC 50 9.6

PC 75 11.0

PC 84 11.4


PC 95 12.2

phi

phi

Grobe, 1988

Core 1380-3 Sample 4.20 m Grain Size Analysis AWI



GRAV	0.5
SAND	2.6
SILT	52.2
CLAY	45.2
MEAN	8.3
MEDI	8.4
SKEW	-0.0
KURT	0.7
SORT	2.6
PC 5	4.4
PC 16	5.3
PC 25	5.9
PC 50	8.4
PC 75	10.6
PC 84	11.2
PC 95	12.1

Grobe, 1988

Core 1380-3

Sampl 4.30 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

4

5

6

7

8


9

phi

Grobe, 1988

GRAV	0.7
SAND	0.8
SILT	42.4
CLAY	56.8
MEAN	9.1
MEDI	9.6
SKEW	-0.3
KURT	0.8
SORT	2.3
PC 5	5.1
PC 16	6.4
PC 25	7.3
PC 50	9.6
PC 75	10.9
PC 84	11.4
PC 95	12.2

Core 1380-3 Sample 4.40 m Grain Size Analysis AWI



GRAV	0.1
SAND	0.4
SILT	38.7
CLAY	60.9
MEAN	9.3
MEDI	9.8
SKEW	-0.3
KURT	0.8
SORT	2.2
PC 5	5.5
PC 16	6.7
PC 25	7.6
PC 50	9.8
PC 75	11.0
PC 84	11.5
PC 95	12.2

Grobe, 1988

Core 1380-3

Sample 4.50 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.0

SAND 1.2

SILT 46.3

CLAY 52.5

MEAN 8.9

MEDI 9.1

SKEW -0.1

KURT 0.8

SORT 2.2

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 5.4

PC 16 6.5

PC 25 7.3

PC 50 9.1

PC 75 10.5

PC 84 11.1

PC 95 12.0

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

4

5

6

7


8

9

phi

Grobe, 1988

Core 1380-3 Sample 4.60 m Grain Size Analysis AWI



GRAV	0.2
SAND	1.9
SILT	46.2
CLAY	51.9
MEAN	8.6
MEDI	9.2
SKEW	-0.3
KURT	0.7
SORT	2.7
PC 5	4.4
PC 16	5.2
PC 25	6.0
PC 50	9.2
PC 75	10.9
PC 84	11.4
PC 95	12.2

Grobe, 1988

Core 1380-3

Sample 4.70 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

4

5

6

7

8

9

phi

Grobe, 1988

GRAV 0.4

SAND 6.2

SILT 35.0

CLAY 58.7

MEAN 9.1

MEDI 9.6

SKEW -0.4

KURT 1.0

SORT 2.6

PC 5 3.4

PC 16 6.2

PC 25 7.4

PC 50 9.6

PC 75 10.9

PC 84 11.4

PC 95 12.2

Core 1380-3

Sample 4.80 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.4

SAND 2.4

SILT 49.6

CLAY 48.1

MEAN 8.5

MEDI 8.7

SKEW -0.1

KURT 0.7

SORT 2.6

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 4.5

PC 16 5.5

PC 25 6.2

PC 50 8.7

PC 75 10.7

PC 84 11.3

PC 95 12.1

-1

0

1

2

3

4

5

6

7

8

9

phi

4

5

6

7

8

9

phi

Grobe, 1988

Core 1380-3

Sample 4.90 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.0

SAND 1.3

SILT 48.8

CLAY 49.9

MEAN 8.7

MEDI 9.0

SKEW -0.2

KURT 0.7

SORT 2.4

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 4.8

PC 16 5.8

PC 25 6.6

PC 50 9.0

PC 75 10.6

PC 84 11.2

PC 95 12.0

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

4

5

6

7



8

9

phi

Grobe, 1988

Core 1380-3 Sample 4.98 m Grain Size Analysis AWI



GRAV	0.0
SAND	1.1
SILT	46.6
CLAY	52.3
MEAN	8.9
MEDI	9.2
SKEW	-0.2
KURT	0.8
SORT	2.3
PC 5	5.0
PC 16	6.2
PC 25	7.0
PC 50	9.2
PC 75	10.8
PC 84	11.3
PC 95	12.1

Grobe, 1988

Core 1380-3

Sample

5.03 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 1.2

SAND 1.6

SILT 46.9

CLAY 51.6

MEAN 8.8

MEDI 9.1

SKEW -0.2

KURT 0.8

SORT 2.4

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 5.0

PC 16 6.1

PC 25 6.9

PC 50 9.1

PC 75 10.7

PC 84 11.3

PC 95 12.1

phi

phi

Grobe, 1988

Core 1380-3

Sample

5.10 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

4

5

6

7

8

9

phi

Grobe, 1988

GRAV 0.6

SAND 1.8

SILT 41.1

CLAY 57.1

MEAN 9.1

MEDI 9.6

SKEW -0.3

KURT 0.8

SORT 2.4

PC 5 5.1

PC 16 6.4

PC 25 7.2


PC 50 9.6

PC 75 11.0

PC 84 11.5

PC 95 12.2

Core 1380-3 Sample 5.20 m Grain Size Analysis AWI



GRAV	0.8
SAND	8.3
SILT	44.0
CLAY	47.8
MEAN	8.4
MEDI	8.8
SKEW	-0.3
KURT	0.9
SORT	2.9
PC 5	2.5
PC 16	5.2
PC 25	6.1
PC 50	8.8
PC 75	10.6
PC 84	11.2
PC 95	12.0

Grobe, 1988

Core


1380-3

Sample


5.30 m

Grain Size Analysis

AWI




GRAV	0.3
SAND	10.8
SILT	47.5
CLAY	41.7
MEAN	8.0
MEDI	8.1
SKEW	-0.1
KURT	0.8
SORT	3.1



PC 5	2.1
PC 16	4.8
PC 25	5.5
PC 50	8.1
PC 75	10.4
PC 84	11.1
PC 95	12.0

Grobe, 1988

Core 1380-3 Sample 5.40 m Grain Size Analysis AWI



GRAV 2.0
 SAND 9.1
 SILT 61.4
 CLAY 29.5

MEAN 7.1
 MEDI 6.3
 SKEW 0.3
 KURT 0.8
 SORT 2.8

PC 5 2.9
 PC 16 4.5
 PC 25 4.9
 PC 50 6.3
 PC 75 9.6
 PC 84 10.5
 PC 95 11.7

Grobe, 1988


Core 1380-3

Sample

5.50 m

Grain Size Analysis

AWI



GRAV	0.1
SAND	3.2
SILT	61.1
CLAY	35.7
MEAN	7.8
MEDI	7.4
SKEW	0.2
KURT	0.7
SORT	2.6

PC 5	4.2
PC 16	5.0
PC 25	5.5
PC 50	7.4
PC 75	10.2
PC 84	10.9
PC 95	11.9

Grobe, 1988

Core 1380-3



Sample

5.60 m

Grain Size Analysis

AWI

%



GRAV	0.0
SAND	1.4
SILT	57.1
CLAY	41.5
MEAN	8.2
MEDI	8.2
SKEW	0.0
KURT	0.7
SORT	2.4

%/phi



GRAVEL

SAND

SILT

CLAY

SILT (100%)




PC 5	4.7
PC 16	5.6
PC 25	6.1
PC 50	8.2
PC 75	10.3
PC 84	11.0
PC 95	11.9

Grobe, 1988

phi

phi

Core 1380-3 Sample 5.70 m Grain Size Analysis AWI



Grobe, 1988


Core 1380-3

Sample

5.80 m

Grain Size Analysis

AWI



GRAV	0.1
SAND	0.9
SILT	56.2
CLAY	42.9

MEAN	8.3
MEDI	8.2
SKEW	0.1
KURT	0.7
SORT	2.4

PC 5	4.9
PC 16	5.7
PC 25	6.3
PC 50	8.2
PC 75	10.5
PC 84	11.1
PC 95	12.0

Grobe, 1988


Core 1380-3

Sample


5.90 m

Grain Size Analysis

AWI




GRAV	0.0
SAND	0.7
SILT	56.1
CLAY	43.2
MEAN	8.4
MEDI	8.2
SKEW	0.1
KURT	0.7
SORT	2.4



PC 5	5.0
PC 16	5.9
PC 25	6.5
PC 50	8.2
PC 75	10.7
PC 84	11.3
PC 95	12.1

Grobe, 1988

Core 1380-3 Sample 6.00 m Grain Size Analysis AWI



Grobe, 1988

Core 1380-3

Sample

6.10 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.7

SAND 1.8

SILT 52.2

CLAY 46.0

MEAN 8.6

MEDI 8.6

SKEW 0.0

KURT 0.7

SORT 2.4

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 5.0

PC 16 6.0

PC 25 6.7

PC 50 8.6

PC 75 10.6

PC 84 11.2

PC 95 12.1

-1

0

1

2

3

4

5

6

7

8

9

phi

4

5

6

7

8

9

phi

Grobe, 1988

Core 1380-3

Sample

6.20 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.0

SAND 1.3

SILT 52.8

CLAY 45.9

MEAN 8.5

MEDI 8.6

SKEW -0.0

KURT 0.7

SORT 2.4

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 5.0

PC 16 5.9

PC 25 6.6

PC 50 8.6

PC 75 10.6

PC 84 11.2

PC 95 12.0

-1

0

1

2

3

4

5

6

7

8

9

phi

4

5

6

7


8

9

phi


Grobe, 1988

Core 1380-3 Sample 6.30 m Grain Size Analysis AWI



Grobe, 1988

Core 1380-3 Sample 6.40 m Grain Size Analysis AWI



GRAV	1.3
SAND	3.6
SILT	40.7
CLAY	55.7
MEAN	9.0
MEDI	9.5
SKEW	-0.3
KURT	0.8
SORT	2.5

PC 5	4.4
PC 16	6.0
PC 25	7.0
PC 50	9.5
PC 75	10.9
PC 84	11.4
PC 95	12.2

Grobe, 1988

Core


1380-3

Sample


6.50 m

Grain Size Analysis

AWI




GRAV	0.4
SAND	8.6
SILT	64.7
CLAY	26.7
MEAN	6.8
MEDI	5.5
SKEW	0.5
KURT	0.8
SORT	2.9



PC 5	3.0
PC 16	4.3
PC 25	4.6
PC 50	5.5
PC 75	9.4
PC 84	10.6
PC 95	11.8

Grobe, 1988


Core 1380-3 Sample 6.60 m Grain Size Analysis AWI



GRAV	0.4
SAND	1.1
SILT	61.9
CLAY	37.0
MEAN	7.9
MEDI	7.6
SKEW	0.2
KURT	0.7
SORT	2.5
PC 5	4.5
PC 16	5.3
PC 25	5.8
PC 50	7.6
PC 75	10.1
PC 84	10.8
PC 95	11.9

Grobe, 1988

Core 1380-3 Sample 6.70 m Grain Size Analysis AWI



Grobe, 1988


Core 1380-3

Sample


6.80 m

Grain Size Analysis

AWI



GRAV	0.6
SAND	1.6
SILT	54.6
CLAY	43.8
MEAN	8.3
MEDI	8.3
SKEW	-0.0
KURT	0.7
SORT	2.5



PC 5	4.6
PC 16	5.6
PC 25	6.1
PC 50	8.3
PC 75	10.5
PC 84	11.1
PC 95	12.0


Grobe, 1988

Core 1380-3

Sample 6.84 m

Grain Size Analysis

AWI



GRAV	0.1
SAND	0.7
SILT	60.5
CLAY	38.8

MEAN	8.2
MEDI	8.1
SKEW	0.1
KURT	0.7
SORT	2.3

PC 5	5.0
PC 16	5.8
PC 25	6.3
PC 50	8.1
PC 75	10.1
PC 84	10.8
PC 95	11.9

Grober, 1988


Core 1380-3

Sample

6.90 m


Grain Size Analysis

AWI



Grobe, 1988

Core 1380-3 Sample 7.00 m Grain Size Analysis AWI



GRAV	0.0
SAND	0.6
SILT	55.1
CLAY	44.3
MEAN	8.5
MEDI	8.5
SKEW	0.0
KURT	0.7
SORT	2.3
PC 5	5.2
PC 16	6.0
PC 25	6.6
PC 50	8.5
PC 75	10.4
PC 84	11.0
PC 95	12.0


Grobe, 1988

Core 1380-3

Sample 7.10 m

Grain Size Analysis

AWI




Grobe, 1988

Core 1380-3

Sample 7.20 m

Grain Size Analysis

AWI



GRAV	0.4
SAND	3.0
SILT	59.6
CLAY	37.4
MEAN	7.9
MEDI	7.5
SKEW	0.2
KURT	0.7
SORT	2.5
PC 5	4.5
PC 16	5.3
PC 25	5.6
PC 50	7.5
PC 75	10.2
PC 84	10.9
PC 95	11.9

Grobe, 1988

Core

1380-3



Sample

7.30 m

Grain Size Analysis

AWI

%



GRAV	0.0
SAND	0.5
SILT	43.6
CLAY	55.8
MEAN	9.1
MEDI	9.4
SKEW	-0.2
KURT	0.8
SORT	2.2

%/phi



GRAVEL

SAND

SILT

CLAY

SILT (100%)



PC 5	5.5
PC 16	6.6
PC 25	7.4
PC 50	9.4
PC 75	10.9
PC 84	11.4
PC 95	12.1


Grobe, 1988

Core 1380-3


Sample 7.40 m

Grain Size Analysis

AWI



GRAV	0.1
SAND	0.9
SILT	41.5
CLAY	57.6
MEAN	9.2
MEDI	9.6
SKEW	-0.2
KURT	0.8
SORT	2.2



PC 5	5.4
PC 16	6.7
PC 25	7.4
PC 50	9.6
PC 75	11.0
PC 84	11.5
PC 95	12.2

Grobe, 1988

Core 1380-3

Sample 7.50 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.1

SAND 0.6

SILT 42.8

CLAY 56.6

MEAN 9.2

MEDI 9.5

SKEW -0.2

KURT 0.8

SORT 2.2

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 5.6

PC 16 6.6

PC 25 7.3

PC 50 9.5

PC 75 10.9


PC 84 11.4

PC 95 12.2


phi

phi

Grobe, 1988



Core 1380-3 Sample 7.60 m Grain Size Analysis AWI




GRAV	0.4
SAND	1.9
SILT	40.5
CLAY	57.6
MEAN	9.1
MEDI	9.6
SKEW	-0.3
KURT	0.8
SORT	2.4

PC 5	5.1
PC 16	6.3
PC 25	7.2
PC 50	9.6
PC 75	11.0
PC 84	11.4
PC 95	12.2

Grobe, 1988

Core 1380-3 Sample 7.70 m Grain Size Analysis AWI




Grobe, 1988

Core 1380-3

Sample 7.80 m

Grain Size Analysis

AWI



GRAV	1.2
SAND	5.2
SILT	43.5
CLAY	51.4
MEAN	8.8
MEDI	9.1
SKEW	-0.2
KURT	0.8
SORT	2.6

PC 5	3.9
PC 16	5.8
PC 25	6.6
PC 50	9.1
PC 75	10.8
PC 84	11.3
PC 95	12.1

Grobe, 1988

Core 1380-3

Sample 7.90 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.7

SAND 8.2

SILT 44.5

CLAY 47.3

MEAN 8.2

MEDI 8.6

SKEW -0.2

KURT 0.8

SORT 3.1

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 2.4

PC 16 4.9

PC 25 5.6

PC 50 8.6

PC 75 10.7



PC 84 11.2

PC 95 12.1

phi

phi

Grobe, 1988



Core 1380-3

Sample 8.00 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

50

%/phi

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

4

5

6

7

8

9

phi

Grobe, 1988

GRAV 0.7

SAND 5.9

SILT 54.5

CLAY 39.6

MEAN 7.9

MEDI 7.5

SKEW 0.1

KURT 0.7

SORT 2.8

PC 5 3.5

PC 16 5.0

PC 25 5.4


PC 50 7.5

PC 75 10.3

PC 84 11.0


PC 95 12.0

Core 1380-3 Sample 8.10 m Grain Size Analysis AWI




Grobe, 1988

Core 1380-3 Sample 8.20 m Grain Size Analysis AWI



GRAV	2.4
SAND	6.4
SILT	61.2
CLAY	32.5
MEAN	7.4
MEDI	6.6
SKEW	0.3
KURT	0.7
SORT	2.8



PC 5	3.3
PC 16	4.8
PC 25	5.1
PC 50	6.6
PC 75	9.9
PC 84	10.8
PC 95	11.9

Grobe, 1988

Core


1380-3

Sample

8.30 m


Grain Size Analysis

AWI



GRAV	1.0
SAND	4.4
SILT	61.7
CLAY	33.9

MEAN	7.5
MEDI	6.8
SKEW	0.3
KURT	0.7
SORT	2.7



PC 5	4.1
PC 16	4.9
PC 25	5.3
PC 50	6.8
PC 75	10.1
PC 84	10.9
PC 95	11.9


Grobe, 1988

Core 1380-3

Sample 8.40 m

Grain Size Analysis

AWI



GRAV	0.2
SAND	1.4
SILT	54.2
CLAY	44.4

MEAN	8.4
MEDI	8.3
SKEW	0.0
KURT	0.7
SORT	2.5


PC 5	4.8
PC 16	5.7
PC 25	6.2
PC 50	8.3
PC 75	10.6
PC 84	11.2
PC 95	12.1

Grobe, 1988

Core 1380-3 Sample 8.50 m

Grain Size Analysis

AWI



GRAV	0.1
SAND	1.3
SILT	47.5
CLAY	51.3
MEAN	8.9
MEDI	9.1
SKEW	-0.1
KURT	0.7
SORT	2.3
PC 5	5.3
PC 16	6.2
PC 25	6.9
PC 50	9.1
PC 75	10.7
PC 84	11.3
PC 95	12.1

Crobe, 1988

Core


1380-3

Sample

8.60 m


Grain Size Analysis

AWI



GRAV	0.7
SAND	8.8
SILT	56.2
CLAY	35.0

MEAN	7.9
MEDI	7.7
SKEW	-0.0
KURT	1.0
SORT	2.8



PC 5	2.1
PC 16	5.3
PC 25	5.9
PC 50	7.7
PC 75	10.0
PC 84	10.7
PC 95	11.8

Grobe, 1988

Core

1380-3

Sample

8.70 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.4

SAND 2.7

SILT 49.6

CLAY 47.7

MEAN 8.5

MEDI 8.6

SKEW -0.1

KURT 0.7

SORT 2.6

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 4.5

PC 16 5.4

PC 25 6.0

PC 50 8.6

PC 75 10.7

PC 84 11.3

PC 95 12.1

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

4

5

6

7

8

9

phi

Grobe, 1988

Core

1380-3

Sample

8.80 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.1

SAND 1.6

SILT 47.7

CLAY 50.7

MEAN 8.8

MEDI 9.0

SKEW -0.1

KURT 0.7

SORT 2.3

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 5.2

PC 16 6.2

PC 25 6.9

PC 50 9.0

PC 75 10.7

PC 84 11.3

PC 95 12.1

phi

phi

Crober, 1988


Core 1380-3

Sample

8.90 m

Grain Size Analysis

AWI




GRAV	1.8
SAND	2.3
SILT	52.6
CLAY	45.1

MEAN	8.5
MEDI	8.5
SKEW	-0.0
KURT	0.7
SORT	2.4

PC 5	4.9
PC 16	5.9
PC 25	6.5
PC 50	8.5
PC 75	10.5
PC 84	11.1
PC 95	12.0

Grobe, 1988



GRAV	0.5
SAND	3.1
SILT	46.4
CLAY	50.5
MEAN	8.8
MEDI	9.0
SKEW	-0.1
KURT	0.8
SORT	2.4
PC 5	4.8
PC 16	6.2
PC 25	6.9
PC 50	9.0
PC 75	10.8
PC 84	11.3
PC 95	12.1

Grobe, 1988

Core

1380-3



Sampl

9.10 m

Grain Size Analysis

AWI

%



GRAV	0.1
SAND	2.8
SILT	48.6
CLAY	48.6
MEAN	8.7
MEDI	8.9
SKEW	-0.1
KURT	0.8
SORT	2.3

%/phi



GRAVEL

SAND

SILT

CLAY

SILT (100%)



PC 5	5.0
PC 16	6.1
PC 25	6.8
PC 50	8.9
PC 75	10.6
PC 84	11.2
PC 95	12.1

phi

phi

Grobe, 1988

Core


1380-3

Sample

9.20 m

Grain Size Analysis

AWI




GRAV	0.6
SAND	5.9
SILT	37.3
CLAY	56.8

MEAN	9.0
MEDI	9.6
SKEW	-0.4
KURT	1.0
SORT	2.8

PC 5	3.0
PC 16	6.0
PC 25	7.0
PC 50	9.6
PC 75	11.0
PC 84	11.5
PC 95	12.2


Grobe, 1988

Core 1380-3 Sampl 9.30 m Grain Size Analysis AWI



GRAV	0.3
SAND	5.5
SILT	39.9
CLAY	54.6
MEAN	8.9
MEDI	9.4
SKEW	-0.3
KURT	0.9
SORT	2.7
PC 5	3.4
PC 16	6.0
PC 25	6.9
PC 50	9.4
PC 75	10.8
PC 84	11.3
PC 95	12.1

Grobe, 1988



GRAV	1.1
SAND	4.9
SILT	40.2
CLAY	54.8
MEAN	9.0
MEDI	9.5
SKEW	-0.3
KURT	0.8
SORT	2.6
PC 5	4.0
PC 16	6.1
PC 25	7.0
PC 50	9.5
PC 75	10.9
PC 84	11.4
PC 95	12.2

Grobe, 1988

Core


1380-3

Sample

9.45 m


Grain Size Analysis

AWI



GRAV	0.4
SAND	7.8
SILT	40.0
CLAY	52.2

MEAN	8.6
MEDI	9.2
SKEW	-0.3
KURT	0.9
SORT	2.9



PC 5	2.6
PC 16	5.3
PC 25	6.3
PC 50	9.2
PC 75	10.8
PC 84	11.3
PC 95	12.1

Grobe, 1988