


Core 1387-3

X-ray Analysis

AWI




Core 1387-3

Sample

0.01 m

X-ray Analysis

AWI




Core 1387-3

Sample

0.10 m

X-ray Analysis

AWI




Core 1387-3

Sample

0.20 m

X-ray Analysis

AWI




Core 1387-3

Sample 0.30 m

X-ray Analysis

AWI




Core 1387-3

Sample 0.40 m

X-ray Analysis

AWI




Core 1387-3

Sample 0.50 m

X-ray Analysis

AWI




Core 1387-3

Sample

0.60 m

X-ray Analysis

AWI






Core 1387-3

Sample

0.70 m

X-ray Analysis

AWI




Core 1387-3

Sample 0.80 m

X-ray Analysis

AWI




Core 1387-3

Sample 0.90 m

X-ray Analysis

AWI




Core 1387-3

Sample 1.00 m

X-ray Analysis

AWI




Core 1387-3

Sample 1.10 m

X-ray Analysis

AWI




Core 1387-3

Sample 1.20 m

X-ray Analysis

AWI




Core 1387-3

Sample

1.30 m

X-ray Analysis

AWI




Core 1387-3

Sample

1.40 m

X-ray Analysis

AWI






Core 1387-3

Sample 1.50 m

X-ray Analysis

AWI




Core 1387-3

Sample 1.60 m

X-ray Analysis

AWI




Core 1387-3

Sample

1.70 m

X-ray Analysis

AWI




Core 1387-3

Sample 1.80 m

X-ray Analysis

AWI




Core 1387-3

Sample 1.90 m

X-ray Analysis

AWI




Core 1387-3

Sample 2.00 m

X-ray Analysis

AWI




Core 1387-3

Sample 2.10 m

X-ray Analysis

AWI




Core 1387-3

Sample 2.20 m

X-ray Analysis

AWI






Core 1387-3

Sample 2.30 m

X-ray Analysis

AWI




Core 1387-3

Sample

2.40 m

X-ray Analysis

AWI




Core 1387-3

Sample 2.50 m

X-ray Analysis

AWI




Core 1387-3

Sample 2.60 m

X-ray Analysis

AWI




Core 1387-3

Sample 2.70 m

X-ray Analysis

AWI




Core 1387-3

Sample

2.80 m

X-ray Analysis

AWI




Core 1387-3

Sample

2.90 m

X-ray Analysis

AWI




Core 1387-3

Sample 3.00 m


X-ray Analysis

AWI





Core 1387-3 Sample 3.10 m X-ray Analysis AWI




Core 1387-3

Sample 3.20 m

X-ray Analysis

AWI




Core 1387-3

Sample

3.30 m

X-ray Analysis

AWI




Core 1387-3

Sample 3.40 m

X-ray Analysis

AWI




Core 1387-3

Sample 3.50 m

X-ray Analysis

AWI




Core 1387-3

Sample

3.60 m

X-ray Analysis

AWI




Core 1387-3

Sample 3.70 m

X-ray Analysis

AWI




Core 1387-3

Sample 3.80 m

X-ray Analysis

AWI






Core 1387-3

Sample

3.90 m

X-ray Analysis

AWI




Core 1387-3

Sample

4.00 m

X-ray Analysis

AWI




Core 1387-3

Sample 4.03 m

X-ray Analysis

AWI




Core 1387-3

Sample 4.10 m

X-ray Analysis

AWI




Core 1387-3

Sample

4.17 m

X-ray Analysis

AWI




Core 1387-3

Sample 4.24 m

X-ray Analysis

AWI




Core 1387-3

Sample

4.30 m

X-ray Analysis

AWI




Core 1387-3

Sample 4.40 m

X-ray Analysis

AWI






Core 1387-3

Sample 4.50 m

X-ray Analysis

AWI




Core 1387-3

Sample 4.60 m

X-ray Analysis

AWI




Core 1387-3

Sample 4.70 m

X-ray Analysis

AWI




Core 1387-3

Sample

4.80 m

X-ray Analysis

AWI




Core 1387-3

Sample

4.90 m

X-ray Analysis

AWI




Core 1387--3

Sample

5.00 m

X-ray Analysis

AWI




Core 1387-3

Sample 5.10 m

X-ray Analysis

AWI




Core 1387-3

Sample 5.20 m

X-ray Analysis

AWI






Core 1387-3

Sample 5.30 m

X-ray Analysis

AWI




Core 1387-3

Sample

5.40 m

X-ray Analysis

AWI




Core 1387-3

Sample 5.50 m

X-ray Analysis

AWI




Core 1387-3

Sample

5.60 m

X-ray Analysis

AWI




Core 1387-3

Sample 5.70 m

X-ray Analysis

AWI




Core 1387-3

Sample 5.80 m

X-ray Analysis

AWI




Core 1387-3

Sample

5.90 m

X-ray Analysis

AWI




Core 1387-3

Sample

6.00 m


X-ray Analysis

AWI






Core 1387-3 Sample 6.10 m X-ray Analysis AWI



Core 1387-3 Sample 6.20 m X-ray Analysis AWI




Core 1387-3

Sample 6.30 m

X-ray Analysis

AWI




Core 1387-3

Sample 6.40 m

X-ray Analysis

AWI




Core 1387-3

Sample 6.50 m

X-ray Analysis

AWI




Core 1387-3

Sample

6.60 m

X-ray Analysis

AWI




Core 1387-3

Sample

6.70 m

X-ray Analysis

AWI




Core 1387-3

Sample 6.80 m

X-ray Analysis

AWI






Core 1387-3

Sample

6.90 m

X-ray Analysis

AWI




Core 1387-3

Sample 7.00 m

X-ray Analysis

AWI




Core 1387-3

Sample 7.10 m

X-ray Analysis

AWI




Core 1387-3

Sample 7.20 m

X-ray Analysis

AWI




Core 1387-3

Sample 7.30 m

X-ray Analysis

AWI




Core 1387-3

Sample 7.40 m

X-ray Analysis

AWI




Core 1387-3

Sample 7.50 m

X-ray Analysis

AWI




Core 1387-3

Sample 7.60 m

X-ray Analysis

AWI






Core 1387-3

Sample 7.70 m

X-ray Analysis

AWI




Core 1387-3

Sample 7.80 m

X-ray Analysis

AWI




Core 1387-3

Sample 7.90 m

X-ray Analysis

AWI




Core 1387-3

Sample 8.00 m

X-ray Analysis

AWI




Core 1387-3

Sample 8.10 m

X-ray Analysis

AWI




Core 1387-3

Sample

8.20 m

X-ray Analysis

AWI




Core 1387-3

Sample 8.30 m

X-ray Analysis

AWI




Core 1387-3

Sample 8.40 m

X-ray Analysis

AWI






Core 1387-3

Sample 8.50 m

X-ray Analysis

AWI




Core 1387-3

Sample 8.60 m

X-ray Analysis

AWI




Core 1387-3

Sample 8.70 m

X-ray Analysis

AWI




Core 1387-3

Sample 8.80 m

X-ray Analysis

AWI




Core 1387-3

Sample 8.90 m

X-ray Analysis

AWI




Core 1387-3

Sample 9.00 m

X-ray Analysis

AWI




Core 1387-3

Sample 9.10 m

X-ray Analysis

AWI




Core 1387-3

Sample 9.20 m

X-ray Analysis

AWI






Core 1387-3

Sample 9.30 m

X-ray Analysis

AWI




Core 1387-3

Sample 9.40 m

X-ray Analysis

AWI




Core 1387-3

Sample 9.50 m

X-ray Analysis

AWI




Core 1387-3

Sample 9.60 m

X-ray Analysis

AWI




Core 1387-3


Sample 9.70 m

X-ray Analysis

AWI



Core 1387-3 Sample 9.80 m X-ray Analysis AWI




Core 1387-3

Sample 9.90 m

X-ray Analysis

AWI



Core 1387-3

Sample 10.00m

X-ray Analysis

AWI

