



# CTD Data RV Heincke HE473

## **Data Processing Report**

## **Contents**

1	Introduction	1
2	Workflow	1
3	Cruise details	3
4	Sensor Layout	3
5	Processing	3
6	Results	5

Contact:

Gerd Rohardt

Alfred-Wegener-Institute

Am Handelshafen 12, D-27570 Bremerhaven, GERMANY

Mail: info@awi.de

Processing Agency:

FIELAX

Schleusenstr. 14, D-27568 Bremerhaven, GERMANY

Mail: info@fielax.de

Ref.: CTD-HE4/3-report.pdf	Vers.: 1	Date: 2016/10/20	Status: final
----------------------------	----------	------------------	---------------



### 1 Introduction

This report describes the processing of CTD raw data acquired by Seabird SBE 911plus CTD on board RV Heincke during expedition HE473.

### 2 Workflow

The different steps of processing and validation are visualized in Figure 1. The CTD raw data are delivered from Gerd Rohardt (AWI). The station book of the RV Heincke cruise is extracted from the DAVIS SHIP data base (https://dship.awi.de). The first CTD station and cast is processed manually in SBE Data Processing to configure the \*.psa Seabird routines Data Conversion, Wild Edit, Bottle Summary, Split, Translate, Cell Thermal Mass, Loop Edit and Bin Average. The Seabird routines are then run in a batch job CTDjob in ManageCTD to process the complete CTD data set. The downcast of each CTD station/cast is used for further processing. In CTDjob the start record and the lowest altimeter point of the downcast is selected. With the *Utilities* → *Dship Ebook* function of ManageCTD the DAVIS SHIP station book extraction is used for getting the header information of all CTD stations/casts of the cruise. ManageCTD *Utilities*  $\rightarrow$  *Find Profile* function compares station times of the header with the entries in the station book to find out the correct naming of the stations and casts. In CTDheader in ManageCTD the header information of each CTD station/cast is displayed, controlled and corrected if necessary. CTDdespike in ManageCTD is used for a visual check of the data and to erase/interpolate spikes in the data if necessary. Additionally, a sensor pair (Temp1/Sal1 or Temp2/Sal2) is chosen for each station/cast of the RV Heincke cruise in CTDdespike.

ManageCTD *Utilities*  $\rightarrow$  *CheckDoubleSensors* controls the quality of temperature and conductivity sensors. For this purpose outliers of too high sensor pair differences could be removed. The data is then converted to spreadsheet format with dsp2odv for visualization of the data in Ocean Data View (ODV). The second visual inspection of the CTD data allows a comparison with data from other CTD casts from close-by stations to verify the oxygen sensor data. Therefore, potential reference cruise data is downloaded from PANGAEA (http://www.PANGAEA.de). The reference data is converted to \*.mat format. In the ManageCTD Final Processing the CTD data is displayed together with the reference data. Bad data points, sensors or casts are interpolated or erased from the data set and filters are applied if necessary. The processed CTD data are written to text files and imported to PANGAEA (http://www.PANGAEA.de) for publication.






Figure 1: CTD data Processing Workflow



## 3 Cruise details

Vessel name RV Heincke

Cruise name HE473

Cruise start 01.10.2016 Bremerhaven
Cruise end 10.10.2016 Bremerhaven

Cruise duration 10 days No. of CTD casts 153

## 4 Sensor Layout

This chapter describes the CTD sensors mounted during this cruise: SBE 911plus CTD (SN: 1015), SBE Instrument Configuration Version 7.23.0.1.

ID	Sensor Name	Serial No.	Calibration Date
55	TemperatureSensor	5354	19-Jan-16
3	ConductivitySensor	3810	08-Dec-15
45	PressureSensor	1015	05-Oct-10
55	TemperatureSensor	5375	19-Jan-16
3	ConductivitySensor	2470	08-Dec-15
0	AltimeterSensor	46466	23-Mar-09
71	WET_LabsCStar	1348DR	28-Jan-2016
20	FluoroWetlabECO_AFL_FL_Sensor	1365	15-Jan-2016
38	OxygenSensor	1597	25-May-16

## 5 Processing

Details of processing procedures and processing parameters are described in *CTD Processing Log-book of RV Heincke* (hdl:10013/epic.47427).

## **Density Inversions and Manual Validation**

Obvius outliers were removed manually. For the visual check density inversions > 0.005  $kg/m^3$  and > 0.01  $kg/m^3$  were flagged differently for display but removed automatically. Decisions whether the flagged values were manually removed or not are based on the description in *CTD Processing Logbook of RV Heincke* (hdl:10013/epic.47427).



## **Sensor Differences**




Figure 2: Data accuracy of sensor pairs HE473



### 6 Results

A complete processing overview for each sensor at each station is summarized in the table in the Appendix (Figure 3).

#### **Double Sensor Check**

In Figure 2, the absolute residuals between the two sensorpairs are shown for the measured parameters *Temperature* and *Conductivity* and the derived parameter *Salinity*. Measurements in shallow water depths < 15 m (blue crosses) and gradients between two datapoints exceeding a defined threshold (red crosses) were omitted for accuracy calculation.

	Accuracy	Measurements re-	Remaining measure-
		moved	ments
Parameter	given by manufacturer	Surface 0-15m + gradi-	within accuracy specifi-
		ent filter	cations
Temperature	$\pm 0.001^{\circ}C$	61.29%	75.59%
Conductivity	$\pm 0.003mS/cm$	60.48%	93.40%
Salinity	$\pm 0.0015 PSU$	58.72%	90.29%

#### Comments

- 153 CTD/RO "on ground" entries in DShip station book
- 159 CTD raw data sets delivered
- 1 CTD casts were invalid or tests (p013a36.hex)
- 44 CTD casts were made on the same station (all p013a\*\*.hex)
- 7 files had no matching station book entries (p000a00.hex, p000a01.hex, p000a04.hex, p000a005.hex, p000a07.hex, p000a08.hex, p000a09.hex)
- 1 station book entries had no matching CTD cast (0050-1)
- 151 CTD casts processed and uploaded
- of these 151 processed CTD casts:
  - 297 data points interpolated
  - 32 data points erased



## **Result files**

Text File (HE473\_phys\_oce.tab):

The format is a plain text (tab-delimited values) file.

Column separator	Tabulator "\t"
Column 1	Event label
Column 2	Date/Time of event
Column 3	Latitude of event
Column 4	Longitude of event
Column 5	Elevation of event
Column 6	DEPTH, water
Column 7	Pressure, water
Column 8	Temperature, water
Column 9	Conductivity
Column 10	Salinity
Column 11	Temperature, water, potential
Column 12	Density, sigma-theta (0)
Column 13	Oxygen
Column 14	Oxygen, saturation
Column 15	Attenuation, optical beam transmission
Column 16	Fluorometer
Column 17	Number of observations

Processing Report (CTD-HE473-report.pdf):

This PDF document.



_		_																		2	1	Commonte
•		- E	Latitude	Longitude	[m] HE4	HE473_ p	pair in	interp erased		interp erased	d interp	erased	Interp	erased interp erased	interp		interp	erased	cruise/sss-cc dist. (km)  Offset	dist. (km)	Offset	Comments
01.1	-		53° 31.09' N	008° 33.31' E	24.8 p00	p001a01											0	0	HE453/01-1	0.67	0.2	
01.1	01.10.2016 12	$\neg$		008° 33.44' E	25.9 p00	p001a02	1										0	0	HE453/01-1	0.49	0.2	no btl-file available
01.1	01.10.2016 15	15:36 53	53° 47.46' N	_	17.5 p00	p002a01	1										0	0	HE453/82-1	0.70	0.3	
01.1	01.10.2016 16	$\neg$	53° 50.08' N	008° 05.98' E	11.3 p00	p003a01	1										0	0	HE452/39-1	0.13	0.7	
01.1	_	$\neg$		_	-	_	1	2	2		2		2		2		10	$\neg$	HE410/130-1	0.30	0.3	
02.1	_	$\neg$	$\neg$	_	-	p005a01	1	1	+		_						•	•	HE370/04-1	0.34	6.0	
02.1	_		$\neg$	-	$\rightarrow$	4	1	+	+		_						-	7	HE453/06-1	2.37	8.0	
02.1	_	$\neg$		-	-	p007a01	2		+							9	•		НЕ389/07-1	0.61	0.7	
02.1	_	$\neg$	$\neg$	$\rightarrow$	-	p008a01	1		+								•	•	HE453/07-1	0.24	6.0	
02.1.	02.10.2016 4:	4:58 53	53° 25.57' N	006° 55.42' E	-	p009a01	2	1	1		н		1		1	2	S	7	HE453/08-1	5.09	1.1	
02.1.		5:57 53		006° 59.08' E	8.7 p01	p010a01	2							1		2	0	3	HE410/137-1	3.18	0.1	
02.1	02.10.2016 7:	7:16 53	53° 19.74' N	007° 05.12' E	9.7 p01	p011a01	2										0	0	HE453/10-1	4.57	0.2	
02.1	02.10.2016 8:	8:19 53	53° 19.97' N	007° 10.52' E	19.2 p01	p012a01	1	1	1		П		1		7		2	0	HE389/10-1	29.0	8.0	
02.1	02.10.2016 11	11:32 53	53° 29.41' N	006° 48.00' E	8.3 p01	p013a01	1										0	0	HE410/163-1	0.45	0.1	
02.1	02.10.2016 12	12:37 53	53° 29.40' N	006° 47.96' E	7.8 p01	p013a02	1										0	0	HE410/163-1	0.41	6.0	
02.1	02.10.2016 13	13:33 53	53° 29.40' N	006° 47.94' E	7.4 p01	p013a03	2										0	0	HE410/163-1	0.39	0.2	
CTD/RO 02.10	02.10.2016 14	14:44 53	53° 29.39' N	006° 47.92' E	17.2 p01	p013a04	1	1	1		1		1		1		2	0	HE410/163-1	0.37	0.2	
02.1	02.10.2016 15	15:35 53	53° 29.39' N	006° 47.93' E	6.2 p01	p013a05	2	2	2		2		2		2	2	10	2	HE410/163-1	0.38	0.1	
02.1	02.10.2016 16	16:29 53	53° 29.39' N	006° 47.93' E	5.9 p01	p013a06	1									2	0	2	HE410/163-1	0.38	0.1	
02.1,	02.10.2016 17	17:42 53	53° 29.39' N	006° 47.93' E	5.9 p01	p013a07	2										0	0	HE410/163-1	0.38	0.1	
02.1.	02.10.2016 18			006° 47.99' E	6.0 p01	p013a08	1										0	0	HE410/163-1	0.46	0.1	
02.1.	02.10.2016 19	19:03 53	53° 29.37' N	006° 48.04' E	6.7 p01	p013a09	2									4	0	4	HE410/163-1	0.51	0.1	no btl-file available
02.1	$\rightarrow$			$\rightarrow$	$\rightarrow$	_	1										0	$\neg$	HE410/163-1	0.51	$\overline{}$	
02.1	_			_	-	p013a11			-								0	0	HE410/163-1	0.51	$\neg$	no btl-file available
02.1	_			_	-	p013a12	1		1		_						0	T	HE410/163-1	0.51	$\neg$	
02.1	_		$\neg$	_	-	p013a13											0	$\neg$	HE410/163-1	0.52	$\neg$	no btl-file available
7	_		z	-	-	p013a14			1		1					e	0	$\neg$	HE410/163-1	0.52	$\neg$	
CTD/RO 02.10	_			_	-	p013a15	1										2	7	HE410/163-1	0.52	┪	no btl-file available
02.1	-			$\rightarrow$	$\rightarrow$	p013a16		1	+								•	$\neg$	HE410/163-1	0.51	$\neg$	
02.1	_			$\rightarrow$	-	p013a17		+	+								•	$\neg$	HE410/163-1	0.50	$\neg$	no btl-file available
CTD/RO 02.10	_	-		_	-	4	7	1	-		н		П	Ī	Н		2		HE410/163-1	0.51	$\neg$	
03.1	_	-		-	-	4	1	1	+								0		HE410/163-1	0.51	$\neg$	no btl-file available
03.1	$\rightarrow$	$\neg$		-	+	4	2	+	+								•	$\neg$	HE410/163-1	0.45	$\overline{}$	
CTD/RO 03.10	_	$\neg$	z	$\rightarrow$	_	p013a21	1	1	+								0	$\neg$	HE410/163-1	0.44	$\neg$	no btl-file available
T	_	$\neg$	Т	006° 47.97' E	+	p013a22	1										0	$\neg$	HE410/163-1	0.42	$\neg$	
CTD/RO 03.10	03.10.2016 2:	т	53" 29.40" N	006* 47.97' E	+	p013a23	_   ,		+		1					,	9		HE410/163-1	0.42	$\neg$	no bti-tile available
T	_	201	Т	000 47.97 E	0.9 por	D013424	- c	$\dagger$	+		1					- c	,	٠,	HE410/163-1	0.42	7.0	and the second of the
3 1	+	Т	Т	000 47.30 E	+	D013a26	1 -	-	-		-		-		-	7 6	0 10	$\top$	HE410/163-1	0.41	$\overline{}$	IIO DULLIIIE AVAIIADIE
03.1	$\perp$	$^{+}$	z	006° 47.96' E	+	p013a27	2	-			_								HE410/163-1	0.41	т	no btl-file available
03.10	_	-	$\overline{}$	006° 47.96' E	+	p013a28		F	_										HE410/163-1	0.41		
CTD/RO 03.10	_	П		006° 47.96' E	+	p013a29	2										۰	0	HE410/163-1	0.41	0.2	no btl-file available
03.1	03.10.2016 5:	5:28 53	53° 29.40' N	006° 47.96' E	5.9 p01	p013a30	11										0	•	HE410/163-1	0.41	0.1	
03.1	03.10.2016 6:	6:06 53		006° 47.96' E	Н	p013a31	2										0	0	HE410/163-1	0.41	1.0	no btl-file available
CTD/RO 03.10		6:34 53	53° 29.37' N	006° 48.00' E	6.0 p01	p013a32	1										0	0	HE410/163-1	0.46	0.1	
03.1				006° 48.02' E	-	p013a33	1							1		1	0	2	HE410/163-1	0.48		no btl-file available
03.1	_	$\neg$	53° 29.35' N	006° 48.03' E	6.9 p01	p013a34	1										0	0	HE410/163-1	0.50	0.1	
210000							ļ	1	1		-	1	1		I	Ī	İ	Ť			1	

Figure 3: CTD data Processing Summary HE473



	٦				1	_					Π	Γ	Γ																				J	J	J	7	Ţ	П	7	7	7			П	П	Т	Т	Т	٦
Comments		no valid data																																									no btl-file available	no btl-file available					
a	Offset		0.1	0.1	0.2	0.2	0.2	0.2	0.2	0.1	0.1	0.5	0.3	6.0	8.0	8.0	0.3	0.4	0.4	0.2	0.2	9.0	0.7	0.7	0.7	9.0	9'0	9.0	0.7	9.0	9.0	9.0	0.2	1.0	8:0	0.4	0.8	9.0	0.3	0.3	0.7	8:0	0.8	8:0	9.0	9'0	0.4	0.3	0.1
referenc	ist. (km)		0.52	0.52	0.46	0.41	0.39	0.38	0.38	0.38	0.37	0.81	1.30	4.09	1.93	0.97	8.34	6.48	10.71	10.99	14.33	16.32	8.03	5.74	10.48	14.94	22.33	18.01	9.20	34.89	10.41	4.68	2.20	7.84	3.12	8.68	0.94	2.88	4.43	0.57	1.81	0.87	0.92	0.89	60:0	2.22	1.39	0.38	2.34
Oxygen reference	interp erased cruise/sss-cc dist. (km) Offset		HE410/163-1	HE410/163-1	HE410/180-1	HE410/180-1	HE410/163-1	HE410/163-1	HE410/163-1	HE410/163-1	HE410/163-1	HE410/187-1	HE410/126-1	HE370/14-1	HE370/15-1	HE370/16-1	HE410/192-1	HE410/194-1	HE410/194-1	HE454/29-1	HE454/29-1	HE453/33-1	HE453/33-1	HE453/33-1	HE453/34-1	HE453/34-1	HE453/34-1	HE453/49-1	HE453/49-1	HE453/52-1	HE454/18-1	HE454/18-1	HE470/116-1	HE453/30-1	HE453/30-1	HE410/197-1	HE370/34-1	HE370/35-1	HE410/238-1	HE410/238-1	HE370/22-1	HE453/27-1	HE453/27-1	HE453/27-1	HE366/126-1	HE366/125-1	HE366/125-1	HE389/21-1	HE453/80-1
g.	rased cı		т 0	0	0	0	0	0	0	7 H	0	0	0	0	Н 0	0	<u>н</u>	0	0	0	0	0	0	0	1	0	т 0	T.	0	0	0	0	_	$\neg$					$\neg$	Ξ 0	<u>т</u>	<u>т</u>	<u>т</u>	$\neg$			$\neg$		0
complete	nterp e		0	0	0	0	0	0	0	•		0	0	11	2	2	0	0	2	2	10	0	2	0	10	2	0	0	10	0	0	0	0	2	15	7	0	0	0	0	٥	0	2	0	0	0	0	2	0
										1																														1						П	7	+	_
òx	nterp e													2	1	1			1	1	2				2				2					1	3	1							1			П	1	1	_
phyll	interp erased interp erased interp erased																											1																		П		1	_
Chlorophyll	interp													2	1	1			1	1	2				2				2					1	3	1							1				1	1	_
Trans	erased																								1																					П			
Tra	interp													2	1	1			1	1	2		2		2	2			2					1	3	3							1					1	
Sal	erased																																																
S	interp													3	1	1			1	1	2				2				2					1	3	1							1					1	
Temp	interp erased									1				2	1	1			1	1	2				2				2					1	3	1							1					1	
Sensor	pair		1	1	1	1	2	1	1	1	-1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	2	2	2	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	-	1	-
	HE473_	p013a36	p013a37	p013a38	p013a39	p013a40	p013a41	p013a42	p013a43	p013a44	p013a45	p014a01	p015a01	p016a01	p017a00	p018a00	p019a00	p020a00	p021a01	p022a01	p023a01	p024a01	p025a01	p026a01	p027a01	p028a01	p029a01	p030a01	p031a01	p032a01	p033a01	p034a01	p035a01	p036a01	p037a01	p038a01	p039a01	p040a01	p041a01	p042a01	p043a01	p044a01	p045a01	p044a03	p045a02	p046a01	p047a01	p048a01	p049a01
Depth	Ξ	7.8	8.0	8.3	8.3	8.3	7.7	7.4	9.9	0.9	6.1	11.6	12.9	17.4	19.7	21.2	26.1	28.6	31.4	33.0	32.7	32.0	33.8	38.6	34.1	37.4	38.5	41.1	33.7	18.9	23.3	25.6	24.4	31.6	36.5	35.1	56.6	21.5	16.3	10.7	6.6	33.2	31.7	32.1	23.1	16.5	18.1	_	10.2
	Longitude	06° 48.05' E	006° 48.05' E	006° 48.01' E	006° 47.98' E	006° 47.94' E	006° 47.92' E	006° 47.93' E	006° 47.93' E	006° 47.93' E	006° 47.92' E	006° 22.62' E	006° 39.86' E	006° 40.15' E	006° 39.62' E	006° 39.93' E	006* 39.97' E	006* 39.95' E	006° 40.01' E	006° 39.98' E	006° 39.93' E	006° 40.02' E	006° 40.00' E	006° 40.12' E	006° 40.19' E	006° 39.98' E	006° 39.93' E	006° 39.96' E	39.98' E	007° 25.04' E	007° 24.91' E	007° 25.28' E	007° 25.24' E	007° 25.05' E	007° 25.02' E	007° 24.96' E	007° 24.90' E	007* 24.94' E	007* 24.92' E	007° 25.00' E	007° 06.96' E	007° 44.95' E	007° 44.96' E	007° 45.00' E	008° 10.79' E	008° 10.34' E	008° 10.23' E	008° 02.87' E	008° 00.01' E
Position	Latitude	3° 29.36' N	53° 29.35' N	53° 29.33' N	53° 29.33' N	z	53° 29.35' N	14:06 53° 29.38' N	53° 29.39' N	53° 29.39' N	53° 29.38' N	53° 37.84' N	53° 41.87' N	53° 45.06' N	53° 50.00' N	53° 55.05' N	54° 00.03' N	54° 05.03' N	54° 10.03' N	54° 14.99' N	54° 20.02' N	54° 25.02' N	54° 30.01' N	54° 35.06' N	54° 39.96' N	54° 45.07' N	54° 49.90' N	54° 55.01' N				z	П	z		z	$\neg$	z	$\neg$	53° 47.43' N		$\neg$	$\neg$	z	z	z	$\neg$		18:12 53° 56.15' N (0
Time		80:6	9:22	10:17 5	11:09 5	12:05	13:19 5	14:06	15:00 5	16:01	17:00	20:40	22:19	23:04 5	0:04	1:13 5	2:11 5	3:07	4:09	5:04	5:56 5	6:53	7:49 5	8:47 5	9:43	11:21 5	12:26	13:42 5	14:40 5	19:49	21:21				$\neg$	$\neg$	$\neg$	$\neg$	$\neg$	8:43			17:35 5		8:21 5			16:04	18:12
Date	1	03.10.2016	_	03.10.2016	03.10.2016	-	03.10.2016	03.10.2016	03.10.2016	03.10.2016	03.10.2016	03.10.2016	03.10.2016	03.10.2016	04.10.2016	04.10.2016	04.10.2016	04.10.2016	04.10.2016	04.10.2016	04.10.2016	04.10.2016	04.10.2016	04.10.2016		04.10.2016	04.10.2016	04.10.2016	-	04.10.2016	04.10.2016	-	-	_	_	_	$\rightarrow$	_	_	05.10.2016	-	$\rightarrow$	-	-	-	_	-	$\rightarrow$	06.10.2016
Gear Abhr		CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO		CTD/RO		П						1	7	CTD/RO	T		CTD/RO			Ħ	T	7	CTD/RO						
	HE473/	0013-40	0013-41	0013-43	0013-45	0013-47	0013-49	0013-50	0013-51	0013-52	0013-53	0014-1	0015-1	0016-1	0017-1	0018-1	0019-1	0020-1	0021-1	0022-1	0023-1	0024-1	0025-1	0026-1	0027-1	0028-1	0029-1	0030-1	0031-1	0032-1	0033-1	0034-1	0035-1	0036-1	0037-1	0038-1	0039-1	0040-1	0041-1	0042-1	0043-1	0044-1	0044-2	0044-3	0045-1	0046-1	0047-1	0048-1	0049-1

Figure 4: CTD data Processing Summary HE473 (continuation)



uts																																																	
Comments																																																	
0	Offset	9.0	0.5	0.4		6.0	6.0	9.0	9.0	6.0	6.0	0.7	0.7	0.7	1.1	1.2	0.7	0.7	9.0	0.7	9.0	0.5	9.0	0.5	0.5	9.0	0.7	0.7	0.7	9.0	9.0	0.5	0.4	0.4	0.4	0.4	0.7	0.7	0.4	0.2	0.3	0.4	0.3	0.3	0.3	0.3	0.7	0.3	
Oxygen reference	ist. (km)	3.76	3.59	4.34	9.16	2.90	8.00	29.69	36.84	1.55	9.48	3.82	10.53	7.26	11.56	9.47	13.55	12.73	14.69	13.46	15.70	15.45	15.58	12.01	13.03	8.58	10.36	5.10	8.07	2.17	5.41	2.53	6.31	8.33	11.09	6.33	9.34	3.55	9.00	0.95	8.24	1.12	2.21	0.59	5.95	1.94	5.70	0.14	
Oxygen	cruise/sss-cc dist. (km) Offset	HE453/79-1	HE410/199-1	HE410/198-1	HE453/29-1	HE453/30-1	HE453/30-1	HE410/196-1	HE410/196-1	HE453/32-1	HE453/32-1	HE453/33-1	HE453/33-1	HE453/34-1	HE453/35-1	HE453/35-1	HE453/36-1	HE453/36-1	HE453/37-1	HE453/37-1	HE453/36-1	HE453/48-1	HE453/49-1	HE453/49-1	HE453/50-1	HE453/50-1	HE453/51-1	HE453/51-1	HE453/52-1	HE453/52-1	HE389/30-1	HE453/53-1	HE453/54-1	HE453/54-1	HE453/54-1	HE453/54-1	HE453/55-1	HE453/55-1	HE453/56-1	HE453/56-1	нЕ389/26-1	HE389/26-1	HE345/21-1	HE389/25-1	HE470/011-1	HE452/14-1	HE389/23-1	HE453/60-1	
lete	erased c			$\neg$		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0							$\neg$		7	$\neg$	П	T	$\neg$	T	$\neg$		Т	T	T	0	
complete	interp erased	۰	2	0	2	0	15	2	0	0	0	0	15	2	0	10	10	0	10	2	0	0	2	0	0	0	0	0	2	0	0	0	•	2	0	•	•	•	2	0	•	2	- :	9 (	0	2	0	0	
ح	erased																																										T	T		Ī			•
òxò	interp erased		1		1		3	1					3	1		7	2		2	1			1						П					1					1			1		2		1			
Chlorophyll	interp erased																																																
			1		1		8	1					3	1		2	2		2	1			1						1					1					1			1	_	7		1			
Trans	interp erased																																								2			_					
=			1		1		3	1					æ	1		2	2		2	н			П						П					П					н			1		7		П			
Sal	interp erased																																										_	_					
			1		1		8	1					е	1		2	2		2	н			П						П					П			4		П			1	╝	7		П	_		
Temp	interp erased																							Ц													4		1				_	4		1	_		
_	_		1 1	1	. 1	_	е.	. 1					3	1 1		. 2	2	_	2	1	1	<u> </u>	1	H				1	-1					1			1	_	1 1		1	. 1	+	7	+	1 1	_	2	
<u>, , , , , , , , , , , , , , , , , , , </u>	3_ pair	101	_	_	101	101	101	101	101	101	101	101	101		101	101	101	101	101	101		101	101	101	101	101	101		101	101	101	101	4	_	101	101	101	_	4	101	4	4	4	4	4	4	4		
E	+	-	-	_	_	p054a01	p055a01	p056a01	p057a01	p058a01	p059a01	p060a01	p061a01	p062a01	p063a01	p064a01	p065a01	p066a01	p067a01	p068a01	_	p070a01	p071a01	p072a01	p073a01	p074a01	p075a01	p076a01	-	_	$\rightarrow$	-	-	-	_	-	+	-	+	-	$\rightarrow$	+	+	+	+	$\rightarrow$	$\rightarrow$	p096a01	
_	$\dashv$	_	_	_	_	E 36.9	E 38.5	E 39.1	E 34.9	E 33.7	E 33.9	E 33.1	E 34.2	E 35.4	E 35.8	E 36.8	E 36.4	E 38.3	E 37.7	E 33.8		E 39.5	E 40.0	E 39.6	E 31.2	E 28.6	E 28.9	E 22.5	_	_		_	$\rightarrow$	_	_	_	_	$\rightarrow$	_				_	_	_	_	_	E 22.7	
Position				007° 39.10' E		007° 25.38' E	007° 20.32' E	007° 14.17' E	007° 07.02' E	007° 00.02' E	006° 53.95' E	006° 46.94' E	006° 40.41' E	006° 31.87' E		006° 20.01' E	006° 13.67' E	006° 05.65' E	96' N 006° 00.13' E	98' N 006° 00.09' E	01' N 006° 08.88' E	00' N 006° 18.00' E	006° 27.01' E	006° 35.99' E	006° 44.93' E	006° 53.85' E	007° 02.86' E	007° 11.96' E	007° 21.04' E	007° 30.09' E	007° 39.05' E	007° 47.70′ E	007° 57.06' E			008° 05.98′ E	008° 05.97' E	008° 05.94' E	008° 05.96' E	008° 05.99' E	.01' N 008° 06.14' E	008° 06.18′					008° 06.62' E	008° 14.36' E	
Position	Latitude	54° 00.50' N	54° 04.31' N	54° 07.50' N	54° 11.36' N	54° 14.97' N	54° 17.49' N	54° 21.53' N	54° 24.98' N	54° 28.31' N	54° 31.99' N	54° 34.98' N	54° 38.53' N	54° 42.99' N	54° 46.48' N	54° 49.49' N	54° 53.00' N	54° 57.10' N	54° 59.96' N			54° 58.00' N	54° 58.00' N	54° 58.02' N	54° 57.99' N	54° 58.00' N	54° 57.98' N	54° 58.00' N	54° 57.99' N	54° 57.98' N	54° 58.04' N	54° 57.27' N	54° 58.01' N	54° 58.01' N	54° 59.98' N	54° 54.99' N	54° 49.98' N	54° 45.05' N	54° 39.95' N	54° 34.94' N	54° 30.01' N	54° 25.01' N	54° 19.98' N	54° 15.16' N	54° 10.01' N	54° 05.00' N	53° 58.36' N	53° 59.35' N	
Time		19:26	20:29	21:26 54°07.	22:21	23:26 54° 14.	0:13	1:10	2:07	3:06	4:02	4:59				8:54		11:03	11:53	12:41 54° 57.	13:35 54° 58.	14:37 54° 58.	15:40 54°58.	16:35 54° 58.	17:48	19:56	20:43	21:37	22:31 54° 57.9	23:21	0:23	1:12	- 1				- 1	7:03	8:15	90:6	9:56 54° 30.0	11:04	11:52 54° 19.	12:37	13:36	14:26	16:09	16:55	
Date						06.10.2016	07.10.2016	07.10.2016	07.10.2016	07.10.2016	07.10.2016	07.10.2016	07.10.2016	07.10.2016		07.10.2016	07.10.2016	07.10.2016	07.10.2016	07.10.2016	07.10.2016				07.10.2016	07.10.2016		07.10.2016	07.10.2016	07.10.2016	08.10.2016	08.10.2016	08.10.2016	08.10.2016	08.10.2016	08.10.2016	08.10.2016	08.10.2016	08.10.2016	08.10.2016	08.10.2016	08.10.2016	_				$\rightarrow$	08.10.2016	
Gear Abbr.	┪	$\dashv$	寸	$\neg$	╛	CTD/RO						CTD/RO				CTD/RO		CTD/RO	CTD/RO		CTD/RO	t		H	CTD/RO	П					CTD/RO		寸	$\dashv$	_	$\exists$	T		П	T	CTD/RO		1	+	1	$\dashv$	1	CTD/RO	
Station	+	0050-2	0051-1	0052-1	0053-1	0054-1	0055-1	0056-1	0057-1	0058-1	0059-1	1-0900	0061-1	0062-1	0063-1	0064-1	0065-1	1-9900	0067-1	0068-1	1-6900	0070-1	0071-1	0072-1	0073-1	0074-1	0075-1	0076-1	0077-1	0078-1	0079-1	1-0800	0081-1	0082-1	0083-1	0084-1	0085-1	1-9800	0087-1	0088-1	1-6800	0000-1	0091-1	0092-1	0093-1	0094-1	0095-1	1-9600	

Figure 5: CTD data Processing Summary HE473 (continuation)
Page 9 of 11



Commonts	COLLINELLS									
	Offset	0.7	0.4	0.4	0.7	0.5	0.2	0.3	9.0	
Oxygen reference	ist. (km)	0.18	0.39	1.35	3.20	3.06	2.54	0.85	80.0	
Oxygen	interp erased interp erased interp erased interp erased interp erased interp erased cruise/sss-cc dist. (km) Offset	HE453/62-1	HE453/63-1	HE452/20-1	HE453/65-1	HE453/66-1	HE453/67-1	HE452/27-1	HE366/002-1	
lete	erased	0	0	0	0	0	0	0	0	32
complete	interp	0	0	0	0	2	0	15	0	297
ιλ	erased									0
Оху	interp					1		3		10
llyhdd	erased									0
Chlorophyll	interp					1		3		10
Trans	erased									7
Ţ	interp					1		3		10
Sal	erased									0   10   0   10   2   10   0   10   0   297
	interp					1		3		10
Temp	erasec									0
						1		3		10
Sensor	pair	1	1	1	1	1	1	1	1	
File	HE473	p098a01	p099a01	p100a01	p101a01	p102a01	p103a01	p104a01	p106a01	
Depth	[m]	14.0	14.6	8.0	16.2	14.5	26.3	54.4	53.9	
Position Depth	Longitude	008° 31.35' E	008° 38.86' E	62' N 008° 43.61' E	008° 48.48' E	008° 56.93' E	009° 07.53′ E	007° 51.63' E	007° 53.87' E	
Position	Latitude	53° 58.07' N 008° 31.35' E	53° 56.19' N 008° 38.86' E	53° 52.62' N	53° 50.30' N 008° 48.48' E	53° 50.75' N 008° 56.93' E	53° 52.62' N   009° 07.53' E	54° 08.79' N 007° 51.63' E	54° 08.19' N   007° 53.87' E   53.9	
Limo	2	18:38	19:33	20:29	21:47	22:40	23:37	5:33	6:27	
ated	Date	08.10.2016	08.10.2016	08.10.2016	08.10.2016	08.10.2016	08.10.2016	09.10.2016	10.10.2016	
Goar Abbr	Geal Appl.	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	CTD/RO	
Station	HE473/	1-8600	0099-1	0100-1	0101-1	0102-1	1-8010	0104-1	1-9010	






Figure 7: ODV Screenshot of HE473 CTD data Page 11 of 11