


CORE 1386-2

SAMPLE


0.27 m

Grain Size Analysis

AWI



GRAV	0.2
SAND	10.4
SILT	49.2
CLAY	40.4
MEAN	7.9
MEDI	7.9
SKEW	-0.1
KURT	0.8
SORT	3.0



PC 5	2.1
PC 16	4.8
PC 25	5.5
PC 50	7.9
PC 75	10.3
PC 84	11.0
PC 95	12.0

Grobe, 1988

CORE 1386-2

SAMP. E

0.36 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 1.4

SAND 11.6

SILT 47.8

CLAY 40.6

MEAN 7.9

MEDI 7.9

SKEW -0.1

KURT 0.9

SORT 3.1

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 2.0

PC 16 4.8

PC 25 5.6

PC 50 7.9

PC 75 10.3

PC 84 11.0

PC 95 12.0

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

4

5

6

7

8

9

phi

Grobe, 1988


CORE 1386-2

SAMPLE

0.46 m

Grain Size Analysis

AWI



GRAV	3.4
SAND	19.4
SILT	44.2
CLAY	36.4
MEAN	7.2
MEDI	7.2
SKEW	-0.1
KURT	0.8
SORT	3.4

PC 5	1.1
PC 16	3.6
PC 25	4.7
PC 50	7.2
PC 75	10.1
PC 84	10.9
PC 95	11.9

Grobe, 1988

CORE 1386-2

SAMPLE

0.55 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 1.8

SAND 18.6

SILT 48.1

CLAY 33.3

MEAN 6.9

MEDI 6.2

SKEW 0.3

KURT 0.7

SORT 3.1

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 2.9

PC 16 3.8

PC 25 4.4

PC 50 6.2

PC 75 9.9

PC 84 10.7

PC 95 11.9

-1

0

1

2

3

4

5

6

7

8

9

phi

phi

Grobe, 1988

CORE 1386-2

SAMPLE

0.62 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.0

SAND 21.0

SILT 75.0

CLAY 4.1

MEAN 4.7

MEDI 4.7

SKEW 0.2

KURT 1.9

SORT 1.2

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 3.2

PC 16 3.8

PC 25 4.1

PC 50 4.7

PC 75 5.2

PC 84 5.6

PC 95 8.4

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

phi

Grobe, 1988


CORE 1386-2

SAMPLE 3

0.73 m

Grain Size Analysis

AWI



GRAV	0.0
SAND	53.2
SILT	42.5
CLAY	4.3
MEAN	4.2
MEDI	4.0
SKREW	0.4
KURT	1.7
SORT	1.3

PC 5	2.9
PC 16	3.3
PC 25	3.5
PC 50	4.0
PC 75	4.8
PC 84	5.2
PC 95	8.2

Grobe, 1988

CORE 1386-2

SAMPLE

0.80 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

phi

phi

Grobe, 1988

GRAV 0.6

SAND 6.5

SILT 42.5

CLAY 51.0

MEAN 8.7

MEDI 9.1

SKEW -0.3

KURT 0.9

SORT 2.7

PC 5 3.4

PC 16 5.7

PC 25 6.6

PC 50 9.1

PC 75 10.7

PC 84 11.3

PC 95 12.1

CORE 1386-2

SAMPLE

0.90 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.4

SAND 6.6

SILT 47.7

CLAY 45.7

MEAN 8.3

MEDI 8.5

SKEW -0.1

KURT 0.8

SORT 2.8

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 3.3

PC 16 5.3

PC 25 6.1

PC 50 8.5

PC 75 10.6

PC 84 11.2

PC 95 12.1

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

phi

Grobe, 1988


CORE 1386-2

SAMPLE

1.00 m


Grain Size Analysis

AWI



GRAV	0.3
SAND	10.2
SILT	52.0
CLAY	37.8

MEAN	7.9
MEDI	7.7
SKEW	-0.0
KURT	0.9
SORT	2.9



PC 5	2.4
PC 16	5.0
PC 25	5.8
PC 50	7.7
PC 75	10.2
PC 84	10.9
PC 95	11.9

Grobe, 1988


CORE 1386-2

SAMPLE


1.10 m

Grain Size Analysis

AWI



GRAV	2.8
SAND	4.5
SILT	46.2
CLAY	49.3
MEAN	8.7
MEDI	8.9
SKEW	-0.2
KURT	0.8
SORT	2.5



PC 5	4.2
PC 16	5.8
PC 25	6.7
PC 50	8.9
PC 75	10.7
PC 84	11.3
PC 95	12.1

Grobe, 1988

CORE 1386-2

SAMPLE

1.20 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.7

SAND 5.7

SILT 45.4

CLAY 48.8

MEAN 8.7

MEDI 8.9

SKEW -0.2

KURT 0.9

SORT 2.6

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 3.5

PC 16 5.9

PC 25 6.6

PC 50 8.9

PC 75 10.6

PC 84 11.2

PC 95 12.1

phi

phi

Grobe, 1988

CORE 1386-2

SAMPLE

1.30 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

%/phi

50

40

30

20

10

0

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

phi

Grobe, 1988

GRAV 0.8

SAND 5.6

SILT 47.3

CLAY 47.1

MEAN 8.6

MEDI 8.7

SKEW -0.1

KURT 0.9

SORT 2.6

PC 5 3.5

PC 16 5.9

PC 25 6.6

PC 50 8.7

PC 75 10.6

PC 84 11.2

PC 95 12.0

GRAVEL

SAND

SILT

CLAY

SILT (100%)


CORE 1386-2

SAMPLE


1.40 m

Grain Size Analysis

AWI



GRAV	5.0
SAND	13.7
SILT	45.4
CLAY	40.9
MEAN	7.9
MEDI	8.0
SKEW	-0.1
KURT	0.9
SORT	3.1



PC 5	1.4
PC 16	4.9
PC 25	5.7
PC 50	8.0
PC 75	10.3
PC 84	11.0
PC 95	11.9

Grobe, 1988


CORE 1386-2

SAMPLE


1.50 m

Grain Size Analysis

AWI



GRAV	7.8
SAND	18.8
SILT	36.9
CLAY	44.2
MEAN	7.6
MEDI	8.3
SKEW	-0.3
KURT	0.9
SORT	3.6



PC 5	1.1
PC 16	3.5
PC 25	5.4
PC 50	8.3
PC 75	10.5
PC 84	11.1
PC 95	12.0

Grobe, 1988

CORE 1386-2

SAMPLE

1.60 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 4.6

SAND 14.8

SILT 35.8

CLAY 49.4

MEAN 8.4

MEDI 8.9

SKEW -0.3

KURT 1.0

SORT 3.2

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 1.3

PC 16 4.9

PC 25 6.4

PC 50 8.9

PC 75 10.6

PC 84 11.2

PC 95 12.1

phi

phi

Grobe, 1988

CORE 1386-2

SAMPLE

1.70 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.6

SAND 11.1

SILT 34.9

CLAY 54.0

MEAN 8.7

MEDI 9.3

SKEW -0.4

KURT 1.0

SORT 3.0

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 1.7

PC 16 5.5

PC 25 6.7

PC 50 9.3

PC 75 10.8

PC 84 11.4

PC 95 12.1

phi

phi

Grobe, 1988

CORE 1386-2

SAMPLE

1.80 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.2

SAND 8.5

SILT 43.1

CLAY 48.4

MEAN 8.5

MEDI 8.8

SKEW -0.3

KURT 0.9

SORT 2.9

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 2.4

PC 16 5.4

PC 25 6.3

PC 50 8.8

PC 75 10.6

PC 84 11.2

PC 95 12.1

-1

0

1

2

3

4

5

6

7

8

9

phi

phi

Grobe, 1988

CORE 1386-2

SAMPLE

1.90 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.5

SAND 6.6

SILT 35.8

CLAY 57.6

MEAN 9.1

MEDI 9.6

SKEW -0.4

KURT 1.0

SORT 2.7

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 3.0

PC 16 6.2

PC 25 7.3

PC 50 9.6

PC 75 10.9

PC 84 11.4

PC 95 12.2

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

phi

Grobe, 1988


CORE 1386-2

SAMPLE


2.00 m

Grain Size Analysis

AWI



GRAV	0.5
SAND	10.4
SILT	43.1
CLAY	46.5
MEAN	8.3
MEDI	8.6
SKEW	-0.2
KURT	0.9
SORT	3.1



PC 5	1.8
PC 16	5.1
PC 25	6.0
PC 50	8.6
PC 75	10.6
PC 84	11.2
PC 95	12.0

Grobe, 1988


CORE 1386-2

SAMPLE

2.10 m


Grain Size Analysis

AWI



GRAV	0.7
SAND	4.9
SILT	40.4
CLAY	54.7

MEAN	8.9
MEDI	9.4
SKEW	-0.3
KURT	0.8
SORT	2.6



PC 5	4.1
PC 16	6.0
PC 25	7.0
PC 50	9.4
PC 75	10.9
PC 84	11.4
PC 95	12.1

Grobe, 1988


CORE 1386-2

SAMPLE

2.20 m


Grain Size Analysis

AWI



GRAV	0.1
SAND	8.9
SILT	33.9
CLAY	57.1

MEAN	9.0
MEDI	9.5
SKEW	-0.4
KURT	1.1
SORT	2.8



PC 5	2.2
PC 16	6.1
PC 25	7.2
PC 50	9.5
PC 75	10.9
PC 84	11.4
PC 95	12.2

Grobe, 1988


CORE 1386-2

SAMPLE

2.30 m

Grain Size Analysis

AWI



GRAV	0.5
SAND	10.7
SILT	33.4
CLAY	55.9
MEAN	8.8
MEDI	9.4
SKEW	-0.4
KURT	1.1
SORT	3.0

PC 5	1.7
PC 16	5.6
PC 25	7.0
PC 50	9.4
PC 75	10.9
PC 84	11.4
PC 95	12.1

Grobe, 1988

CORE 1386-2

SAMPLE

2.40 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 6.0

SAND 9.8

SILT 37.3

CLAY 53.0

MEAN 8.8

MEDI 9.3

SKEW -0.4

KURT 1.0

SORT 3.0

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 1.8

PC 16 5.7

PC 25 6.8

PC 50 9.3

PC 75 10.8

PC 84 11.4

PC 95 12.1

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

4

5

6

7

8

9

phi

Grobe, 1988


CORE 1386-2

SAMPLE 2.50 m

Grain Size Analysis

AWI

%



GRAV	0.7
SAND	7.0
SILT	35.3
CLAY	57.7
MEAN	9.1
MEDI	9.5
SKEW	-0.3
KURT	1.2
SORT	2.7

%/phi


GRAVEL

SAND

SILT

CLAY

SILT (100%)



PC 5	2.6
PC 16	6.5
PC 25	7.5
PC 50	9.5
PC 75	10.9
PC 84	11.4
PC 95	12.1

Grobe, 1988

CORE 1386-2

SAMP. 3

2.60 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 1.2

SAND 11.0

SILT 36.4

CLAY 52.5

MEAN 8.7

MEDI 9.2

SKEW -0.4

KURT 1.1

SORT 3.1

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 0.9

PC 16 5.6

PC 25 6.7

PC 50 9.2

PC 75 10.8


PC 84 11.3

PC 95 12.1

phi

phi

Grobe, 1988



CORE 1386-2

SAMPLE

2.70 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.6

SAND 7.3

SILT 41.5

CLAY 51.2

MEAN 8.7

MEDI 9.1

SKEW -0.3

KURT 1.0

SORT 2.8

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 2.5

PC 16 5.8

PC 25 6.7

PC 50 9.1

PC 75 10.7

PC 84 11.3

PC 95 12.1

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

phi

Grobe, 1988

CORE 1386-2


SAMPLE

2.80 m

Grain Size Analysis


AWI

%



GRAV	0.7
SAND	7.5
SILT	31.4
CLAY	61.2
MEAN	9.3
MEDI	9.7
SKEW	-0.4
KURT	1.2
SORT	2.7

%/phi



SILT (100%)

PC 5	2.5
PC 16	6.7
PC 25	7.7
PC 50	9.7
PC 75	11.0
PC 84	11.4
PC 95	12.2

Grobe, 1988

CORE 1386-2

SAMPLE

2.90 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 1.3

SAND 8.3

SILT 39.5

CLAY 52.1

MEAN 8.7

MEDI 9.2

SKEW -0.3

KURT 1.0

SORT 2.9

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 2.3

PC 16 5.6

PC 25 6.6

PC 50 9.2

PC 75 10.8

PC 84 11.3

PC 95 12.1

phi

phi

Grobe, 1988

CORE 1386-2

SAMPLE

3.00 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.2

SAND 6.7

SILT 46.3

CLAY 46.9

MEAN 8.5

MEDI 8.7

SKEW -0.2

KURT 0.9

SORT 2.8

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 2.9

PC 16 5.6

PC 25 6.4

PC 50 8.7

PC 75 10.6

PC 84 11.2

PC 95 12.1

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

phi

Grobe, 1988

CORE 1386-2

SAMPLE

3.10 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.0

SAND 3.6

SILT 60.9

CLAY 35.5

MEAN 7.9

MEDI 7.5

SKEW 0.2

KURT 0.7

PC 5 4.5

PC 16 5.4

PC 25 5.8

PC 50 7.5

PC 75 10.0

PC 84 10.8

PC 95 11.9

PC 50 7.5

PC 75 10.0

PC 84 10.8

PC 95 11.9

PC 50 7.5

PC 75 10.0

PC 84 10.8

PC 95 11.9

PC 50 7.5

PC 75 10.0

PC 84 10.8

PC 95 11.9

PC 50 7.5

PC 75 10.0

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

4

5

6

7

8

9

phi

Grobe, 1988

CORE 1386-2

SAMPLE

3.20 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.5

SAND 6.5

SILT 66.6

CLAY 26.9

MEAN 7.5

MEDI 7.2

SKEW 0.1

KURT 1.0

SORT 2.4

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 3.0

PC 16 5.4

PC 25 5.8

PC 50 7.2

PC 75 9.2

PC 84 10.0

PC 95 11.4

phi

phi

Grobe, 1988

CORE 1386-2

SAMPLE 3.30 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.6

SAND 5.5

SILT 54.8

CLAY 39.7

MEAN 8.1

MEDI 8.0

SKEW 0.0

KURT 0.8

SORT 2.6

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 3.8

PC 16 5.4

PC 25 6.1

PC 50 8.0

PC 75 10.3

PC 84 11.0

PC 95 11.9

phi

phi

Grobe, 1988

CORE 1386-2

SAMPLE 3.40 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.0

SAND 17.3

SILT 71.0

CLAY 11.7

MEAN 5.6

MEDI 4.9

SKEW 0.5

KURT 1.6

PC 5 3.2

PC 16 3.9

PC 25 4.3

PC 50 4.9

PC 75 6.2

PC 84 7.9

PC 95 10.7

PC 84 7.9

PC 75 6.2

PC 50 4.9

PC 25 4.3

PC 16 3.9

PC 5 3.2

Grobe, 1988

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

-1

0

1

2

3

4

5

6

7

8

9



10

11

12

phi

phi




CORE 1386-2

SAMPLE 3

3.50 m

Grain Size Analysis

AWI



GRAV	0.0
SAND	62.4
SILT	37.6
CLAY	0.0
MEAN	3.9
MEDI	3.8
SKEW	0.2
KURT	0.9
SORT	0.7

PC 5	2.9
PC 16	3.2
PC 25	3.4
PC 50	3.8
PC 75	4.4
PC 84	4.7
PC 95	5.2


Grobe, 1988

CORE 1386-2


SAMPLE 3.60 m

Grain Size Analysis

AWI



GRAV	0.0
SAND	17.1
SILT	82.6
CLAY	0.4
MEAN	4.7
MEDI	4.7
SKEW	0.0
KURT	1.3
SORT	0.8



PC 5	3.3
PC 16	3.9
PC 25	4.2
PC 50	4.7
PC 75	5.1
PC 84	5.4
PC 95	6.2

Grobe, 1988


CORE 1386-2

SAMPLE

3.80 m

Grain Size Analysis

AWI



Grobe, 1988


CORE 1386-2

SAMPLE 2


3.90 m

Grain Size Analysis

AWI



GRAV	0.4
SAND	5.5
SILT	55.1
CLAY	39.4
MEAN	8.4
MEDI	8.3
SKEW	-0.1
KURT	1.0
SORT	2.4



PC 5	3.5
PC 16	6.0
PC 25	6.7
PC 50	8.3
PC 75	10.0
PC 84	10.7
PC 95	11.8

Grobe, 1988


CORE 1386-2

SAMPLE


4.00 m

Grain Size Analysis

AWI



GRAV	3.1
SAND	4.4
SILT	58.4
CLAY	37.2
MEAN	8.3
MEDI	8.2
SKEW	0.1
KURT	0.9
SORT	2.2



PC 5	5.0
PC 16	6.0
PC 25	6.7
PC 50	8.2
PC 75	9.9
PC 84	10.6
PC 95	11.8

Grobe, 1988


CORE 1386-2

SAMPLE

4.10 m

Grain Size Analysis

AWI



GRAV	0.1
SAND	3.8
SILT	53.1
CLAY	43.1

MEAN	8.5
MEDI	8.3
SKEW	0.1
KURT	0.7
SORT	2.3

PC 5	5.3
PC 16	6.1
PC 25	6.6
PC 50	8.3
PC 75	10.4
PC 84	11.1
PC 95	12.0

Grobe, 1988

CORE 1386-2


SAMPLE

4.20 m


Grain Size Analysis

AWI

%



GRAV	0.3
SAND	5.4
SILT	51.7
CLAY	43.0
MEAN	8.6
MEDI	8.5
SKEW	-0.1
KURT	1.1
SORT	2.4



PC 5	3.6
PC 16	6.3
PC 25	7.0
PC 50	8.5
PC 75	10.2
PC 84	10.9
PC 95	11.9


Grobe, 1988

CORE 1386-2

SAMPLE 4.30 m


Grain Size Analysis

AWI



GRAV	0.4
SAND	4.7
SILT	49.7
CLAY	45.6

MEAN	8.7
MEDI	8.7
SKEW	-0.0
KURT	0.9
SORT	2.1



PC 5	5.0
PC 16	6.5
PC 25	7.3
PC 50	8.7
PC 75	10.3
PC 84	10.9
PC 95	11.9

Grobe, 1988


CORE 1386-2

SAMPLE


4.40 m

Grain Size Analysis

AWI



GRAV	0.3
SAND	4.7
SILT	49.4
CLAY	45.9
MEAN	8.7
MEDI	8.7
SKEW	-0.1
KURT	0.9
SORT	2.4



PC 5	4.2
PC 16	6.2
PC 25	7.0
PC 50	8.7
PC 75	10.4
PC 84	11.1
PC 95	12.0

Crober, 1988

CORE 1386-2

SAMPLE

4.50 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.5

SAND 5.8

SILT 51.5

CLAY 42.7

MEAN 8.4

MEDI 8.1

SKEW 0.0

KURT 0.9

SORT 2.6

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 3.2

PC 16 5.9

PC 25 6.4

PC 50 8.1

PC 75 10.5

PC 84 11.1

PC 95 12.0

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

phi

Grobe, 1988

CORE 1386-2

SAMPLE

4.58 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 1.4

SAND 4.5

SILT 41.1

CLAY 54.3

MEAN 8.8

MEDI 9.4

SKEW -0.3

KURT 0.8

SORT 2.6

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 4.3

PC 16 5.8

PC 25 6.6

PC 50 9.4

PC 75 10.9

PC 84 11.4

PC 95 12.1

phi

phi


Grobe, 1988

CORE 1386-2

SAMPLE 4.66 m

Grain Size Analysis

AWI



GRAV	2.8
SAND	10.7
SILT	50.8
CLAY	38.5
MEAN	8.0
MEDI	7.9
SKEW	-0.1
KURT	1.0
SORT	3.0

PC 5	1.5
PC 16	5.2
PC 25	5.9
PC 50	7.9
PC 75	10.2
PC 84	10.9
PC 95	11.9

Grobe, 1988


CORE 1386-2

SAMPLE 4.77 m


4.77 m

Grain Size Analysis

AWI



GRAV	0.4
SAND	10.9
SILT	43.3
CLAY	45.8
MEAN	8.5
MEDI	8.6
SKEW	-0.2
KURT	1.2
SORT	2.9



PC 5	1.6
PC 16	5.9
PC 25	6.8
PC 50	8.6
PC 75	10.5
PC 84	11.1
PC 95	12.0

Grobe, 1988


CORE 1386-2

SAMPLE

4.88 m

Grain Size Analysis

AWI



GRAV	1.5
SAND	11.5
SILT	41.3
CLAY	47.2
MEAN	8.5
MEDI	8.8
SKEW	-0.3
KURT	1.2
SORT	2.9

PC 5	1.6
PC 16	5.8
PC 25	6.9
PC 50	8.8
PC 75	10.4
PC 84	11.0
PC 95	12.0

Crober, 1988


CORE 1386-2

SAMPLE


4.96 m

Grain Size Analysis

AWI



GRAV	0.1
SAND	8.5
SILT	46.7
CLAY	44.8
MEAN	8.6
MEDI	8.4
SKEW	-0.1
KURT	1.1
SORT	2.7



PC 5	2.6
PC 16	6.2
PC 25	6.9
PC 50	8.4
PC 75	10.6
PC 84	11.2
PC 95	12.1

Grobe, 1988


CORE 1386-2

SAMPLE

5.04 m

Grain Size Analysis

AWI



GRAV	0.9
SAND	8.9
SILT	41.0
CLAY	50.0
MEAN	8.8
MEDI	9.0
SKEW	-0.3
KURT	1.3
SORT	2.8

PC 5	1.8
PC 16	6.3
PC 25	7.3
PC 50	9.0
PC 75	10.6
PC 84	11.2
PC 95	12.0

Grobe, 1988

CORE 1386-2

SAMPLE

5.14 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 2.1

SAND 18.5

SILT 46.3

CLAY 35.2

MEAN 7.4

MEDI 7.6

SKEW -0.2

KURT 0.8

SORT 3.3

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 1.3

PC 16 3.7

PC 25 4.7

PC 50 7.6

PC 75 10.0

PC 84 10.7

PC 95 11.8

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

phi

phi

Grobe, 1988

CORE 1386-2

SAMPLE

5.25 m

Grain Size Analysis

AWI

%

100

80

60

40

20

0

GRAV 0.0

SAND 25.3

SILT 62.0

CLAY 12.7

MEAN 5.3

MEDI 4.7

SKEW 0.5

KURT 2.0

SORT 2.2

%/phi

50

40

30

20

10

0

GRAVEL

SAND

SILT

CLAY

SILT (100%)

PC 5 3.1

PC 16 3.6

PC 25 4.0

PC 50 4.7

PC 75 5.6

PC 84 7.7

PC 95 11.1

Grobe, 1988

phi

phi

-1

0

1

2

3

4

5

6

7

8

9

10

11

12

4

5

6

7

8

9