


This is the simple example template containing only headers for each report item and the bookmarks.

Modify it according to your own needs and standards.

Measurement Conditions: (Bookmark 1)



Main Graphics, Analyze View: (Bookmark 2)

Recognized Minerals: (Bookmark 3)

Quality	Score	SemiQuant [%]	Compound Name	Chemical Formula	Scale Factor	Ref. Code	Displacement [°2Th.]	RIR
"B";UE	45	14	Kaolinite - 1\ITMd\ RG	Al ₂ Si ₂ O ₅ (OH) ₄	0.644	00-029-1488	-0.056	0.600
"C"	44	2	Quartz	Si O ₂	0.427	01-085-0930	-0.041	3.070
"B";UE	44	22	Tosudite	Na _{0.3}	0.662	00-022-	0.004	0.400

				Al6 (Si , Al)8 O20 (O H)10 !4 H2 O		0956				
"O";UE	39	17	Montmorillonite-14A	Na0.3 (Al , Mg)2 Si4 O10 (O H)2 !x H2 O	0.500	00-013-0259	0.002	0.400		
"B";UE	36	9	Chlorite-vermiculite-montmorillonite	Na0.5 Al6 (Si , Al)8 O20 (O H)10 ! H2 O	0.280	00-039-0381	-0.077	0.400		
"B";UE	35	16	Kaolinite - montmorillonite	Na0.3 Al4 Si6 O15 (O H)6 !4 H2 O	0.462	00-029-1490	-0.166	0.400		
"C"	27	1	Zeolite A, syn	Co.333 Na.333 (Al Si O4) (H2 O)2.92	0.286	01-070-1881	0.012	3.060		
"B";D;UE	34	8	Montmorillonite	Nax (Al , Mg)2 Si4 O10 (O H)2 !z H2 O	0.230	00-012-0204	0.096	0.400		
"B";UE	27	10	Antigorite	Mg3 Si2 O5 (O H)4	0.359	00-044-1447	-0.019	0.500		
"C"	19	-	Stilbite	Na1.6 Ca4 (Al9 Si27 O72) (H2 O)31.52	0.210	01-078-2035	0.142	20.730		
"C"	17	1	Zeolite	Si O2.267	0.201	01-080-1831	-0.124	5.180		

Candidate List: (Bookmark 4)

Score	RIR	Compound Name	Scale Factor	Chemical Formula	Total Lines	Matched Lines	New Matched Lines	Strong Unmatched Lines	Displacement [°2Th.]	Ref. Code
-------	-----	---------------	--------------	------------------	-------------	---------------	-------------------	------------------------	----------------------	-----------

10	0.000	Nenad kevichi te	0.038	Na (Nb , Ti) Si ₂ O ₇ ! ₂ H ₂ O	60	26	1	0	-0.177	00-025-1189
10	1.740	Fluckite	0.041	Ca Mn (H As O ₄) ₂ ! ₂ H ₂ O	26	19	1	0	0.025	00-034-0161
8	4.250	Diopside, syn	0.133	Cu ₆ (Si ₆ O ₁₈)	88	32	1	0	-0.143	01-079-0988
8	0.000	Autunite, syn	0.034	Ca (U O ₂) ₂ (P O ₄) ₂ ! _x H ₂ O	35	19	1	0	-0.004	00-008-0314
6	18.760	Faujasite	0.655	(Na ₂ Ca) _{0.075} (Al _{0.3} Si _{0.7}) O ₂ (H ₂ O) _{0.22}	126	48	1	0	0.039	01-076-0843
6	5.520	Bannisterite	1.042	Ca _{0.5} K _{0.38} (Mn _{6.15} Fe _{1.43} Mg _{1.42} Zn) ((Si _{14.824} Al _{1.176}) O ₃₈) (O H) ₈ (H ₂ O) _{5.845}	122	81	1	0	0.038	01-083-0969
5	18.000	Bementite	0.781	Mn _{6.927} (Si ₆ O ₁₅) (O H) ₈	120	77	2	0	-0.069	01-082-1236
4	0.000	Tosudite	0.327	Na _{0.3} Al ₆ (Si , Al	26	20	1	0	-0.006	00-012-0231

)8 O20 (O H)10 !4 H2 O						
4	25.890	Labrad orite	0.642	Na.5 Ca.5 Al1.5 Si2.5 O8	145	72	1	0	-0.096	01- 078- 0433
3	15.670	Feldsp ar, syn	8.173	Na (Al Si Ge2 O8)	146	75	1	0	-0.066	01- 080- 2295

Peak List: (Bookmark 3)

d- spacin g [Å]	Pos. [°2Th.]	Height [cts]	FWH M [°2Th.]	Rel. Int. [%]	Tip width [°2Th.]	Match ed by	Height [cps]	Area [cps*° 2Th.]	Area [cts*°2 Th.]	Match ed
18.049 38	4.8960	356.06	0.0200	8.62	0.0167	01- 078- 2035	3.57	0.05	4.75	Yes
17.083 41	5.1730	402.81	0.5894	9.76	0.4912	01- 078- 2035	4.04	1.59	158.29	Yes
15.962 47	5.5366	553.82	0.4491	13.41	0.3743		5.56	1.66	165.82	No
15.290 72	5.7800	571.26	0.0200	13.84	0.0167	00- 022- 0956	5.73	0.08	7.62	Yes
14.417 06	6.1306	380.34	0.4015	9.21	0.4080	00- 039- 0381	3.81	1.51	150.63	Yes
14.244 33	6.2050	654.41	0.0200	15.85	0.0167	00- 039- 0381	6.56	0.09	8.73	Yes
13.594 95	6.5017	531.56	0.1735	12.88	0.1446	00- 013- 0259	5.33	0.62	61.48	Yes
13.270 76	6.6607	515.13	0.2466	12.48	0.2055	00- 013- 0259	5.17	0.85	84.67	Yes
12.851 90	6.8780	359.67	0.3753	8.71	0.3127	00- 012- 0204	3.61	0.90	89.99	Yes
12.342 54	7.1623	336.87	0.0604	8.16	0.0503	01- 070- 1881; 00- 012-	3.38	0.14	13.55	Yes

						0204; 01- 080- 1831				
12.065 39	7.3270	261.56	0.0200	6.34	0.0167	01- 070- 1881;	2.62	0.03	3.49	Yes
						01- 080- 1831				
9.9969 8	8.8457	58.84	0.2007	1.43	0.2040	00- 022- 0956	0.59	0.12	11.65	Yes
8.5447 1	10.353 0	12.41	0.1171	0.30	0.1190	01- 070- 1881	0.12	0.01	1.43	Yes
7.6858 2	11.513 6	152.23	0.0200	3.69	0.0167	00- 022- 0956;	1.53	0.02	2.03	Yes
						00- 039- 0381				
7.4661 2	11.853 6	254.82	0.5111	6.17	0.4260	00- 022- 0956;	2.56	0.87	86.83	Yes
						00- 029- 1490;				
						00- 044- 1447				
7.3863 9	11.982 0	367.97	0.3213	8.91	0.2677	00- 029- 1490;	3.69	0.79	78.81	Yes
						00- 044- 1447				
7.2285 7	12.244 6	4128.4 2	0.1037	100.00	0.0864	00- 029- 1488;	41.41	2.86	285.51	Yes
						00- 029- 1490;				
						00- 044- 1447				
7.1459 5	12.386 8	701.75	0.1506	17.00	0.1530	00- 029- 1488;	7.04	1.05	104.22	Yes
						01-				

7.0720 9	12.516 6	670.27	0.0200	16.24	0.0167	070-1881 00-029-1488; 01-070-1881; 00-044-1447 01-070-1881; 00-044-1447 01-078-2035; 01-080-1831	6.72	0.09	8.94	Yes
6.9529 4	12.732 0	184.45	0.1849	4.47	0.1541	00-044-1447; 01-078-2035; 01-080-1831	1.85	0.23	22.74	Yes
6.8567 4	12.911 4	115.15	0.0282	2.79	0.0235	00-044-1447; 01-078-2035; 01-080-1831	1.16	0.02	2.16	Yes
4.9817 4	17.804 9	38.73	0.2676	0.94	0.2720	00-022-0956; 01-070-1881; 01-078-2035	0.39	0.10	10.23	Yes
4.5454 4	19.529 9	101.80	0.0200	2.47	0.0167	00-012-0204; 01-078-2035; 01-080-1831	1.02	0.01	1.36	Yes

4.5326 4	19.585 6	94.30	0.0908	2.28	0.0756	00- 022- 0956; 00- 012- 0204; 01- 078- 2035; 01- 080- 1831	0.95	0.06	5.71	Yes
4.4915 8	19.766 4	133.16	0.1673	3.23	0.1700	00- 022- 0956; 00- 013- 0259; 00- 039- 0381; 00- 012- 0204; 01- 078- 2035; 01- 080- 1831	1.34	0.22	21.97	Yes
4.4526 6	19.941 0	230.70	0.3441	5.59	0.2868	00- 029- 1488; 00- 022- 0956; 00- 013- 0259; 00- 039- 0381; 00- 012- 0204; 01- 078- 2035; 01- 080-	2.31	0.53	52.93	Yes

4.4227 5	20.077 2	186.80	0.5485	4.52	0.4571	1831 00- 029- 1488; 00- 013- 0259; 00- 039- 0381; 01- 078- 2035	1.87	0.69	68.31	Yes
4.3929 5	20.214 8	171.50	0.3412	4.15	0.2843	00- 029- 1488; 00- 029- 1490; 01- 078- 2035	1.72	0.39	39.00	Yes
4.3613 4	20.362 9	163.44	0.7970	3.96	0.6642	00- 029- 1490; 01- 070- 1881; 01- 078- 2035	1.64	0.87	86.84	Yes
4.3198 4	20.560 7	145.10	0.5054	3.51	0.4212	00- 029- 1490; 01- 070- 1881; 00- 012- 0204; 00- 044- 1447	1.46	0.49	48.89	Yes
4.2531 0	20.886 9	132.84	0.1004	3.22	0.1020	01- 085- 0930; 00- 022- 0956; 00-	1.33	0.13	13.15	Yes

						012-0204; 00-044-1447; 01-078-2035				
4.1668 8	21.324 1	80.49	0.2007	1.95	0.2040	01-080-1831	0.81	0.16	15.94	Yes
4.1082 9	21.631 8	99.70	0.2670	2.41	0.2225	01-070-1881; 00-012-0204; 01-078-2035	1.00	0.18	17.75	Yes
4.0780 5	21.794 2	70.22	0.7115	1.70	0.5929	01-070-1881; 00-012-0204; 01-078-2035	0.70	0.33	33.31	Yes
3.6783 0	24.196 7	103.28	0.7261	2.50	0.6050	00-022-0956; 01-070-1881; 01-078-2035	1.04	0.50	49.99	Yes
3.6497 8	24.388 7	151.16	0.6410	3.66	0.5342	00-044-1447; 01-078-2035	1.52	0.65	64.60	Yes
3.6108 5	24.655 7	388.30	0.0200	9.41	0.0167	00-029-1490; 00-044-1447;	3.89	0.05	5.18	Yes

						01- 078- 2035; 01- 080- 1831				
3.5676	24.959	553.37	0.1673	13.40	0.1700	00-	5.55	0.92	91.31	Yes
1	4					029- 1488; 00- 029- 1490; 01- 070- 1881; 01- 078- 2035; 01- 080- 1831				
3.5529	25.063	584.21	0.0200	14.15	0.0167	00-	5.86	0.08	7.79	Yes
9	7					029- 1488; 00- 029- 1490; 01- 070- 1881; 00- 044- 1447; 01- 078- 2035; 01- 080- 1831				
3.5271	25.250	357.89	0.0200	8.67	0.0167	00-	3.59	0.05	4.77	Yes
0	7					039- 0381; 01- 070- 1881; 00- 044- 1447; 01- 078-				

3.4938 3	25.495 2	234.90	0.4641	5.69	0.3867	2035 00- 039- 0381; 00- 044- 1447; 01- 078- 2035	2.36	0.73	72.68	Yes
3.4472 0	25.846 0	142.52	0.1909	3.45	0.1591	01- 078- 2035; 01- 080- 1831	1.43	0.18	18.14	Yes
3.4141 4	26.100 7	137.49	0.0200	3.33	0.0167	01- 070- 1881; 01- 078- 2035; 01- 080- 1831	1.38	0.02	1.83	Yes
3.3928 3	26.267 5	100.11	0.0485	2.42	0.0404	01- 070- 1881; 01- 078- 2035	1.00	0.03	3.24	Yes
3.3439 1	26.658 9	430.03	0.1171	10.42	0.1190	01- 085- 0930; 00- 013- 0259; 01- 078- 2035	4.31	0.50	49.67	Yes
3.3165 7	26.882 7	141.87	0.0200	3.44	0.0167	00- 022- 0956; 00- 013- 0259; 01- 078- 2035; 01-	1.42	0.02	1.89	Yes

3.2625 3	27.336 5	101.80	0.2808	2.47	0.2340	080-1831 01-070-1881; 00-012-0204; 01-078-2035	1.02	0.19	19.06	Yes
3.2459 0	27.479 3	96.29	0.2440	2.33	0.2034	00-013-0259; 00-012-0204; 01-078-2035	0.97	0.16	15.67	Yes
2.6922 3	33.279 8	8.84	0.4015	0.21	0.4080	01-070-1881; 01-078-2035	0.09	0.04	3.50	Yes
2.5945 0	34.572 2	85.30	0.2418	2.07	0.2015	00-013-0259; 00-044-1447; 01-078-2035; 01-080-1831	0.86	0.14	13.75	Yes
2.5691 9	34.923 7	85.83	0.2007	2.08	0.2040	00-029-1488; 00-022-0956; 00-039-0381; 00-029-1490;	0.86	0.17	17.00	Yes

						00- 012- 0204; 00- 044- 1447; 01- 078- 2035				
2.3834	37.744	71.91	0.3346	1.74	0.3400	00- 029- 1488; 00- 044- 1447; 01- 078- 2035;	0.72	0.24	23.73	Yes
4	1					01- 080- 1831				
2.3387	38.493	48.22	0.2676	1.17	0.2720	00- 029- 1488; 00- 039- 0381; 00- 029- 1490; 00- 044- 1447; 01- 078- 2035	0.48	0.13	12.73	Yes
						01- 085- 0930; 00- 022- 0956; 01- 070- 1881; 01- 078- 2035;				
2.2901	39.343	19.04	0.2676	0.46	0.2720	01- 085- 0930; 00- 022- 0956; 01- 070- 1881; 01- 078- 2035;	0.19	0.05	5.03	Yes
7	3					01- 080-				

1.9987 0	45.376 7	30.90	0.4015	0.75	0.4080	1831 00- 029- 1490; 01- 070- 1881; 01- 080- 1831	0.31	0.12	12.24	Yes
1.8181 4	50.178 0	25.25	0.2007	0.61	0.2040	01- 085- 0930; 00- 039- 0381; 01- 070- 1881; 00- 044- 1447; 01- 080- 1831	0.25	0.05	5.00	Yes
1.7887 2	51.062 0	20.96	0.2676	0.51	0.2720	00- 029- 1488; 00- 044- 1447; 01- 080- 1831	0.21	0.06	5.53	Yes
1.5418 2	60.002 4	24.44	0.2007	0.59	0.2040	00- 029- 1488; 01- 085- 0930; 00- 044- 1447; 01- 080- 1831	0.25	0.05	4.84	Yes
1.4894 6	62.342 0	38.78	0.3346	0.94	0.3400	00- 029- 1488; 00-	0.39	0.13	12.80	Yes

						022-0956; 00-029-1490; 01-070-1881; 01-080-1831				
1.3778 6	68.044 6	10.18	0.5353	0.25	0.5440	00-029-1488; 01-085-0930; 01-080-1831	0.10	0.05	5.38	Yes
1.2868 6	73.608 6	5.69	0.6691	0.14	0.6800	00-029-1488; 01-085-0930; 00-029-1490; 01-070-1881; 01-080-1831	0.06	0.04	3.76	Yes
1.1957 6	80.210 0	7.51	0.9792	0.18	0.8160	01-085-0930; 01-070-1881; 01-080-1831	0.08	0.10	9.81	Yes

More items... (Bookmark 6)

Visible	Scan Name	Start pos. [°2Th.]	End pos. [°2Th.]	Step [°2Th.]	Measured Date/Time
*	463_2mue	3.0080	84.9820	0.0170	14-feb-2007 00:19

Document History: (Bookmark 5)

More items... (Bookmark 7)

Insert Measurement:

- Scan name = "463_2mue.udf"
- Modification time = "26/03/2007 15:55:04"
- Modification editor = "Administrator"

Interpolate Step Size:

- Step Size = "Derived"
- Modification time = "26/03/2007 15:55:04"
- Modification editor = "Administrator"

Determine Background:

- Correction method = "Automatic"
- Bending factor = "0"
- Use smoothed input data = "Yes"
- Add to net scan = "Nothing"
- Modification time = "26/03/2007 15:55:09"
- Modification editor = "Administrator"

Search Peaks:

- Minimum significance = "1.00"
- Minimum tip width = "0.01"
- Maximum tip width = "1.00"
- Peak base width = "5.00"
- Method = "Minimum 2nd derivative"
- Modification time = "26/03/2007 15:55:13"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "6.5017"
- Modification time = "26/03/2007 15:55:20"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "5.7800"
- Modification time = "26/03/2007 15:55:22"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "5.5366"
- Modification time = "26/03/2007 15:55:23"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "6.2050"
 - Modification time = "26/03/2007 15:55:25"
 - Modification editor = "Administrator"
-

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "6.6607"
- Modification time = "26/03/2007 15:55:26"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "6.8780"
- Modification time = "26/03/2007 15:55:28"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "7.1623"
- Modification time = "26/03/2007 15:55:29"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "5.1730"
- Modification time = "26/03/2007 15:55:31"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "4.8960"
- Modification time = "26/03/2007 15:55:32"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "7.3270"
- Modification time = "26/03/2007 15:55:34"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "11.9820"
- Modification time = "26/03/2007 15:55:40"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "12.2446"
- Modification time = "26/03/2007 15:55:41"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "12.5166"
- Modification time = "26/03/2007 15:55:42"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "12.7320"
 - Modification time = "26/03/2007 15:55:43"
 - Modification editor = "Administrator"
-

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "11.8536"
- Modification time = "26/03/2007 15:55:45"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "11.5136"
- Modification time = "26/03/2007 15:55:45"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "12.9114"
- Modification time = "26/03/2007 15:55:47"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "20.0772"
- Modification time = "26/03/2007 15:55:50"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "20.3629"
- Modification time = "26/03/2007 15:55:51"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "20.2148"
- Modification time = "26/03/2007 15:55:52"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "20.5607"
- Modification time = "26/03/2007 15:55:54"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "19.9410"
- Modification time = "26/03/2007 15:55:56"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "19.5299"
- Modification time = "26/03/2007 15:55:58"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "19.5856"
- Modification time = "26/03/2007 15:55:59"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "21.6318"
- Modification time = "26/03/2007 15:56:01"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "21.7942"
- Modification time = "26/03/2007 15:56:01"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "25.0637"
- Modification time = "26/03/2007 15:56:05"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "25.2507"
- Modification time = "26/03/2007 15:56:06"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "25.4952"
- Modification time = "26/03/2007 15:56:07"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "24.6557"
- Modification time = "26/03/2007 15:56:09"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "25.8460"
- Modification time = "26/03/2007 15:56:11"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "26.1007"
- Modification time = "26/03/2007 15:56:12"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "24.3887"
- Modification time = "26/03/2007 15:56:14"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "24.1967"
- Modification time = "26/03/2007 15:56:15"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "26.2675"
-

- Modification time = "26/03/2007 15:56:16"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "26.8827"
- Modification time = "26/03/2007 15:56:17"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "27.3365"
- Modification time = "26/03/2007 15:56:19"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "27.4793"
- Modification time = "26/03/2007 15:56:19"
- Modification editor = "Administrator"

Insert Peak:

- Peak position [$^{\circ}$ 2Th.] = "34.5722"
- Modification time = "26/03/2007 15:56:24"
- Modification editor = "Administrator"

Search-Match:

- Data source = "Profile and peak list"
- Restriction = "Restriction set"
- Description = "Minerals subfile only"
- All of: elements = ""
- At least one of: elements = ""
- None of: elements = ""
- Maximum no. of elements = "105"
- Skip marked as deleted by ICDD = "No"
- Skip marked as deleted by a user = "No"
- Quality marks set = ""
- Subfiles = "M"
- Scoring schema = "Multi phase"
- Auto residue = "Yes"
- Match intensity = "Yes"
- Demote unmatched strong = "Yes"
- Allow pattern shift = "Yes"
- Two theta shift = "0"
- Identify = "No"
- Modification time = "26/03/2007 15:56:34"
- Modification editor = "Administrator"

More items... (Bookmark 8)

More items... (Bookmark 9)

More items... (Bookmark 10)

More items... (Bookmark 11)

More items... (Bookmark 12)

More items... (Bookmark 13)

More items... (Bookmark 14)

More items... (Bookmark 15)